

To all beneficiaries enrolled in a Prepaid Health Plan (PHP): for questions about benefits and services available on or after November 1, 2019, please contact your PHP.

Table of Contents

| | | |
|-------|---|---|
| 1.0 | Description of the Procedure, Product, or Service..... | 1 |
| 2.0 | Eligibility Requirements | 1 |
| 2.1 | Provisions..... | 1 |
| 2.1.1 | General..... | 1 |
| 2.1.2 | Specific | 1 |
| 2.2 | Special Provisions..... | 2 |
| 2.2.1 | EPSDT Special Provision: Exception to Policy Limitations for a Medicaid Beneficiary under 21 Years of Age | 2 |
| 2.2.2 | EPSDT does not apply to NCHC beneficiaries | 3 |
| 2.2.3 | Health Choice Special Provision for a Health Choice Beneficiary age 6 through 18 years of age | 3 |
| 2.3 | Recipients with Medicaid for Pregnant Women | 3 |
| 3.0 | When the Procedure, Product, or Service Is Covered..... | 3 |
| 3.1 | General Criteria Covered | 3 |
| 3.2 | Specific Criteria Covered..... | 3 |
| 3.2.1 | Specific criteria covered by both Medicaid and NCHC | 3 |
| 3.2.2 | Medicaid Additional Criteria Covered..... | 4 |
| 3.2.3 | NCHC Additional Criteria Covered | 4 |
| 4.0 | When the Procedure, Product, or Service Is Not Covered..... | 4 |
| 4.1 | General Criteria Not Covered | 4 |
| 4.2 | Specific Criteria Not Covered..... | 4 |
| 4.2.1 | Specific criteria covered by both Medicaid and NCHC | 4 |
| 4.2.2 | Medicaid Additional Criteria Not Covered..... | 4 |
| 4.2.3 | NCHC Additional Criteria Not Covered..... | 4 |
| 5.0 | Requirements for and Limitations on Coverage | 5 |
| 5.1 | Prior Approval | 5 |
| 5.2 | Prior Approval Requirements | 5 |
| 5.2.1 | General..... | 5 |
| 5.2.2 | Specific | 5 |
| 5.3 | Additional Limitations or Requirements | 5 |
| 6.0 | Provider(s) Eligible to Bill for the Procedure, Product, or Service | 5 |
| 6.1 | Provider Qualifications and Occupational Licensing Entity Regulations..... | 5 |
| 6.2 | Provider Certifications | 5 |
| 7.0 | Additional Requirements | 6 |
| 7.1 | Compliance | 6 |
| 8.0 | Policy Implementation/Revision Information..... | 6 |

Attachment A: Claims-Related Information 8

- A. Claim Type 8
- B. International Classification of Diseases and Related Health Problems, Tenth Revisions,
Clinical Modification (ICD-10-CM) and Procedural Coding System (PCS) 8
- C. Code(s)..... 19
- D. Modifiers..... 19
- E. Billing Units..... 19
- F. Place of Service 19
- G. Co-payments 19
- H. Reimbursement 19

Related Clinical Coverage Policies

Refer to <https://medicaid.ncdhhs.gov/> for the related coverage policies listed below:
1C-2, Medically Necessary Routine Foot Care

1.0 Description of the Procedure, Product, or Service

Podiatry, as defined by NCGS 90-202.2, “is the surgical, medical, or mechanical treatment of all ailments of the human foot and ankle, and their related soft tissue structure to the level of the myotendinous junction. Excluded from the definition of podiatry is the amputation of the entire foot, the administration of an anesthetic other than a local, and the surgical correction of clubfoot of an infant two years of age or less.”

2.0 Eligibility Requirements

2.1 Provisions

2.1.1 General

(The term “General” found throughout this policy applies to all Medicaid and NCHC policies)

- a. An eligible beneficiary shall be enrolled in either:
 1. the NC Medicaid Program (*Medicaid is NC Medicaid program, unless context clearly indicates otherwise*); or
 2. the NC Health Choice (*NCHC is NC Health Choice program, unless context clearly indicates otherwise*) Program on the date of service and shall meet the criteria in **Section 3.0 of this policy**.
- b. Provider(s) shall verify each Medicaid or NCHC beneficiary’s eligibility each time a service is rendered.
- c. The Medicaid beneficiary may have service restrictions due to their eligibility category that would make them ineligible for this service.
- d. Following is only one of the eligibility and other requirements for participation in the NCHC Program under GS 108A-70.21(a): Children must be between the ages of 6 through 18.

2.1.2 Specific

(The term “Specific” found throughout this policy only applies to this policy)

- a. **Medicaid**
None Apply.
- b. **NCHC**
None Apply.

2.2 Special Provisions

2.2.1 EPSDT Special Provision: Exception to Policy Limitations for a Medicaid Beneficiary under 21 Years of Age

a. 42 U.S.C. § 1396d(r) [1905(r) of the Social Security Act]

Early and Periodic Screening, Diagnostic, and Treatment (EPSDT) is a federal Medicaid requirement that requires the state Medicaid agency to cover services, products, or procedures for Medicaid beneficiary under 21 years of age **if** the service is **medically necessary health care** to correct or ameliorate a defect, physical or mental illness, or a condition [health problem] identified through a screening examination (includes any evaluation by a physician or other licensed practitioner).

This means EPSDT covers most of the medical or remedial care a child needs to improve or maintain his or her health in the best condition possible, compensate for a health problem, prevent it from worsening, or prevent the development of additional health problems.

Medically necessary services will be provided in the most economic mode, as long as the treatment made available is similarly efficacious to the service requested by the beneficiary's physician, therapist, or other licensed practitioner; the determination process does not delay the delivery of the needed service; and the determination does not limit the beneficiary's right to a free choice of providers.

EPSDT does not require the state Medicaid agency to provide any service, product or procedure:

1. that is unsafe, ineffective, or experimental or investigational.
2. that is not medical in nature or not generally recognized as an accepted method of medical practice or treatment.

Service limitations on scope, amount, duration, frequency, location of service, and other specific criteria described in clinical coverage policies may be exceeded or may not apply as long as the provider's documentation shows that the requested service is medically necessary "to correct or ameliorate a defect, physical or mental illness, or a condition" [health problem]; that is, provider documentation shows how the service, product, or procedure meets all EPSDT criteria, including to correct or improve or maintain the beneficiary's health in the best condition possible, compensate for a health problem, prevent it from worsening, or prevent the development of additional health problems.

b. EPSDT and Prior Approval Requirements

1. If the service, product, or procedure requires prior approval, the fact that the beneficiary is under 21 years of age does **NOT** eliminate the requirement for prior approval.
2. **IMPORTANT ADDITIONAL INFORMATION** about EPSDT and prior approval is found in the *NCTracks Provider Claims and Billing Assistance Guide*, and on the EPSDT provider page. The Web addresses are specified below.

NCTracks Provider Claims and Billing Assistance Guide:
<https://www.nctracks.nc.gov/content/public/providers/provider-manuals.html>

EPSDT provider page: <https://medicaid.ncdhhs.gov/>

2.2.2 EPSDT does not apply to NCHC beneficiaries

2.2.3 Health Choice Special Provision for a Health Choice Beneficiary age 6 through 18 years of age

NC Medicaid shall deny the claim for coverage for an NCHC beneficiary who does not meet the criteria within **Section 3.0** of this policy. Only services included under the NCHC State Plan and the NC Medicaid clinical coverage policies, service definitions, or billing codes are covered for an NCHC beneficiary.

2.3 Recipients with Medicaid for Pregnant Women

Podiatry services for recipients with Medicaid for Pregnant Women (MPW) coverage are limited to medical conditions related to pregnancy or complications of pregnancy. Refer to **Subsection 5.1** for service requirements.

3.0 When the Procedure, Product, or Service Is Covered

Note: Refer to Subsection 2.2.1 regarding EPSDT Exception to Policy Limitations for Medicaid Recipients under 21 Years of Age.

3.1 General Criteria Covered

Medicaid and NCHC shall cover the procedure, product, or service related to this policy when medically necessary, and:

- a. the procedure, product, or service is individualized, specific, and consistent with symptoms or confirmed diagnosis of the illness or injury under treatment, and not in excess of the beneficiary's needs;
- b. the procedure, product, or service can be safely furnished, and no equally effective and more conservative or less costly treatment is available statewide; and
- c. the procedure, product, or service is furnished in a manner not primarily intended for the convenience of the beneficiary, the beneficiary's caretaker, or the provider.

3.2 Specific Criteria Covered

3.2.1 Specific criteria covered by both Medicaid and NCHC

The services of a podiatrist are covered for specific diagnoses only. Refer to **Attachment A** Section B Diagnosis Codes for an approved list of diagnosis codes.

Note: Services of a podiatrist provided to a recipient on that recipient's first visit to the practice when billed with a new patient office visit code (99201-99205), will not deny for inappropriate diagnosis.

3.2.2 Medicaid Additional Criteria Covered

None Apply.

3.2.3 NCHC Additional Criteria Covered

None Apply.

4.0 When the Procedure, Product, or Service Is Not Covered

Note: Refer to Subsection 2.2.1 regarding EPSDT Exception to Policy Limitations for a Medicaid Beneficiary under 21 Years of Age.

4.1 General Criteria Not Covered

Medicaid and NCHC shall not cover the procedure, product, or service related to this policy when:

- a. the beneficiary does not meet the eligibility requirements listed in **Section 2.0**;
- b. the beneficiary does not meet the criteria listed in **Section 3.0**;
- c. the procedure, product, or service duplicates another provider's procedure, product, or service; or
- d. the procedure, product, or service is experimental, investigational, or part of a clinical trial.

4.2 Specific Criteria Not Covered

4.2.1 Specific criteria covered by both Medicaid and NCHC

Routine foot care is not covered except as indicated in clinical coverage policy 1C-2, *Medically Necessary Routine Foot Care*.

Curettement procedures or shaving of lesions are not covered except as indicated in clinical coverage policy 1C-2, *Medically Necessary Routine Foot Care*.

4.2.2 Medicaid Additional Criteria Not Covered

None apply.

4.2.3 NCHC Additional Criteria Not Covered

- a. NCGS § 108A-70.21(b) "Except as otherwise provided for eligibility, fees, deductibles, copayments, and other cost sharing charges, health benefits coverage provided to children eligible under the Program shall be equivalent to coverage provided for dependents under North Carolina Medicaid Program except for the following:
 1. No services for long-term care.
 2. No nonemergency medical transportation.
 3. No EPSDT.
 4. Dental services shall be provided on a restricted basis in accordance with criteria adopted by the Department to implement this subsection."

5.0 Requirements for and Limitations on Coverage

Note: Refer to Subsection 2.2.1 regarding EPSDT Exception to Policy Limitations for Medicaid Recipients under 21 Years of Age.

5.1 Prior Approval

Medicaid and NCHC shall not require prior approval for podiatry services, **except** for recipients with MPW coverage, to document medical necessity for services related to pregnancy or due to complications of pregnancy.

5.2 Prior Approval Requirements

5.2.1 General

The provider(s) shall submit to the Department of Health and Human Services (DHHS) Utilization Review Contractor the following:

- a. the prior approval request; and
- b. all health records and any other records that support the beneficiary has met the specific criteria in **Subsection 3.2** of this policy.

5.2.2 Specific

None Apply.

5.3 Additional Limitations or Requirements

None Apply.

6.0 Provider(s) Eligible to Bill for the Procedure, Product, or Service

To be eligible to bill for the procedure, product, or service related to this policy, the provider(s) shall:

- a. meet Medicaid or NCHC qualifications for participation;
- b. have a current and signed Department of Health and Human Services (DHHS) Provider Administrative Participation Agreement; and
- c. bill only for procedures, products, and services that are within the scope of their clinical practice, as defined by the appropriate licensing entity.

6.1 Provider Qualifications and Occupational Licensing Entity Regulations

None Apply.

6.2 Provider Certifications

None Apply.

7.0 Additional Requirements

Note: Refer to Subsection 2.2.1 regarding EPSDT Exception to Policy Limitations for a Medicaid Beneficiary under 21 Years of Age.

7.1 Compliance

Provider(s) shall comply with the following in effect at the time the service is rendered:

- a. All applicable agreements, federal, state and local laws and regulations including the Health Insurance Portability and Accountability Act (HIPAA) and record retention requirements; and
- b. All NC Medicaid's clinical (medical) coverage policies, guidelines, policies, provider manuals, implementation updates, and bulletins published by the Centers for Medicare and Medicaid Services (CMS), DHHS, DHHS division(s) or fiscal contractor(s).

8.0 Policy Implementation/Revision Information

Original Effective Date: November 1, 1981

Revision Information:

| Date | Section Revised | Change |
|----------|----------------------|---|
| 12/1/06 | Sections 2 through 5 | A special provision related to EPSDT was added. |
| 5/1/07 | Sections 2 through 5 | EPSDT information was revised to clarify exceptions to policy limitations for recipients under 21 years of age. |
| 7/1/2010 | Throughout | Policy Conversion: Implementation of Session Law 2009-451, Section 10.32 "NC HEALTH CHOICE/PROCEDURES FOR CHANGING MEDICAL POLICY." |
| 12/01/10 | Section 1.0 | Added NCGS 90-202.2 and enclosed definition with quotations. Added standard DMA policy language. |
| 12/01/10 | Section 2.0 | Added EPSDT citation |
| 12/01/10 | Section 3.0 | Added standard DMA policy language Added 3.1 General Criteria and 3.2 Specific Criteria: "The services of a podiatrist are covered for specific diagnoses only." "Refer to Attachment A Section B Diagnosis Codes for an approved list of diagnosis codes." Note: Services of a podiatrist provided to a recipient on that recipient's first visit to the practice when billed with a new patient office visit code (99201-99205), will not deny for inappropriate diagnosis." |
| 12/01/10 | Section 4.0 | Added standard DMA policy language |
| 12/01/10 | Subsection 4.2 | Removed Routine Foot Care and Added Specific Criteria. |
| 12/01/10 | Section 5.0 | Added standard DMA policy language |
| 12/01/10 | Section 6.0 | Added "a.The policy only applies to podiatrists." Added standard DMA policy language |

| Date | Section Revised | Change |
|-------------|------------------------------|---|
| 12/01/10 | Section 7.0 | Added standard DMA policy language |
| 12/01/10 | Attachment A | Section A Claim Type Removed the statement Podiatrists, physicians, and nurse practitioners enrolled in the N.C. Medicaid program bill services on the CMS-1500 claim form. Added Professional (CMS-1500/837P transaction) and Institutional (UB-04-837I transaction). |
| 12/01/10 | Attachment A: | Section B: Added a list of approved diagnosis codes and descriptions |
| 12/01/10 | Attachment A: | Diagnosis Codes: Corrected descriptions of some codes |
| 12/01/10 | Attachment A: | Section E: Billing Units |
| 12/01/10 | Attachment A: | Section F: Added Inpatient, outpatient and office. Removed the place of service and description table. Section G: Updated co-payment and medical billing guide address. Added standard DMA policy language Section H: Reimbursement |
| 06/01/11 | Attachment A | (C) Adding spacing between sentences. Moved “Providers may bill one unit per date of service for the above procedure codes.” Attachment A (E) to Attachment A (C) |
| 06/01/11 | Attachment A | (E) Added “The unit of service is determined by the appropriate procedure code(s) used.” |
| 3/12/12 | Throughout | To be equivalent where applicable to NC DMA’s Clinical Coverage Policy # 1C-1 under session Law 2011-145 § 10.41. (b) |
| 3/12/12 | Throughout | Technical changes to merge Medicaid and NCHC current coverage into one policy. |
| 10/01/15 | All Sections and Attachments | Updated policy template language and added ICD-10 codes to comply with federally mandated 10/1/2015 implementation where applicable. |
| 05/01/18 | Attachment A | Updated ICD-10 Codes |
| 03/15/2019 | Table of Contents | Added, “To all beneficiaries enrolled in a Prepaid Health Plan (PHP): for questions about benefits and services available on or after November 1, 2019, please contact your PHP.” |
| 03/15/2019 | All Sections and Attachments | Updated policy template language. |
| 07/01/2019 | Attachment A, letter B | Added diagnosis code G57.63 |

Attachment A: Claims-Related Information

Provider(s) shall comply with the, *NCTracks Provider Claims and Billing Assistance Guide*, Medicaid bulletins, fee schedules, NC Medicaid’s clinical coverage policies and any other relevant documents for specific coverage and reimbursement for Medicaid and NCHC:

A. Claim Type

Professional (CMS-1500/837P transaction)

B. International Classification of Diseases and Related Health Problems, Tenth Revisions, Clinical Modification (ICD-10-CM) and Procedural Coding System (PCS)

Provider(s) shall report the ICD-10-CM and Procedural Coding System (PCS) to the highest level of specificity that supports medical necessity. Provider(s) shall use the current ICD-10 edition and any subsequent editions in effect at the time of service. Provider(s) shall refer to the applicable edition for code description, as it is no longer documented in the policy.

Podiatrists' claims must contain one of the following diagnosis codes.

| ICD-10-CM Code(s) | | | | |
|-------------------|----------|----------|----------|----------|
| A52.16 | S82.51xN | S90.454A | S92.142S | S93.111D |
| B35.1 | S82.51xP | S90.454D | S92.144A | S93.111S |
| D49.2 | S82.51xQ | S90.454S | S92.144B | S93.112A |
| E08.40 | S82.51xR | S90.455A | S92.144D | S93.112D |
| E08.42 | S82.51xS | S90.455D | S92.144G | S93.112S |
| E08.52 | S82.52xA | S90.455S | S92.144K | S93.114A |
| E08.610 | S82.52xB | S90.461A | S92.144P | S93.114D |
| E08.618 | S82.52xC | S90.461D | S92.144S | S93.114S |
| E08.620 | S82.52xD | S90.461S | S92.145A | S93.115A |
| E08.621 | S82.52xE | S90.462A | S92.145B | S93.115D |
| E08.622 | S82.52xF | S90.462D | S92.145D | S93.115S |
| E08.628 | S82.52xG | S90.462S | S92.145G | S93.121A |
| E08.630 | S82.52xH | S90.464A | S92.145K | S93.121D |
| E08.638 | S82.52xJ | S90.464D | S92.145P | S93.121S |
| E08.649 | S82.52xK | S90.464S | S92.145S | S93.122A |
| E08.65 | S82.52xM | S90.465A | S92.151A | S93.122D |
| E08.69 | S82.52xN | S90.465D | S92.151B | S93.122S |
| E09.40 | S82.52xP | S90.465S | S92.151D | S93.124A |
| E09.42 | S82.52xQ | S90.471A | S92.151G | S93.124D |
| E09.52 | S82.52xR | S90.471D | S92.151K | S93.124S |
| E09.618 | S82.52xS | S90.471S | S92.151P | S93.125A |
| E09.620 | S82.54xA | S90.472A | S92.151S | S93.125D |
| E09.621 | S82.54xB | S90.472D | S92.152A | S93.125S |
| E09.622 | S82.54xC | S90.472S | S92.152B | S93.131A |
| E09.628 | S82.54xD | S90.474A | S92.152D | S93.131D |
| E09.630 | S82.54xE | S90.474D | S92.152G | S93.131S |
| E09.638 | S82.54xF | S90.474S | S92.152K | S93.132A |
| E09.649 | S82.54xG | S90.475A | S92.152P | S93.132D |

| | | | | |
|---------|----------|----------|----------|----------|
| E09.65 | S82.54xH | S90.475D | S92.152S | S93.132S |
| E09.69 | S82.54xJ | S90.475S | S92.154A | S93.134A |
| E10.40 | S82.54xK | S90.511A | S92.154B | S93.134D |
| E10.41 | S82.54xM | S90.511D | S92.154D | S93.134S |
| E10.42 | S82.54xN | S90.511S | S92.154G | S93.135A |
| E10.43 | S82.54xP | S90.512A | S92.154K | S93.135D |
| E10.44 | S82.54xQ | S90.512D | S92.154P | S93.135S |
| E10.49 | S82.54xR | S90.512S | S92.154S | S93.141A |
| E10.51 | S82.54xS | S90.521A | S92.155A | S93.141D |
| E10.52 | S82.55xA | S90.521D | S92.155B | S93.141S |
| E10.59 | S82.55xB | S90.521S | S92.155D | S93.142A |
| E10.610 | S82.55xC | S90.522A | S92.155G | S93.142D |
| E10.65 | S82.55xD | S90.522D | S92.155K | S93.142S |
| E10.69 | S82.55xE | S90.522S | S92.155P | S93.144A |
| E11.40 | S82.55xF | S90.541A | S92.155S | S93.144D |
| E11.41 | S82.55xG | S90.541D | S92.191A | S93.144S |
| E11.42 | S82.55xH | S90.541S | S92.191B | S93.145A |
| E11.43 | S82.55xJ | S90.551A | S92.191D | S93.145D |
| E11.44 | S82.55xK | S90.551D | S92.191G | S93.145S |
| E11.49 | S82.55xP | S90.551S | S92.191K | S93.311A |
| E11.51 | S82.55xQ | S90.552A | S92.191P | S93.311D |
| E11.52 | S82.55xR | S90.552D | S92.191S | S93.311S |
| E11.59 | S82.55xS | S90.552S | S92.192A | S93.312A |
| E11.610 | S82.61XA | S90.561A | S92.192B | S93.312D |
| E11.65 | S82.61xB | S90.561D | S92.192D | S93.312S |
| E13.40 | S82.61xC | S90.561S | S92.192G | S93.314A |
| E13.41 | S82.61xD | S90.562A | S92.192K | S93.314D |
| E13.42 | S82.61xE | S90.562D | S92.192P | S93.314S |
| E13.43 | S82.61xF | S90.562S | S92.192S | S93.315A |
| E13.44 | S82.61xG | S90.571A | S92.211A | S93.315D |
| E13.49 | S82.61xH | S90.571D | S92.211B | S93.315S |
| E13.51 | S82.61xJ | S90.571S | S92.211D | S93.321A |
| E13.52 | S82.61xK | S90.811A | S92.211G | S93.321D |
| E13.59 | S82.61xM | S90.811D | S92.211P | S93.321S |
| E13.610 | S82.61xN | S90.811S | S92.211S | S93.322A |
| E13.618 | S82.61xP | S90.812A | S92.212A | S93.322D |
| E13.620 | S82.61xQ | S90.812D | S92.212B | S93.322S |
| E13.621 | S82.61xR | S90.812S | S92.212D | S93.324A |
| E13.622 | S82.61xS | S90.821A | S92.212G | S93.324D |
| E13.628 | S82.62xA | S90.821D | S92.212P | S93.324S |
| E13.630 | S82.62xB | S90.821S | S92.212S | S93.325A |
| E13.638 | S82.62xC | S90.822A | S92.214A | S93.325D |
| E13.649 | S82.62xD | S90.822D | S92.214B | S93.325S |
| E13.65 | S82.62xE | S90.822S | S92.214D | S93.331A |
| E13.69 | S82.62xF | S90.841A | S92.214G | S93.331D |
| G57.51 | S82.62xG | S90.841D | S92.214P | S93.331S |
| G57.52 | S82.62xH | S90.841S | S92.214S | S93.332A |
| G57.61 | S82.62xJ | S90.842A | S92.215A | S93.332D |
| G57.62 | S82.62xK | S90.842D | S92.215B | S93.332S |

| | | | | |
|---------|----------|----------|----------|----------|
| G57.63 | S82.62xM | S90.842S | S92.215D | S93.334A |
| G60.0 | S82.62xN | S90.851A | S92.215G | S93.334D |
| G60.2 | S82.62xP | S90.851D | S92.215P | S93.334S |
| G60.8 | S82.62xQ | S90.851S | S92.215S | S93.335A |
| G60.9 | S82.62xR | S90.852A | S92.221A | S93.335D |
| G90.521 | S82.62xS | S90.852D | S92.221B | S93.335S |
| G90.522 | S82.64xA | S90.852S | S92.221D | S93.411A |
| G90.523 | S82.64xB | S90.861A | S92.221G | S93.411D |
| I70.233 | S82.64xC | S90.861D | S92.221K | S93.411S |
| I70.234 | S82.64xD | S90.861S | S92.221P | S93.412A |
| I70.235 | S82.64xE | S90.862A | S92.221S | S93.412D |
| I70.243 | S82.64xF | S90.862D | S92.222A | S93.412S |
| I70.244 | S82.64xG | S90.862S | S92.222B | S93.421A |
| I70.245 | S82.64xH | S90.871A | S92.222D | S93.421D |
| I70.25 | S82.64xJ | S90.871D | S92.222G | S93.421S |
| I70.333 | S82.64xK | S90.871S | S92.222K | S93.422A |
| I70.334 | S82.64xM | S90.872A | S92.222P | S93.422D |
| I70.335 | S82.64xN | S90.872D | S92.222S | S93.422S |
| I70.343 | S82.64xP | S90.872S | S92.224A | S93.431A |
| I70.344 | S82.64xQ | S91.011A | S92.224B | S93.431D |
| I70.345 | S82.64xR | S91.011D | S92.224D | S93.431S |
| I70.433 | S82.64xS | S91.011S | S92.224G | S93.432A |
| I70.434 | S82.65xA | S91.012A | S92.224K | S93.432D |
| I70.435 | S82.65xB | S91.012D | S92.224P | S93.432S |
| I70.443 | S82.65xC | S91.012S | S92.224S | S93.491A |
| I70.444 | S82.65xD | S91.021A | S92.225A | S93.491D |
| I70.445 | S82.65xE | S91.021D | S92.225B | S93.491S |
| I70.533 | S82.65xF | S91.021S | S92.225D | S93.492A |
| I70.534 | S82.65xG | S91.022A | S92.225G | S93.492D |
| I70.535 | S82.65xH | S91.022D | S92.225K | S93.492S |
| I70.543 | S82.65xJ | S91.022S | S92.225P | S93.511A |
| I70.544 | S82.65xK | S91.031A | S92.225S | S93.511D |
| I70.545 | S82.65xM | S91.031D | S92.231A | S93.511S |
| I70.633 | S82.65xN | S91.031S | S92.231B | S93.512A |
| I70.634 | S82.65xP | S91.032A | S92.231D | S93.512D |
| I70.635 | S82.65xQ | S91.032D | S92.231G | S93.512S |
| I70.643 | S82.65xR | S91.031S | S92.231K | S93.514A |
| I70.644 | S82.65xS | S91.041A | S92.231P | S93.514D |
| I70.645 | S82.821P | S91.041D | S92.231S | S93.514S |
| I70.733 | S82.822P | S91.041S | S92.232A | S93.515A |
| I70.734 | S82.841A | S91.042A | S92.232B | S93.515D |
| I70.735 | S82.841B | S91.042D | S92.232D | S93.515S |
| I70.743 | S82.841C | S91.042S | S92.232G | S93.521A |
| I70.744 | S82.841D | S91.111A | S92.232K | S93.521D |
| I70.745 | S82.841E | S91.111D | S92.232P | S93.521S |
| I73.00 | S82.841F | S91.111S | S92.232S | S93.522A |
| I73.01 | S82.841G | S91.112A | S92.234A | S93.522D |
| I73.1 | S82.841J | S91.112D | S92.234B | S93.522S |
| I73.81 | S82.841K | S91.112S | S92.234D | S93.524A |

| | | | | |
|---------|----------|----------|----------|----------|
| I73.89 | S82.841M | S91.114A | S92.234G | S93.524D |
| I73.9 | S82.841N | S91.114D | S92.234P | S93.524S |
| I83.003 | S82.841P | S91.114S | S92.234S | S93.525A |
| I83.004 | S82.841Q | S91.115A | S92.235A | S93.525D |
| I83.005 | S82.841R | S91.115D | S92.235B | S93.525S |
| I83.013 | S82.841S | S91.115S | S92.235D | S93.611A |
| I83.014 | S82.842A | S91.121A | S92.235G | S93.611D |
| I83.015 | S82.842B | S91.121D | S92.235K | S93.611S |
| I83.023 | S82.842C | S91.121S | S92.235P | S93.612A |
| I83.024 | S82.842D | S91.122A | S92.235S | S93.612D |
| I83.025 | S82.842E | S91.122D | S92.241A | S93.612S |
| I83.213 | S82.842F | S91.122S | S92.241B | S93.621A |
| I83.214 | S82.842G | S91.124A | S92.241D | S93.621D |
| I83.215 | S82.842H | S91.124D | S92.241G | S93.621S |
| I83.223 | S82.842J | S91.124S | S92.241K | S93.691A |
| I83.224 | S82.842K | S91.131A | S92.241P | S93.691D |
| I83.225 | S82.842M | S91.131D | S92.241S | S93.691S |
| I89.0 | S82.842N | S91.131S | S92.242A | S93.692A |
| I96 | S82.842P | S91.132A | S92.242B | S93.692D |
| L02.611 | S82.842Q | S91.132D | S92.242D | S93.692S |
| L02.612 | S82.842R | S91.132S | S92.242G | S96.011A |
| L03.031 | S82.842S | S91.134A | S92.242K | S96.011D |
| L03.032 | S82.844A | S91.134D | S92.242P | S96.011S |
| L03.041 | S82.844B | S91.134S | S92.242S | S96.012A |
| L03.042 | S82.844C | S91.135A | S92.244A | S96.012D |
| L08.89 | S82.844D | S91.135D | S92.244B | S96.012S |
| L60.0 | S82.844E | S91.135S | S92.244D | S96.021A |
| L89.600 | S82.844F | S91.141A | S92.244G | S96.021D |
| L89.601 | S82.844G | S91.141D | S92.244K | S96.021S |
| L89.602 | S82.844H | S91.141S | S92.244P | S96.022A |
| L89.603 | S82.844J | S92.142A | S92.244S | S96.022D |
| L89.604 | S82.844K | S92.142D | S92.245A | S96.022S |
| L89.609 | S82.844M | S91.142S | S92.245B | S96.091A |
| L89.610 | S82.844N | S91.144A | S92.245D | S96.091D |
| L89.611 | S82.844P | S91.144D | S92.245G | S96.091S |
| L89.612 | S82.844Q | S91.144S | S92.245K | S96.092A |
| L89.613 | S82.844R | S91.145A | S92.245P | S96.092D |
| L89.614 | S82.844S | S91.145D | S92.245S | S96.092S |
| L89.619 | S82.845A | S91.145S | S92.251A | S96.111A |
| L89.620 | S82.845B | S91.151A | S92.251B | S96.111D |
| L89.621 | S82.845C | S91.151D | S92.251D | S96.111S |
| L89.622 | S82.845D | S91.151S | S92.251G | S96.112A |
| L89.623 | S82.845E | S91.152A | S92.251K | S96.112D |
| L89.624 | S82.845F | S91.152D | S92.251P | S96.112S |
| L89.629 | S82.845G | S91.152S | S92.251S | S96.121A |
| L92.1 | S82.845H | S91.154A | S92.252A | S96.121D |
| L94.2 | S82.845J | S91.154D | S92.252B | S96.121S |
| L97.311 | S82.845K | S91.154S | S92.252D | S96.122A |
| L97.312 | S82.845M | S91.155A | S92.252G | S96.122D |

| | | | | |
|---------|----------|----------|----------|----------|
| L97.313 | S82.845N | S91.155D | S92.252K | S96.122S |
| L97.314 | S82.845P | S91.155S | S92.252P | S96.191A |
| L97.315 | S82.845Q | S91.211A | S92.252S | S96.191D |
| L97.318 | S82.845R | S91.211D | S92.254A | S96.191S |
| L97.321 | S82.845S | S91.211S | S92.254B | S96.192A |
| L97.322 | S82.851A | S91.212A | S92.254D | S96.192D |
| L97.323 | S82.851B | S91.212D | S92.254G | S96.192S |
| L97.324 | S82.851C | S91.212S | S92.254K | S96.211A |
| L97.325 | S82.851D | S91.214A | S92.254P | S96.211D |
| L97.326 | S82.851E | S91.214D | S92.254S | S96.211S |
| L97.411 | S82.851F | S91.214S | S92.255A | S96.212A |
| L97.412 | S82.851G | S91.215A | S92.255B | S96.212D |
| L97.413 | S82.851H | S92.215D | S92.255D | S96.212S |
| L97.414 | S82.851J | S91.215S | S92.255G | S96.221A |
| L97.415 | S82.851K | S91.221A | S92.255K | S96.221D |
| L97.416 | S82.851M | S91.221D | S92.255P | S96.221S |
| L97.418 | S82.851N | S91.221S | S92.255S | S96.222A |
| L97.421 | S82.851P | S91.222A | S92.311A | S96.222D |
| L97.422 | S82.851Q | S91.222D | S92.311B | S96.222S |
| L97.423 | S82.851R | S91.222S | S92.311D | S96.291A |
| L97.424 | S82.851S | S91.224A | S92.311G | S96.291D |
| L97.425 | S82.852A | S91.224D | S92.311K | S96.291S |
| L97.426 | S82.852B | S91.224S | S92.311P | S96.292A |
| L97.511 | S82.852C | S91.225A | S92.311S | S96.292D |
| L97.512 | S82.852D | S91.225D | S92.312A | S96.292S |
| L97.513 | S82.852E | S91.225S | S92.312B | S96.811A |
| L97.514 | S82.852F | S91.231A | S92.312D | S96.811D |
| L97.521 | S82.852G | S91.231D | S92.312G | S96.811S |
| L97.522 | S82.852H | S91.231S | S92.312K | S96.812A |
| L97.523 | S82.852J | S91.232A | S92.312P | S96.812D |
| L97.524 | S82.852K | S92.232D | S92.312S | S96.812S |
| M05.471 | S82.852M | S91.232S | S92.314A | S96.821A |
| M05.472 | S82.852N | S91.234A | S92.314B | S96.821D |
| M05.571 | S82.852P | S91.234D | S92.314D | S96.821S |
| M05.572 | S82.852Q | S91.234S | S92.314G | S96.822A |
| M05.59 | S82.852R | S91.235A | S92.314K | S96.822D |
| M05.771 | S82.852S | S91.235D | S92.314P | S96.822S |
| M05.772 | S82.854A | S91.235S | S92.314S | S96.891A |
| M05.79 | S82.854B | S91.241A | S92.315A | S96.891D |
| M05.871 | S82.854C | S91.241D | S92.315B | S96.891S |
| M05.872 | S82.854D | S91.241S | S92.315D | S96.892A |
| M05.89 | S82.854E | S91.242A | S92.315G | S96.892D |
| M06.071 | S82.854F | S91.242D | S92.315K | S96.892S |
| M06.072 | S82.854G | S91.242S | S92.315P | S99.011A |
| M06.09 | S82.854H | S91.244A | S92.315S | S99.011B |
| M06.271 | S82.854J | S91.244D | S92.315S | S99.011D |
| M06.272 | S82.845K | S91.244S | S92.321A | S99.011G |
| M06.29 | S82.854M | S91.245A | S92.321B | S99.011K |
| M06.371 | S82.854N | S91.245D | S92.321D | S99.011P |

| | | | | |
|---------|----------|----------|----------|----------|
| M06.372 | S82.854P | S91.245S | S92.321G | S99.011S |
| M06.871 | S82.854Q | S91.251A | S92.321K | S99.012A |
| M06.872 | S82.854R | S91.251D | S92.321P | S99.012S |
| M06.89 | S82.854S | S91.251S | S92.321S | S99.012D |
| M10.071 | S82.855A | S91.252A | S92.322A | S99.012G |
| M10.072 | S82.855B | S91.252D | S92.322B | S99.012K |
| M10.09 | S82.855C | S91.252S | S92.322D | S99.012P |
| M10.29 | S82.855D | S91.254A | S92.322G | S99.012S |
| M10.271 | S82.855E | S91.254D | S92.322K | S99.021A |
| M10.272 | S82.855F | S91.254S | S92.322P | S99.021B |
| M14.671 | S82.855G | S91.255A | S92.322S | S99.021D |
| M14.672 | S82.855J | S91.255D | S92.324A | S99.021G |
| M14.69 | S82.855K | S91.255S | S92.324B | S99.021K |
| M20.11 | S82.855M | S91.311A | S92.324D | S99.021P |
| M20.12 | S82.855N | S91.311D | S92.324G | S99.021S |
| M20.21 | S82.855P | S91.311S | S92.324K | S99.022A |
| M20.22 | S82.855Q | S91.312A | S92.324P | S99.022B |
| M20.31 | S82.855R | S91.312D | S92.324S | S99.022D |
| M20.32 | S82.855S | S91.312S | S92.325A | S99.022G |
| M20.41 | S82.861A | S91.321A | S92.325B | S99.022K |
| M20.42 | S82.861B | S91.321D | S92.325D | S99.022P |
| M20.5X1 | S82.861C | S91.321S | S92.325G | S99.022S |
| M20.5X2 | S82.861D | S91.331A | S92.325K | S99.031A |
| M21.071 | S82.861E | S91.331D | S92.325P | S99.031B |
| M21.072 | S82.861F | S91.331S | S92.325S | S99.031D |
| M21.171 | S82.861G | S91.332A | S92.331A | S99.031G |
| M21.172 | S82.861J | S91.332D | S92.331B | S99.031K |
| M21.271 | S82.861K | S91.332S | S92.331D | S99.031P |
| M21.272 | S82.861M | S91.351A | S92.331G | S99.031S |
| M21.371 | S82.861N | S91.351D | S92.331K | S99.032A |
| M21.372 | S82.861P | S91.351S | S92.331P | S99.032B |
| M21.41 | S82.861Q | S91.352A | S92.331S | S99.032D |
| M21.42 | S82.861R | S91.352D | S92.332A | S99.032K |
| M21.531 | S82.861S | S91.352S | S92.332B | S99.032K |
| M21.532 | S82.862A | S92.011A | S92.332D | S99.032P |
| M21.541 | S82.862B | S92.011B | S92.332G | S99.032S |
| M21.542 | S82.861C | S92.011D | S92.332K | S99.041A |
| M21.611 | S82.862D | S92.011G | S92.332P | S99.041B |
| M21.612 | S82.862E | S92.011K | S92.332S | S99.041D |
| M21.621 | S82.862F | S92.011P | S92.334A | S99.041K |
| M21.622 | S82.862G | S92.011S | S92.334B | S99.041P |
| M21.6X1 | S82.862J | S92.012A | S92.334D | S99.041S |
| M21.6X2 | S82.862K | S92.012B | S92.334G | S99.042A |
| M24.371 | S82.862M | S92.012D | S92.334K | S99.042B |
| M24.372 | S82.862N | S92.012G | S92.334P | S99.042D |
| M24.374 | S82.862P | S92.012K | S92.334S | S99.042K |
| M24.375 | S82.862Q | S92.012P | S92.335A | S99.042P |
| M24.471 | S82.862R | S92.012S | S92.335B | S99.042S |
| M24.472 | S82.862S | S92.014A | S92.335D | S99.091A |

| | | | | |
|----------|----------|----------|----------|----------|
| M24.474 | S82.864A | S92.014B | S92.335G | S99.091B |
| M24.475 | S82.864B | S92.014D | S92.335K | S99.091D |
| M24.477 | S82.864C | S92.014G | S92.335P | S99.091K |
| M24.478 | S82.864D | S92.014P | S92.335S | S99.091P |
| M24.571 | S82.864E | S92.014S | S92.341A | S99.091S |
| M24.572 | S82.864F | S92.015A | S92.341B | S99.092A |
| M24.574 | S82.864G | S92.015B | S92.341D | S99.092B |
| M24.575 | S82.864J | S92.015D | S92.341G | S99.092D |
| M66.271 | S82.864K | S92.015G | S92.341K | S99.092K |
| M66.272 | S82.864M | S92.015K | S92.341P | S99.092P |
| M66.361 | S82.864N | S92.015P | S92.341S | S99.092S |
| M66.362 | S82.864P | S92.015S | S92.342A | S99.111A |
| M66.371 | S82.864Q | S92.021A | S92.342B | S99.111B |
| M66.372 | S82.864R | S92.021B | S92.342D | S99.111D |
| M66.871 | S82.864S | S92.021D | S92.342G | S99.111G |
| M66.872 | S82.865A | S92.021G | S92.342K | S99.111K |
| M72.2 | S82.865B | S92.012K | S92.342P | S99.111P |
| M72.6 | S82.865C | S92.021P | S92.342S | S99.111S |
| M76.61 | S82.865D | S92.021S | S92.344A | S99.112A |
| M76.62 | S82.865E | S92.022A | S92.344B | S99.112B |
| M76.71 | S82.865F | S92.022B | S92.344D | S99.112D |
| M76.72 | S82.865G | S92.022D | S92.344G | S99.112G |
| M77.51 | S82.865J | S92.022G | S92.344K | S99.112K |
| M77.52 | S82.865K | S92.022K | S92.344P | S99.112P |
| M79.5 | S82.865M | S92.022P | S92.344S | S99.112S |
| M79.89 | S82.865N | S92.022S | S92.345A | S99.121A |
| M80.071A | S82.865P | S92.024A | S92.345B | S99.121B |
| M80.071D | S82.865Q | S92.024B | S92.345D | S99.121D |
| M80.071G | S82.865R | S92.024D | S92.345G | S99.121G |
| M80.071K | S82.865S | S92.024G | S92.345K | S99.121K |
| M80.071P | S82.871A | S92.024K | S92.345P | S99.121P |
| M80.071S | S82.871B | S92.024P | S92.345S | S99.121S |
| M80.072A | S82.871C | S92.024S | S92.351A | S99.122A |
| M80.072D | S82.871D | S92.025A | S92.351B | S99.122B |
| M80.072G | S82.871E | S92.025B | S92.351D | S99.122D |
| M80.072K | S82.871F | S92.025D | S92.351G | S99.122G |
| M80.072P | S82.871G | S92.025G | S92.351K | S99.122K |
| M80.072S | S82.871J | S92.025K | S92.351P | S99.122P |
| M80.871A | S82.871K | S92.025P | S92.351S | S99.122S |
| M80.871D | S82.871M | S92.025S | S92.352A | S99.031A |
| M80.871G | S82.871N | S92.031A | S92.352B | S99.031B |
| M80.871K | S82.871P | S92.031B | S92.352D | S99.031D |
| M80.871P | S82.871Q | S92.031D | S92.352G | S99.031G |
| M80.871S | S82.871R | S92.031G | S92.352K | S99.031K |
| M80.872A | S82.871S | S92.031K | S92.352P | S99.031P |
| M80.872D | S82.872A | S92.031P | S92.352S | S99.031S |
| M80.872G | S82.872B | S92.031S | S92.354A | S99.032A |
| M80.871K | S82.872C | S92.032A | S92.354B | S99.032B |
| M80.872P | S82.872D | S92.032B | S92.354D | S99.032D |

| | | | | |
|----------|----------|----------|----------|----------|
| M80.872S | S82.872E | S92.032D | S92.354G | S99.032G |
| M84.371A | S82.872F | S92.032G | S92.354K | S99.032K |
| M84.371D | S82.872G | S92.032K | S92.354P | S99.032P |
| M84.371G | S82.872J | S92.032P | S92.354S | S99.032S |
| M84.372K | S82.872K | S92.032S | S92.355A | S99.041A |
| M84.371P | S82.872M | S92.034A | S92.355B | S99.041B |
| M84.371S | S82.872N | S92.034B | S92.355D | S99.041D |
| M84.372A | S82.872P | S92.034D | S92.355G | S99.041G |
| M84.372D | S82.872Q | S92.034G | S92.355K | S99.041K |
| M84.372G | S82.872R | S92.024K | S92.355P | S99.041P |
| M84.372K | S82.872S | S92.034P | S92.355S | S99.041S |
| M84.372P | S82.874A | S92.034S | S92.411A | S99.042A |
| M84.372S | S82.874B | S92.035A | S92.411B | S99.042B |
| M84.374A | S82.874C | S92.035B | S92.411D | S99.042D |
| M84.374D | S82.874D | S92.035D | S92.411G | S99.042G |
| M84.374G | S82.874E | S92.035G | S92.411K | S99.042K |
| M84.374K | S82.874F | S92.035K | S92.411P | S99.042P |
| M84.374P | S82.874G | S92.035P | S92.411S | S99.042S |
| M84.374S | S82.874J | S92.035S | S92.412A | S99.091A |
| M84.375A | S82.874K | S92.041A | S92.412B | S99.091B |
| M84.375D | S82.874M | S92.041B | S92.412D | S99.091D |
| M84.375G | S82.874N | S92.041D | S92.412G | S99.091G |
| M84.375K | S82.874P | S92.041G | S92.412K | S99.091K |
| M84.375P | S82.874Q | S92.041K | S92.412P | S99.091P |
| M84.375S | S82.874R | S92.041P | S92.412S | S99.091S |
| M84.377A | S82.874S | S92.041S | S92.414A | S99.092A |
| M84.377D | S82.875A | S92.042A | S92.414B | S99.092B |
| M84.377G | S82.875B | S92.042B | S92.414D | S99.092D |
| M84.377K | S82.875C | S92.042D | S92.414G | S99.092G |
| M84.377P | S82.875D | S92.042G | S92.414K | S99.092K |
| M84.377S | S82.875E | S92.042K | S92.414P | S99.092P |
| M84.378A | S82.875F | S92.042P | S92.414S | S99.092S |
| M84.378D | S82.875G | S92.042S | S92.415A | S99.111A |
| M84.378G | S82.875J | S92.044A | S92.415B | S99.111B |
| M84.378K | S82.875K | S92.044B | S92.415D | S99.111D |
| M84.378P | S82.875P | S92.044D | S92.415G | S99.111G |
| M84.378S | S82.875Q | S92.044G | S92.415K | S99.111K |
| M84.471A | S82.875R | S92.044K | S92.415P | S99.111P |
| M84.471D | S82.875S | S92.044P | S92.415S | S99.111S |
| M84.471G | S82.891A | S92.044S | S92.421A | S99.112A |
| M84.471K | S82.891B | S92.045A | S92.421B | S99.112B |
| M84.471P | S82.891C | S92.045B | S92.421D | S99.112D |
| M84.471S | S82.891D | S92.045D | S92.421G | S99.112K |
| M84.472A | S82.891E | S92.045G | S92.421K | S99.112P |
| M84.472D | S82.891F | S92.045K | S92.421P | S99.112S |
| M84.472G | S82.891G | S92.045P | S92.421S | S99.121A |
| M84.472K | S82.891J | S92.045S | S92.422A | S99.121B |
| M84.472P | S82.891K | S92.051A | S92.422B | S99.121D |
| M84.472S | S82.891M | S92.051B | S92.422D | S99.121G |

| | | | | |
|----------|----------|----------|----------|----------|
| M84.474A | S82.891N | S92.051D | S92.422G | S99.121K |
| M84.474D | S82.891P | S92.051G | S92.422K | S99.121P |
| M84.474G | S82.891Q | S92.051K | S92.422P | S99.121S |
| M84.474K | S82.891R | S92.051P | S92.422S | S99.122A |
| M84.474P | S82.891S | S92.051S | S92.424A | S99.122B |
| M84.474S | S82.892A | S92.052A | S92.424B | S99.122D |
| M84.475A | S82.892B | S92.052B | S92.424D | S99.122G |
| M84.475D | S82.892C | S92.052D | S92.424G | S99.122K |
| M84.475G | S82.892D | S92.052G | S92.424K | S99.122P |
| M84.475K | S82.892E | S92.052K | S92.424P | S99.122S |
| M84.475P | S82.892F | S92.052P | S92.424S | S99.131A |
| M84.475S | S82.892G | S92.052S | S92.425A | S99.131B |
| M84.477A | S82.892J | S92.054A | S92.425B | S99.131D |
| M84.477D | S82.892K | S92.054B | S92.425D | S99.131G |
| M84.477G | S82.892M | S92.054D | S92.425G | S99.131K |
| M84.477K | S82.892N | S92.054G | S92.425K | S99.131P |
| M84.477P | S82.892P | S92.054K | S92.425P | S99.131S |
| M84.477S | S82.892Q | S92.054P | S92.425S | S99.132A |
| M84.478A | S82.892R | S92.054S | S92.491A | S99.132B |
| M84.478D | S82.892S | S92.055A | S92.491B | S99.132D |
| M84.478G | S86.011A | S92.055B | S92.491D | S99.132G |
| M84.478K | S86.011D | S92.055D | S92.491G | S99.132K |
| M84.478P | S86.011S | S92.055G | S92.491K | S99.132P |
| M84.478S | S86.012A | S92.055K | S92.491P | S99.132S |
| M84.571A | S86.012D | S92.055P | S92.491S | S99.141A |
| M84.571D | S86.012S | S92.055S | S92.492A | S99.141B |
| M84.571G | S86.021A | S92.061A | S92.492B | S99.141D |
| M84.571K | S86.021D | S92.061B | S92.492D | S99.141G |
| M84.571P | S86.021S | S92.061D | S92.492G | S99.141K |
| M84.571S | S86.022A | S92.061G | S92.492K | S99.141P |
| M84.572A | S86.022D | S92.061K | S92.492P | S99.141S |
| M84.572D | S86.022S | S92.061P | S92.492S | S99.142A |
| M84.572G | S86.091A | S92.061S | S92.511A | S99.142B |
| M84.572K | S86.091D | S92.062A | S92.511B | S99.142D |
| M84.572P | S86.091S | S92.062B | S92.511D | S99.142G |
| M84.572S | S86.092A | S92.062D | S92.511G | S99.142K |
| M84.574A | S86.092D | S92.062G | S92.511K | S99.142P |
| M84.574D | S86.092S | S92.062K | S92.511P | S99.142S |
| M84.574G | S86.191A | S92.062P | S92.511S | S99.191A |
| M84.574K | S86.191D | S92.062S | S92.512A | S99.191B |
| M84.574P | S86.191S | S92.064A | S92.512B | S99.191D |
| M84.574S | S86.192A | S92.064B | S92.512D | S99.191G |
| M84.575A | S86.192D | S92.064D | S92.512G | S99.191K |
| M84.575D | S86.192S | S92.064G | S92.512K | S99.191P |
| M84.575G | S86.291A | S92.064K | S92.512P | S99.191S |
| M84.575K | S86.291D | S92.064P | S92.512S | S99.192A |
| M84.575P | S86.291S | S92.064S | S92.514A | S99.192B |
| M84.575S | S86.292A | S92.065A | S92.514B | S99.192D |
| M84.671A | S86.292D | S92.065B | S92.514D | S99.192G |

| | | | | |
|----------|----------|----------|----------|----------|
| M84.671D | S86.292S | S92.065D | S92.514G | S99.192K |
| M84.671G | S86.311A | S92.065G | S92.514K | S99.192P |
| M84.671K | S86.311D | S92.065K | S92.514P | S99.192S |
| M84.671P | S86.311S | S92.065P | S92.514S | S99.211A |
| M84.671S | S86.312A | S92.065S | S92.515A | S99.211B |
| M84.672A | S86.312D | S92.111A | S92.515B | S99.211D |
| M84.672D | S86.312S | S92.111B | S92.515D | S99.211G |
| M84.672G | S86.321A | S92.111D | S92.515G | S99.211K |
| M84.672K | S86.321D | S92.111G | S92.515K | S99.211P |
| M84.672P | S86.321S | S92.111K | S92.515P | S99.211S |
| M84.672S | S86.322A | S92.111P | S92.515S | S99.212A |
| M84.674P | S86.322D | S92.111S | S92.521A | S99.212B |
| M84.675A | S86.322S | S92.112A | S92.521B | S99.212D |
| M84.675D | S86.391A | S92.112B | S92.521D | S99.212G |
| M84.675G | S86.391D | S92.112D | S92.521G | S99.212K |
| M84.675K | S86.391S | S92.112G | S92.521K | S99.212P |
| M84.675P | S86.392A | S92.112K | S92.521P | S99.212S |
| M84.675S | S86.392D | S92.112P | S92.521S | S99.221A |
| M86.071 | S86.392S | S92.112S | S92.522A | S99.221B |
| M86.072 | S86.891A | S92.114A | S92.522B | S99.221D |
| M86.171 | S86.891D | S92.114B | S92.522D | S99.221G |
| M86.172 | S86.891S | S92.114D | S92.522G | S99.221K |
| M86.271 | S86.892A | S92.114G | S92.522K | S99.221P |
| M86.272 | S86.892D | S92.114K | S92.522P | S99.221S |
| M86.371 | S86.892S | S92.114P | S92.522S | S99.231A |
| M86.372 | S90.111A | S92.114S | S92.524A | S99.231B |
| M86.471 | S90.111D | S92.115A | S92.524B | S99.231D |
| M86.472 | S90.111S | S92.115B | S92.524D | S99.231G |
| M86.571 | S90.112A | S92.115D | S92.524G | S99.231K |
| M86.572 | S90.112D | S92.115G | S92.524K | S99.231P |
| M86.671 | S90.112S | S92.115K | S92.524P | S99.231S |
| M86.672 | S90.121A | S92.115P | S92.524S | S99.232A |
| M86.8X7 | S90.121D | S92.115S | S92.525A | S99.232B |
| M87.071 | S90.121S | S92.121A | S92.525B | S99.232D |
| M87.072 | S90.122A | S92.121B | S92.525D | S99.232G |
| M87.071 | S90.122D | S92.121D | S92.525G | S99.232K |
| M87.072 | S90.122S | S92.121G | S92.525K | S99.232P |
| M87.074 | S90.211A | S92.121K | S92.525P | S99.232S |
| M87.075 | S90.211D | S92.121P | S92.525S | S99.241A |
| M87.077 | S90.211S | S92.121S | S92.531A | S99.241B |
| M87.078 | S90.212A | S92.122A | S92.531B | S99.241D |
| M87.171 | S90.212D | S92.122B | S92.531D | S99.241K |
| M87.172 | S90.212S | S92.122D | S92.531G | S99.241P |
| M87.174 | S90.221A | S92.122G | S92.531K | S99.241S |
| M87.175 | S90.221D | S92.122K | S92.531P | S99.242A |
| M87.177 | S90.221S | S92.122P | S92.531S | S99.242B |
| M87.178 | S90.222A | S92.122S | S92.532A | S99.242D |
| M87.271 | S90.222D | S92.124A | S92.532B | S99.242G |
| M87.272 | S90.222S | S92.124B | S92.532D | S99.242K |

| | | | | |
|----------|----------|----------|----------|----------|
| M87.274 | S90.31xA | S92.124D | S92.532G | S99.242P |
| M87.275 | S90.31xD | S92.124G | S92.532K | S99.242S |
| M87.276 | S90.31xS | S92.124K | S92.532P | S99.291A |
| M87.277 | S90.32xA | S92.124P | S92.532S | S99.291B |
| M87.278 | S90.32xD | S92.124S | S92.534A | S99.291D |
| M87.371 | S90.32xS | S92.125A | S92.534B | S99.291K |
| M87.372 | S90.411A | S92.125B | S92.534D | S99.291P |
| M87.374 | S90.411D | S92.125D | S92.534G | S99.291S |
| M87.375 | S90.411S | S92.125G | S92.534K | S99.292A |
| M87.377 | S90.414A | S92.125K | S92.534P | S99.292B |
| M87.378 | S90.414D | S92.125P | S92.534S | S99.292D |
| M87.871 | S90.414S | S92.125S | S92.535A | S99.292G |
| M87.872 | S90.415A | S92.131A | S92.535B | S99.292K |
| M87.874 | S90.415D | S92.131B | S92.535D | S99.292P |
| M87.875 | S90.415S | S92.131D | S92.535G | S99.292S |
| M87.877 | S90.421A | S92.131G | S92.535K | S99.811A |
| M87.878 | S90.421D | S92.131K | S92.535P | S99.811D |
| M88.871 | S90.421S | S92.131P | S92.535S | S99.811S |
| M88.872 | S90.422A | S92.131S | S92.591A | S99.812A |
| M89.071 | S90.422D | S92.132A | S92.591B | S99.812D |
| M89.072 | S90.422S | S92.132B | S92.591D | S99.812S |
| M89.09 | S90.424A | S92.132D | S92.591G | S99.821A |
| M90.871 | S90.424D | S92.132G | S92.591K | S99.821D |
| M90.872 | S90.424S | S92.132K | S92.591P | S99.821S |
| M92.61 | S90.425A | S92.132P | S92.591S | S99.822A |
| M92.62 | S90.425D | S92.132S | S92.592A | S99.822D |
| M92.71 | S90.425S | S92.134A | S92.592B | S99.822S |
| M92.72 | S90.441A | S92.134B | S92.592D | T69.1xxA |
| M92.8 | S90.441D | S92.134D | S92.592G | T69.1xxD |
| Q66.0 | S90.441S | S92.134G | S92.592K | T69.1xxS |
| Q66.1 | S90.442A | S92.134P | S92.592P | T69.021A |
| Q66.21 | S90.442D | S92.134S | S92.592S | T69.021D |
| Q66.22 | S90.442S | S92.135A | S92.811A | T69.021S |
| Q66.3 | S90.444A | S92.135B | S92.811B | T81.31xA |
| Q66.4 | S90.444D | S92.135D | S92.811D | T81.31xD |
| Q66.51 | S90.444S | S92.135G | S92.811K | T81.31xS |
| Q66.52 | S90.445A | S92.135P | S92.811P | T81.4xxA |
| Q66.6 | S90.445D | S92.135S | S92.811S | T81.4xxD |
| Q66.81 | S90.445S | S92.141A | S92.812A | T81.4xxS |
| Q66.82 | S90.451A | S92.141B | S92.812B | T81.718A |
| Q66.89 | S90.451D | S92.141D | S92.812D | T81.718D |
| S82.51xA | S90.451S | S92.141G | S92.812K | T81.718S |
| S82.51xB | S90.452A | S92.141K | S92.812P | T81.72xA |
| S82.51xC | S90.452D | S92.141P | S92.812S | T81.72xD |
| S82.51xD | S90.452S | S92.141S | S93.01A | T81.72xS |
| S82.51xE | | S92.142A | S93.01D | T85.79xA |
| S82.51xF | | S92.142B | S93.01S | T85.79xD |
| S82.51xG | | S92.142D | S93.02A | T85.79xS |
| S82.51xH | | S92.142G | S93.02D | |

| | | | | |
|----------------------------------|--|----------------------|---------------------|--|
| S82.51xJ S82.51xK S82.51xM | | S92.142K S92.142P | S93.02S S93.111A | |
|----------------------------------|--|----------------------|---------------------|--|

C. Code(s)

Provider(s) shall report the most specific billing code that accurately and completely describes the procedure, product or service provided. Provider(s) shall use the Current Procedural Terminology (CPT), Health Care Procedure Coding System (HCPCS), and UB-04 Data Specifications Manual (for a complete listing of valid revenue codes) and any subsequent editions in effect at the time of service. Provider(s) shall refer to the applicable edition for the code description, as it is no longer documented in the policy.

If no such specific CPT or HCPCS code exists, then the provider(s) shall report the procedure, product or service using the appropriate unlisted procedure or service code.

Note: Services of a podiatrist provided to a recipient on that recipient’s first visit to the practice when billed with a new patient office visit code (99201-99205), will not deny for inappropriate diagnosis. Providers may bill one unit per date of service for the above procedure codes.

Unlisted Procedure or Service

CPT: The provider(s) shall refer to and comply with the Instructions for Use of the CPT Codebook, Unlisted Procedure or Service, and Special Report as documented in the current CPT in effect at the time of service.

HCPCS: The provider(s) shall refer to and comply with the Instructions For Use of HCPCS National Level II codes, Unlisted Procedure or Service and Special Report as documented in the current HCPCS edition in effect at the time of service.

D. Modifiers

Provider(s) shall follow applicable modifier guidelines.

E. Billing Units

Provider(s) shall report the appropriate code(s) used which determines the unit(s).

F. Place of Service

Inpatient, Outpatient, Office.

G. Co-payments

For Medicaid refer to Medicaid State Plan:

<https://medicaid.ncdhhs.gov/get-involved/nc-health-choice-state-plan>

For NCHC refer to NCHC State Plan:

<https://medicaid.ncdhhs.gov/get-involved/nc-health-choice-state-plan>

H. Reimbursement

Provider(s) shall bill their usual and customary charges.

For a schedule of rates, refer to: <https://medicaid.ncdhhs.gov/>