

**Table of Contents**

1.0 Description of the Procedure, Product, or Service..... 1

2.0 Eligibility Requirements ..... 1

    2.1 Provisions..... 1

        2.1.1 General..... 1

        2.1.2 Specific ..... 1

    2.2 Special Provisions..... 2

        2.2.1 EPSDT Special Provision: Exception to Policy Limitations for a Medicaid  
        Beneficiary under 21 Years of Age ..... 2

        2.2.2 EPSDT does not apply to NCHC beneficiaries ..... 3

        2.2.3 Health Choice Special Provision for a Health Choice Beneficiary age 6 through  
        18 years of age ..... 3

    2.3 Recipients with Medicaid for Pregnant Women ..... 3

3.0 When the Procedure, Product, or Service Is Covered..... 3

    3.1 General Criteria Covered ..... 3

    3.2 Specific Criteria Covered..... 3

        3.2.1 Specific criteria covered by both Medicaid and NCHC ..... 3

        3.2.2 Medicaid Additional Criteria Covered..... 3

        3.2.3 NCHC Additional Criteria Covered ..... 4

4.0 When the Procedure, Product, or Service Is Not Covered..... 4

    4.1 General Criteria Not Covered ..... 4

    4.2 Specific Criteria Not Covered..... 4

        4.2.1 Specific criteria covered by both Medicaid and NCHC ..... 4

        4.2.2 Medicaid Additional Criteria Not Covered..... 4

        4.2.3 NCHC Additional Criteria Not Covered..... 4

5.0 Requirements for and Limitations on Coverage ..... 5

    5.1 Prior Approval ..... 5

    5.2 Prior Approval Requirements ..... 5

        5.2.1 General..... 5

        5.2.2 Specific ..... 5

    5.3 Additional Limitations or Requirements ..... 5

6.0 Provider(s) Eligible to Bill for the Procedure, Product, or Service ..... 5

    6.1 Provider Qualifications and Occupational Licensing Entity Regulations..... 5

    6.2 Provider Certifications ..... 5

7.0 Additional Requirements ..... 6

    7.1 Compliance ..... 6

8.0 Policy Implementation/Revision Information..... 6

Attachment A: Claims-Related Information ..... 8

    A. Claim Type ..... 8

B.	International Classification of Diseases, Tenth Revisions, Clinical Modification (ICD-10-CM) and Procedural Coding System (PCS).....	8
C.	Code(s).....	22
D.	Modifiers.....	22
E.	Billing Units.....	22
F.	Place of Service .....	22
G.	Co-payments .....	23
H.	Reimbursement .....	23

**Related Clinical Coverage Policies**

Refer to <http://www.ncdhhs.gov/dma/mp/> for the related coverage policies listed below:  
1C-2, Medically Necessary Routine Foot Care

## 1.0 Description of the Procedure, Product, or Service

Podiatry, as defined by NCGS 90-202.2, “is the surgical, medical, or mechanical treatment of all ailments of the human foot and ankle, and their related soft tissue structure to the level of the myotendinous junction. Excluded from the definition of podiatry is the amputation of the entire foot, the administration of an anesthetic other than a local, and the surgical correction of clubfoot of an infant two years of age or less.”

## 2.0 Eligibility Requirements

### 2.1 Provisions

#### 2.1.1 General

*(The term “General” found throughout this policy applies to all Medicaid and NCHC policies)*

- a. An eligible beneficiary shall be enrolled in either:
  1. the NC Medicaid Program (*Medicaid is NC Medicaid program, unless context clearly indicates otherwise*); or
  2. the NC Health Choice (*NCHC is NC Health Choice program, unless context clearly indicates otherwise*) Program on the date of service and shall meet the criteria in **Section 3.0 of this policy**.
- b. Provider(s) shall verify each Medicaid or NCHC beneficiary’s eligibility each time a service is rendered.
- c. The Medicaid beneficiary may have service restrictions due to their eligibility category that would make them ineligible for this service.
- d. Following is only one of the eligibility and other requirements for participation in the NCHC Program under GS 108A-70.21(a): Children must be between the ages of 6 through 18.

#### 2.1.2 Specific

*(The term “Specific” found throughout this policy only applies to this policy)*

- a. **Medicaid**  
None Apply.
- b. **NCHC**  
None Apply.

## 2.2 Special Provisions

### 2.2.1 EPSDT Special Provision: Exception to Policy Limitations for a Medicaid Beneficiary under 21 Years of Age

#### a. 42 U.S.C. § 1396d(r) [1905(r) of the Social Security Act]

Early and Periodic Screening, Diagnostic, and Treatment (EPSDT) is a federal Medicaid requirement that requires the state Medicaid agency to cover services, products, or procedures for Medicaid beneficiary under 21 years of age **if** the service is **medically necessary health care** to correct or ameliorate a defect, physical or mental illness, or a condition [health problem] identified through a screening examination (includes any evaluation by a physician or other licensed practitioner).

This means EPSDT covers most of the medical or remedial care a child needs to improve or maintain his or her health in the best condition possible, compensate for a health problem, prevent it from worsening, or prevent the development of additional health problems.

Medically necessary services will be provided in the most economic mode, as long as the treatment made available is similarly efficacious to the service requested by the beneficiary's physician, therapist, or other licensed practitioner; the determination process does not delay the delivery of the needed service; and the determination does not limit the beneficiary's right to a free choice of providers.

EPSDT does not require the state Medicaid agency to provide any service, product or procedure:

1. that is unsafe, ineffective, or experimental or investigational.
2. that is not medical in nature or not generally recognized as an accepted method of medical practice or treatment.

Service limitations on scope, amount, duration, frequency, location of service, and other specific criteria described in clinical coverage policies may be exceeded or may not apply as long as the provider's documentation shows that the requested service is medically necessary "to correct or ameliorate a defect, physical or mental illness, or a condition" [health problem]; that is, provider documentation shows how the service, product, or procedure meets all EPSDT criteria, including to correct or improve or maintain the beneficiary's health in the best condition possible, compensate for a health problem, prevent it from worsening, or prevent the development of additional health problems.

#### b. EPSDT and Prior Approval Requirements

1. If the service, product, or procedure requires prior approval, the fact that the beneficiary is under 21 years of age does **NOT** eliminate the requirement for prior approval.
2. **IMPORTANT ADDITIONAL INFORMATION** about EPSDT and prior approval is found in the *NCTracks Provider Claims and Billing Assistance Guide*, and on the EPSDT provider page. The Web addresses are specified below.

*NCTracks Provider Claims and Billing Assistance Guide:*  
<https://www.nctracks.nc.gov/content/public/providers/provider-manuals.html>

EPSDT provider page: <http://www.ncdhhs.gov/dma/epsdt/>

### **2.2.2 EPSDT does not apply to NCHC beneficiaries**

### **2.2.3 Health Choice Special Provision for a Health Choice Beneficiary age 6 through 18 years of age**

The Division of Medical Assistance (DMA) shall deny the claim for coverage for an NCHC beneficiary who does not meet the criteria within **Section 3.0** of this policy. Only services included under the NCHC State Plan and the DMA clinical coverage policies, service definitions, or billing codes are covered for an NCHC beneficiary.

### **2.3 Recipients with Medicaid for Pregnant Women**

Podiatry services for recipients with Medicaid for Pregnant Women (MPW) coverage are limited to medical conditions related to pregnancy or complications of pregnancy. Refer to **Subsection 5.1** for service requirements.

## **3.0 When the Procedure, Product, or Service Is Covered**

*Note: Refer to Subsection 2.2.1 regarding EPSDT Exception to Policy Limitations for Medicaid Recipients under 21 Years of Age.*

### **3.1 General Criteria Covered**

Medicaid and NCHC shall cover the procedure, product, or service related to this policy when medically necessary, and:

- a. the procedure, product, or service is individualized, specific, and consistent with symptoms or confirmed diagnosis of the illness or injury under treatment, and not in excess of the beneficiary's needs;
- b. the procedure, product, or service can be safely furnished, and no equally effective and more conservative or less costly treatment is available statewide; and
- c. the procedure, product, or service is furnished in a manner not primarily intended for the convenience of the beneficiary, the beneficiary's caretaker, or the provider.

### **3.2 Specific Criteria Covered**

#### **3.2.1 Specific criteria covered by both Medicaid and NCHC**

The services of a podiatrist are covered for specific diagnoses only. Refer to **Attachment A** Section B Diagnosis Codes for an approved list of diagnosis codes.

**Note:** Services of a podiatrist provided to a recipient on that recipient's first visit to the practice when billed with a new patient office visit code (99201-99205), will not deny for inappropriate diagnosis.

#### **3.2.2 Medicaid Additional Criteria Covered**

None Apply.

### 3.2.3 NCHC Additional Criteria Covered

None Apply.

## 4.0 When the Procedure, Product, or Service Is Not Covered

*Note: Refer to Subsection 2.2.1 regarding EPSDT Exception to Policy Limitations for a Medicaid Beneficiary under 21 Years of Age.*

### 4.1 General Criteria Not Covered

Medicaid and NCHC shall not cover the procedure, product, or service related to this policy when:

- a. the beneficiary does not meet the eligibility requirements listed in **Section 2.0**;
- b. the beneficiary does not meet the criteria listed in **Section 3.0**;
- c. the procedure, product, or service duplicates another provider's procedure, product, or service; or
- d. the procedure, product, or service is experimental, investigational, or part of a clinical trial.

### 4.2 Specific Criteria Not Covered

#### 4.2.1 Specific criteria covered by both Medicaid and NCHC

Routine foot care is not covered except as indicated in clinical coverage policy 1C-2, *Medically Necessary Routine Foot Care*.

Curettement procedures or shaving of lesions are not covered except as indicated in clinical coverage policy 1C-2, *Medically Necessary Routine Foot Care*.

#### 4.2.2 Medicaid Additional Criteria Not Covered

None apply.

#### 4.2.3 NCHC Additional Criteria Not Covered

- a. NCGS § 108A-70.21(b) "Except as otherwise provided for eligibility, fees, deductibles, copayments, and other cost sharing charges, health benefits coverage provided to children eligible under the Program shall be equivalent to coverage provided for dependents under North Carolina Medicaid Program except for the following:
  1. No services for long-term care.
  2. No nonemergency medical transportation.
  3. No EPSDT.
  4. Dental services shall be provided on a restricted basis in accordance with criteria adopted by the Department to implement this subsection."

## **5.0 Requirements for and Limitations on Coverage**

*Note: Refer to Subsection 2.2.1 regarding EPSDT Exception to Policy Limitations for Medicaid Recipients under 21 Years of Age.*

### **5.1 Prior Approval**

Medicaid and NCHC shall not require prior approval for podiatry services, **except** for recipients with MPW coverage, to document medical necessity for services related to pregnancy or due to complications of pregnancy.

### **5.2 Prior Approval Requirements**

#### **5.2.1 General**

The provider(s) shall submit to the Department of Health and Human Services (DHHS) Utilization Review Contractor the following:

- a. the prior approval request; and
- b. all health records and any other records that support the beneficiary has met the specific criteria in **Subsection 3.2** of this policy.

#### **5.2.2 Specific**

None Apply.

### **5.3 Additional Limitations or Requirements**

None Apply.

## **6.0 Provider(s) Eligible to Bill for the Procedure, Product, or Service**

To be eligible to bill for the procedure, product, or service related to this policy, the provider(s) shall:

- a. meet Medicaid or NCHC qualifications for participation;
- b. have a current and signed Department of Health and Human Services (DHHS) Provider Administrative Participation Agreement; and
- c. bill only for procedures, products, and services that are within the scope of their clinical practice, as defined by the appropriate licensing entity.

### **6.1 Provider Qualifications and Occupational Licensing Entity Regulations**

None Apply.

### **6.2 Provider Certifications**

None Apply.

## 7.0 Additional Requirements

*Note: Refer to Subsection 2.2.1 regarding EPSDT Exception to Policy Limitations for a Medicaid Beneficiary under 21 Years of Age.*

### 7.1 Compliance

- Provider(s) shall comply with the following in effect at the time the service is rendered:
- All applicable agreements, federal, state and local laws and regulations including the Health Insurance Portability and Accountability Act (HIPAA) and record retention requirements; and
  - All DMA's clinical (medical) coverage policies, guidelines, policies, provider manuals, implementation updates, and bulletins published by the Centers for Medicare and Medicaid Services (CMS), DHHS, DHHS division(s) or fiscal contractor(s).

## 8.0 Policy Implementation/Revision Information

**Original Effective Date:** November 1, 1981

### Revision Information:

Date	Section Revised	Change
12/1/06	Sections 2 through 5	A special provision related to EPSDT was added.
5/1/07	Sections 2 through 5	EPSDT information was revised to clarify exceptions to policy limitations for recipients under 21 years of age.
7/1/2010	Throughout	Policy Conversion: Implementation of Session Law 2009-451, Section 10.32 "NC HEALTH CHOICE/PROCEDURES FOR CHANGING MEDICAL POLICY."
12/01/10	Section 1.0	Added NCGS 90-202.2 and enclosed definition with quotations. Added standard DMA policy language.
12/01/10	Section 2.0	Added EPSDT citation
12/01/10	Section 3.0	Added standard DMA policy language Added 3.1 General Criteria and 3.2 Specific Criteria: "The services of a podiatrist are covered for specific diagnoses only." "Refer to Attachment A Section B Diagnosis Codes for an approved list of diagnosis codes." <b>Note:</b> Services of a podiatrist provided to a recipient on that recipient's first visit to the practice when billed with a new patient office visit code (99201-99205), will not deny for inappropriate diagnosis."
12/01/10	Section 4.0	Added standard DMA policy language
12/01/10	Subsection 4.2	Removed Routine Foot Care and Added Specific Criteria.
12/01/10	Section 5.0	Added standard DMA policy language
12/01/10	Section 6.0	Added "a.The policy only applies to podiatrists." Added standard DMA policy language



<b>Date</b>	<b>Section Revised</b>	<b>Change</b>
12/01/10	Section 7.0	Added standard DMA policy language
12/01/10	Attachment A	Section A Claim Type Removed the statement Podiatrists, physicians, and nurse practitioners enrolled in the N.C. Medicaid program bill services on the CMS-1500 claim form. Added Professional (CMS-1500/837P transaction) and Institutional (UB-04-837I transaction).
12/01/10	Attachment A:	Section B: Added a list of approved diagnosis codes and descriptions
12/01/10	Attachment A:	Diagnosis Codes: Corrected descriptions of some codes
12/01/10	Attachment A:	Section E: Billing Units
12/01/10	Attachment A:	Section F: Added Inpatient, outpatient and office. Removed the place of service and description table. Section G: Updated co-payment and medical billing guide address. Added standard DMA policy language Section H: Reimbursement
06/01/11	Attachment A	(C) Adding spacing between sentences. Moved "Providers may bill one unit per date of service for the above procedure codes." Attachment A (E) to Attachment A (C)
06/01/11	Attachment A	(E) Added "The unit of service is determined by the appropriate procedure code(s) used."
3/12/12	Throughout	To be equivalent where applicable to NC DMA's Clinical Coverage Policy # 1C-1 under session Law 2011-145 § 10.41. (b)
3/12/12	Throughout	Technical changes to merge Medicaid and NCHC current coverage into one policy.
10/01/15	All Sections and Attachments	Updated policy template language and added ICD-10 codes to comply with federally mandated 10/1/2015 implementation where applicable.

### Attachment A: Claims-Related Information

Provider(s) shall comply with the, *NCTracks Provider Claims and Billing Assistance Guide*, Medicaid bulletins, fee schedules, DMA’s clinical coverage policies and any other relevant documents for specific coverage and reimbursement for Medicaid and NCHC:

**A. Claim Type**

Professional (CMS-1500/837P transaction)

**B. International Classification of Diseases, Tenth Revisions, Clinical Modification (ICD-10-CM) and Procedural Coding System (PCS)**

Provider(s) shall report the ICD-10-CM and Procedural Coding System (PCS) to the highest level of specificity that supports medical necessity. Provider(s) shall use the current ICD-10 edition and any subsequent editions in effect at the time of service. Provider(s) shall refer to the applicable edition for code description, as it is no longer documented in the policy.

Podiatrists' claims must contain one of the following diagnosis codes.

ICD-10-CM Code(s)			
A52.16	M87.073	S89.309S	S92.315S
B35.1	M87.074	S89.311A	S92.316A
D49.2	M87.075	S89.311P	S92.316B
E08.40	M87.076	S89.311S	S92.316P
E08.42	M87.077	S89.312A	S92.316S
E08.52	M87.078	S89.312P	S92.321A
E08.610	M87.079	S89.312S	S92.321B
E08.618	M87.10	S89.319A	S92.321P
E08.620	M87.174	S89.319P	S92.321S
E08.621	M87.175	S89.319S	S92.322A
E08.622	M87.176	S89.321A	S92.322B
E08.628	M87.20	S89.321P	S92.322P
E08.630	M87.274	S89.321S	S92.322S
E08.638	M87.275	S89.322A	S92.323A
E08.649	M87.276	S89.322P	S92.323B
E08.65	M87.30	S89.322S	S92.323P
E08.69	M87.374	S89.329A	S92.323S
E08.65	M87.375	S89.329P	S92.324A
E08.69	M87.376	S89.329S	S92.324B
E09.40	M87.80	S89.391A	S92.324P
E09.42	M87.874	S89.391P	S92.324S
E09.52	M87.875	S89.391S	S92.325A
E09.618	M87.876	S89.392A	S92.325B
E09.620	M87.9	S89.392P	S92.325P
E09.621	M90.50	S89.392S	S92.325S
E09.622	M90.861	S89.399A	S92.326A
E09.628	M90.862	S89.399P	S92.326B
E09.630	M90.871	S89.399S	S92.326P

E09.638	M90.872	S89.80xA	S92.326S
E09.649	M90.879	S89.80xD	S92.331A
E09.65	M92.60	S89.80xS	S92.331B
E09.69	M92.61	S89.81xA	S92.331P
E10.40	M92.62	S89.81xD	S92.331S
E10.41	M92.70	S89.81xS	S92.332A
E10.42	M92.71	S89.82xA	S92.332B
E10.43	M92.72	S89.82xD	S92.332P
E10.44	Q66.0	S89.82xS	S92.332S
E10.49	Q66.4	S89.90xA	S92.333A
E10.51	Q66.50	S89.90xD	S92.333B
E10.52	Q66.51	S89.90xS	S92.333P
E10.59	Q66.52	S89.91xA	S92.333S
E10.610	Q66.6	S89.91xD	S92.334A
E10.65	Q66.80	S89.91xS	S92.334B
E10.69	Q66.81	S89.92xA	S92.334P
E11.40	Q66.82	S89.92xD	S92.334S
E11.41	Q66.89	S89.92xS	S92.335A
E11.42	Q66.9	S90.111A	S92.335B
E11.43	Q72.70	S90.111D	S92.335P
E11.44	S80.829A	S90.111S	S92.335S
E11.49	S80.829D	S90.112A	S92.336A
E11.51	S80.829S	S90.112D	S92.336B
E11.52	S82.301A	S90.112S	S92.336P
E11.59	S82.301B	S90.119A	S92.336S
E11.610	S82.301C	S90.119D	S92.341A
E11.65	S82.301P	S90.119S	S92.341B
E13.40	S82.301Q	S90.121A	S92.341P
E13.41	S82.301R	S90.121D	S92.341S
E13.42	S82.301S	S90.121S	S92.342A
E13.43	S82.302A	S90.122A	S92.342B
E13.44	S82.302B	S90.122D	S92.342P
E13.49	S82.302C	S90.122S	S92.342S
E13.51	S82.302P	S90.129A	S92.343A
E13.52	S82.302Q	S90.129D	S92.343B
E13.59	S82.302R	S90.129S	S92.343P
E13.610	S82.302S	S90.211A	S92.343S
E13.618	S82.309A	S90.211D	S92.344A
E13.620	S82.309B	S90.211S	S92.344B
E13.621	S82.309C	S90.212A	S92.344P
E13.622	S82.309P	S90.212D	S92.344S
E13.628	S82.309Q	S90.212S	S92.345A
E13.630	S82.309R	S90.219A	S92.345B
E13.638	S82.309S	S90.219D	S92.345P
E13.649	S82.311P	S90.219S	S92.345S
E13.65	S82.312P	S90.221A	S92.346A
E13.69	S82.319P	S90.221D	S92.346B
G57.50	S82.391A	S90.221S	S92.346P
G57.51	S82.391B	S90.222A	S92.346S

G57.52	S82.391C	S90.222D	S92.351A
G57.60	S82.391P	S90.222S	S92.351B
G57.61	S82.391Q	S90.229A	S92.351P
G57.62	S82.391R	S90.229D	S92.351S
G60.0	S82.392A	S90.229S	S92.352A
G60.2	S82.392B	S90.30xA	S92.352B
G60.8	S82.392C	S90.30xD	S92.352P
G60.9	S82.392P	S90.30xS	S92.352S
G90.521	S82.392Q	S90.31xA	S92.353A
G90.522	S82.392R	S90.31xD	S92.353B
G90.523	S82.399A	S90.31xS	S92.353P
G90.529	S82.399B	S90.32xA	S92.353S
I70.232	S82.399C	S90.32xD	S92.354A
I70.233	S82.399P	S90.32xS	S92.354B
I70.234	S82.399Q	S90.421A	S92.354P
I70.235	S82.399R	S90.421D	S92.354S
I70.238	S82.491A	S90.421S	S92.355A
I70.239	S82.492A	S90.422A	S92.355B
I70.242	S82.499A	S90.422D	S92.355P
I70.243	S82.51xA	S90.422S	S92.355S
I70.244	S82.51xB	S90.423A	S92.356A
I70.245	S82.51xC	S90.423D	S92.356B
I70.248	S82.51xP	S90.423S	S92.356P
I70.249	S82.51xQ	S90.424A	S92.356S
I70.25	S82.51xR	S90.424D	S92.401A
I70.261	S82.52xA	S90.424S	S92.401B
I70.262	S82.52xB	S90.425A	S92.401P
I70.263	S82.52xC	S90.425D	S92.401S
I70.268	S82.52xE	S90.425S	S92.402A
I70.269	S82.52xF	S90.426A	S92.402B
I70.332	S82.52xH	S90.426D	S92.402P
I70.333	S82.52xJ	S90.426S	S92.402S
I70.334	S82.52xM	S90.529A	S92.403A
I70.335	S82.52xN	S90.529D	S92.403B
I70.342	S82.52xP	S90.529S	S92.403P
I70.343	S82.52xQ	S90.821A	S92.403S
I70.344	S82.52xR	S90.821D	S92.404A
I70.345	S82.52xS	S90.821S	S92.404B
I70.361	S82.53xA	S90.822A	S92.404P
I70.362	S82.53xB	S90.822D	S92.404S
I70.363	S82.53xC	S90.822S	S92.405A
I70.368	S82.53xE	S90.829A	S92.405B
I70.369	S82.53xF	S90.829D	S92.405P
I70.432	S82.53xH	S90.829S	S92.405S
I70.433	S82.53xM	S91.021A	S92.406A
I70.434	S82.53xN	S91.021d	S92.406B
I70.435	S82.53xP	S91.021S	S92.406P
I70.442	S82.53xQ	S91.022A	S92.406S
I70.443	S82.53xR	S91.022D	S92.411A

I70.444	S82.53xS	S91.022S	S92.411B
I70.445	S82.54xA	S91.029A	S92.411P
I70.461	S82.54xB	S91.029D	S92.411S
I70.462	S82.54xC	S91.029S	S92.412A
I70.463	S82.54xP	S91.041A	S92.412B
I70.468	S82.54xQ	S91.041D	S92.412P
I70.469	S82.54xR	S91.041S	S92.412S
I70.532	S82.54xS	S91.042A	S92.413A
I70.533	S82.55xA	S91.042D	S92.413B
I70.534	S82.55xB	S91.042S	S92.413P
I70.535	S82.55xC	S91.049A	S92.413S
I70.542	S82.55xP	S91.049D	S92.414A
I70.543	S82.55xQ	S91.049S	S92.414B
I70.544	S82.55xR	S91.109A	S92.414P
I70.545	S82.55xS	S91.109D	S92.414S
I70.561	S82.56xA	S91.109S	S92.415A
I70.562	S82.56xB	S91.301A	S92.415B
I70.563	S82.56xC	S91.301D	S92.415P
I70.568	S82.56xP	S91.301S	S92.415S
I70.569	S82.56xQ	S91.302A	S92.416A
I70.632	S82.56xR	S91.302D	S92.416B
I70.633	S82.56xS	S91.302S	S92.416P
I70.634	S82.61xB	S91.309A	S92.416S
I70.635	S82.61xC	S91.309D	S92.421A
I70.642	S82.61xE	S91.309S	S92.421B
I70.643	S82.61xF	S91.311A	S92.421P
I70.644	S82.61xH	S91.311D	S92.421S
I70.645	S82.61xJ	S91.311S	S92.422A
I70.661	S82.61xM	S91.312A	S92.422B
I70.662	S82.61xN	S91.312D	S92.422P
I70.663	S82.61xP	S91.312S	S92.422S
I70.668	S82.61xQ	S91.319A	S92.423A
I70.669	S82.61xR	S91.319D	S92.423B
I70.732	S82.61xS	S91.319S	S92.423P
I70.733	S82.62xA	S91.321A	S92.423S
I70.734	S82.62xB	S91.321D	S92.424A
I70.735	S82.62xC	S91.321S	S92.424B
I70.742	S82.62xE	S91.329A	S92.424P
I70.743	S82.62xF	S91.329D	S92.424S
I70.744	S82.62xH	S91.329S	S92.425A
I70.745	S82.62xJ	S91.331A	S92.425B
I70.761	S82.62xM	S91.331D	S92.425P
I70.762	S82.62xN	S91.331S	S92.425S
I70.763	S82.62xP	S91.332A	S92.426A
I70.768	S82.62xQ	S91.332D	S92.426B
I70.769	S82.62xR	S91.332S	S92.426P
I73.00	S82.62xS	S91.339A	S92.426S
I73.01	S82.63xA	S91.339D	S92.491A
I73.1	S82.63xB	S91.339S	S92.491B

I73.89	S82.63xC	S91.351A	S92.491P
I73.9	S82.63xE	S91.351D	S92.491S
I80.10	S82.63xF	S91.351S	S92.492A
I80.11	S82.63xH	S91.352A	S92.492B
I80.12	S82.63xJ	S91.352D	S92.492P
I80.13	S82.63xM	S91.352S	S92.492S
I80.201	S82.63xN	S91.359A	S92.499A
I80.202	S82.63xP	S91.359D	S92.499B
I80.203	S82.63xQ	S91.359S	S92.499P
I80.209	S82.63xR	S92.001A	S92.499S
I80.211	S82.63xS	S92.001B	S92.501A
I80.212	S82.64xA	S92.001P	S92.501B
I80.213	S82.64xB	S92.001S	S92.501P
I80.219	S82.64xC	S92.002A	S92.501S
I80.221	S82.64xE	S92.002B	S92.502A
I80.222	S82.64xF	S92.002P	S92.502B
I80.223	S82.64xN	S92.002S	S92.502P
I80.229	S82.64xP	S92.009A	S92.502S
I80.231	S82.64xQ	S92.009B	S92.503A
I80.232	S82.64xR	S92.009P	S92.503B
I80.233	S82.64xS	S92.009S	S92.503P
I80.239	S82.65xA	S92.011A	S92.503S
I80.291	S82.65xB	S92.011B	S92.504A
I80.292	S82.65xC	S92.011P	S92.504B
I80.293	S82.65xE	S92.011S	S92.504P
I80.299	S82.65xF	S92.012A	S92.504S
I80.3	S82.65xH	S92.012B	S92.505A
I80.8	S82.65xJ	S92.012P	S92.505B
I80.9	S82.65xP	S92.012S	S92.505P
I82.401	S82.65xQ	S92.013A	S92.505S
I82.402	S82.65xR	S92.013B	S92.506A
I82.403	S82.65xS	S92.013P	S92.506B
I82.409	S82.66xA	S92.013S	S92.506P
I82.4Z1	S82.66xB	S92.014A	S92.506S
I82.4Z2	S82.66xC	S92.014B	S92.511A
I82.4Z9	S82.66xP	S92.014P	S92.511B
I83.002	S82.66xQ	S92.014S	S92.511P
I83.003	S82.66xR	S92.015A	S92.511S
I83.004	S82.811P	S92.015B	S92.512A
I83.005	S82.812P	S92.015P	S92.512B
I83.008	S82.819P	S92.015S	S92.512P
I83.009	S82.821P	S92.016A	S92.512S
I83.012	S82.822P	S92.016B	S92.513A
I83.013	S82.829P	S92.016P	S92.513B
I83.014	S82.841A	S92.016S	S92.513P
I83.015	S82.841B	S92.021A	S92.513S
I83.018	S82.841C	S92.021B	S92.514A
I83.019	S82.841J	S92.021P	S92.514B
I83.022	S82.841M	S92.021S	S92.514P

I83.023	S82.841N	S92.022A	S92.514S
I83.024	S82.841P	S92.022B	S92.515A
I83.025	S82.841Q	S92.022P	S92.515B
I83.028	S82.841R	S92.022S	S92.515P
I83.029	S82.841S	S92.023A	S92.515S
I83.10	S82.842A	S92.023B	S92.516A
I83.11	S82.842B	S92.023P	S92.516B
I83.12	S82.842C	S92.023S	S92.516P
I83.202	S82.842E	S92.024A	S92.516S
I83.203	S82.842F	S92.024B	S92.521A
I83.204	S82.842H	S92.024P	S92.521B
I83.205	S82.842J	S92.024S	S92.521P
I83.208	S82.842M	S92.025A	S92.521S
I83.209	S82.842N	S92.025B	S92.522A
I83.212	S82.842P	S92.025P	S92.522B
I83.213	S82.842Q	S92.025S	S92.522P
I83.214	S82.842R	S92.026A	S92.522S
I83.215	S82.842S	S92.026B	S92.523A
I83.218	S82.843A	S92.026P	S92.523B
I83.219	S82.843B	S92.026S	S92.523P
I83.222	S82.843C	S92.031A	S92.523S
I83.223	S82.843H	S92.031B	S92.524A
I83.224	S82.843J	S92.031P	S92.524B
I83.225	S82.843M	S92.031S	S92.524P
I83.228	S82.843N	S92.032A	S92.524S
I83.229	S82.843P	S92.032B	S92.525A
I89.0	S82.843Q	S92.032P	S92.525B
I96	S82.843R	S92.032S	S92.525P
K68.11	S82.843S	S92.033A	S92.525S
L02.415	S82.844A	S92.033B	S92.526A
L02.416	S82.844B	S92.033P	S92.526B
L02.419	S82.844C	S92.033S	S92.526P
L02.611	S82.844E	S92.034A	S92.526S
L02.612	S82.844F	S92.034B	S92.531A
L02.619	S82.844H	S92.034P	S92.531B
L03.031	S82.844J	S92.034S	S92.531P
L03.032	S82.844M	S92.035A	S92.531S
L03.039	S82.844P	S92.035B	S92.532A
L03.041	S82.844Q	S92.035P	S92.532B
L03.042	S82.844R	S92.035S	S92.532P
L03.049	S82.844S	S92.036A	S92.532S
L03.115	S82.845A	S92.036B	S92.533A
L03.116	S82.845B	S92.036P	S92.533B
L03.119	S82.845C	S92.036S	S92.533P
L03.125	S82.845P	S92.041A	S92.533S
L03.126	S82.845Q	S92.041B	S92.534A
L03.129	S82.845R	S92.041P	S92.534B
L08.89	S82.845S	S92.041S	S92.534P
L60.0	S82.846A	S92.042A	S92.534S

L89.600	S82.846B	S92.042B	S92.535A
L89.601	S82.846C	S92.042P	S92.535B
L89.602	S82.846P	S92.042S	S92.535P
L89.603	S82.846Q	S92.043A	S92.535S
L89.604	S82.846R	S92.043B	S92.536A
L89.609	S82.846S	S92.043P	S92.536B
L89.610	S82.851A	S92.043S	S92.536P
L89.611	S82.851B	S92.044A	S92.536S
L89.612	S82.851C	S92.044B	S92.591A
L89.613	S82.851E	S92.044P	S92.591B
L89.614	S82.851F	S92.044S	S92.591P
L89.619	S82.851H	S92.045A	S92.591S
L89.620	S82.851J	S92.045B	S92.592A
L89.621	S82.851M	S92.045P	S92.592B
L89.622	S82.851N	S92.045S	S92.592P
L89.623	S82.851P	S92.046A	S92.592S
L89.624	S82.851Q	S92.046B	S92.599A
L89.629	S82.851R	S92.046P	S92.599B
L92.1	S82.851S	S92.046S	S92.599P
L94.2	S82.852A	S92.051A	S92.599S
L97.101	S82.852B	S92.051B	S92.901A
L97.102	S82.852C	S92.051P	S92.901B
L97.103	S82.852E	S92.051S	S92.901P
L97.104	S82.852F	S92.052A	S92.901S
L97.109	S82.852H	S92.052B	S92.902A
L97.111	S82.852J	S92.052P	S92.902B
L97.112	S82.852M	S92.052S	S92.902P
L97.113	S82.852N	S92.053A	S92.902S
L97.114	S82.852P	S92.053B	S92.909A
L97.119	S82.852Q	S92.053P	S92.909B
L97.121	S82.852R	S92.053S	S92.909P
L97.122	S82.852S	S92.054A	S92.909S
L97.123	S82.853A	S92.054B	S92.911A
L97.124	S82.853B	S92.054P	S92.911B
L97.129	S82.853C	S92.054S	S92.911P
L97.201	S82.853H	S92.055A	S92.911S
L97.202	S82.853J	S92.055B	S92.912A
L97.203	S82.853M	S92.055P	S92.912B
L97.204	S82.853N	S92.055S	S92.912P
L97.209	S82.853P	S92.056A	S92.912S
L97.211	S82.853Q	S92.056B	S92.919A
L97.212	S82.853R	S92.056P	S92.919B
L97.213	S82.853S	S92.056S	S92.919P
L97.214	S82.854A	S92.061A	S92.919S
L97.219	S82.854B	S92.061B	S93.101A
L97.221	S82.854C	S92.061P	S93.101D
L97.222	S82.854E	S92.061S	S93.101S
L97.223	S82.854F	S92.062A	S93.102A
L97.224	S82.854H	S92.062B	S93.102D



L97.229	S82.854J	S92.062P	S93.102S
L97.301	S82.854M	S92.062S	S93.103A
L97.302	S82.854N	S92.063A	S93.103D
L97.303	S82.854P	S92.063B	S93.103S
L97.304	S82.854Q	S92.063P	S93.104A
L97.309	S82.854R	S92.063S	S93.104D
L97.311	S82.854S	S92.064A	S93.104S
L97.312	S82.855A	S92.064B	S93.105A
L97.313	S82.855B	S92.064P	S93.105D
L97.314	S82.855C	S92.064S	S93.105S
L97.319	S82.855P	S92.065A	S93.106A
L97.321	S82.855Q	S92.065B	S93.106D
L97.322	S82.855R	S92.065P	S93.106S
L97.323	S82.855S	S92.065S	S93.111A
L97.324	S82.856A	S92.066A	S93.111D
L97.329	S82.856B	S92.066B	S93.111S
L97.401	S82.856C	S92.066P	S93.112A
L97.402	S82.856P	S92.066S	S93.112D
L97.403	S82.856Q	S92.101A	S93.112S
L97.404	S82.856R	S92.101B	S93.113A
L97.409	S82.856S	S92.101P	S93.113D
L97.411	S82.861P	S92.101S	S93.113S
L97.412	S82.861Q	S92.102A	S93.114A
L97.413	S82.861R	S92.102B	S93.114D
L97.414	S82.862P	S92.102P	S93.114S
L97.419	S82.862Q	S92.102S	S93.115A
L97.421	S82.862R	S92.109A	S93.115D
L97.422	S82.863P	S92.109B	S93.115S
L97.423	S82.863Q	S92.109P	S93.116A
L97.424	S82.863R	S92.109S	S93.116D
L97.429	S82.864P	S92.111A	S93.116S
L97.501	S82.864Q	S92.111B	S93.119A
L97.502	S82.864R	S92.111P	S93.119D
L97.503	S82.865P	S92.111S	S93.119S
L97.504	S82.865Q	S92.112A	S93.121A
L97.509	S82.865R	S92.112B	S93.121D
L97.511	S82.866P	S92.112P	S93.121S
L97.512	S82.866Q	S92.112S	S93.122A
L97.513	S82.866R	S92.113A	S93.122D
L97.514	S82.871A	S92.113B	S93.122S
L97.519	S82.871B	S92.113P	S93.123A
L97.521	S82.871C	S92.113S	S93.123D
L97.522	S82.871P	S92.114A	S93.123S
L97.523	S82.871Q	S92.114B	S93.124A
L97.524	S82.871R	S92.114P	S93.124D
L97.529	S82.872A	S92.114S	S93.124S
L97.801	S82.872B	S92.115A	S93.125A
L97.809	S82.872C	S92.115B	S93.125D
L97.819	S82.872P	S92.115P	S93.125S

L97.829	S82.872Q	S92.115S	S93.126A
L97.901	S82.872R	S92.116A	S93.126D
L97.902	S82.873A	S92.116B	S93.126S
L97.903	S82.873B	S92.116P	S93.129A
L97.904	S82.873C	S92.116S	S93.129D
L97.909	S82.873P	S92.121A	S93.129S
L97.911	S82.873Q	S92.121B	S93.131A
L97.912	S82.873R	S92.121P	S93.131D
L97.913	S82.874A	S92.121S	S93.131S
L97.914	S82.874B	S92.122A	S93.132A
L97.919	S82.874C	S92.122B	S93.132D
L97.921	S82.874P	S92.122P	S93.132S
L97.922	S82.874Q	S92.122S	S93.133A
L97.923	S82.874R	S92.123A	S93.133D
L97.924	S82.875A	S92.123B	S93.133S
L97.929	S82.875B	S92.123P	S93.134A
L98.8	S82.875C	S92.123S	S93.134D
M05.40	S82.875P	S92.124A	S93.134S
M05.471	S82.875Q	S92.124B	S93.135A
M05.472	S82.875R	S92.124P	S93.135D
M05.479	S82.876A	S92.124S	S93.135S
M05.49	S82.876B	S92.125A	S93.136A
M05.571	S82.876C	S92.125B	S93.136D
M05.572	S82.876P	S92.125P	S93.136S
M05.579	S82.876Q	S92.125S	S93.139A
M05.59	S82.876R	S92.126A	S93.139D
M05.70	S82.891A	S92.126B	S93.139S
M05.771	S82.891B	S92.126P	S93.141A
M05.772	S82.891C	S92.126S	S93.141D
M05.779	S82.891P	S92.131A	S93.141S
M05.79	S82.891Q	S92.131B	S93.142A
M05.80	S82.891R	S92.131P	S93.142D
M05.871	S82.892A	S92.131S	S93.142S
M05.872	S82.892B	S92.132A	S93.143A
M05.879	S82.892C	S92.132B	S93.143D
M05.89	S82.892P	S92.132P	S93.143S
M05.9	S82.892Q	S92.132S	S93.144A
M06.00	S82.892R	S92.133A	S93.144D
M06.071	S82.899A	S92.133B	S93.144S
M06.072	S82.899B	S92.133P	S93.145A
M06.079	S82.899C	S92.133S	S93.145D
M06.09	S82.899P	S92.134A	S93.145S
M06.20	S82.899Q	S92.134B	S93.146A
M06.271	S82.899R	S92.134P	S93.146D
M06.272	S82.90xA	S92.134S	S93.146S
M06.279	S82.90xB	S92.135A	S93.149A
M06.29	S82.90xC	S92.135B	S93.149D
M06.30	S82.90xP	S92.135P	S93.149S
M06.371	S82.90xQ	S92.135S	S93.301A

M06.372	S82.90xR	S92.136A	S93.301D
M06.379	S82.90xS	S92.136B	S93.301S
M06.39	S82.91xA	S92.136P	S93.302A
M06.871	S82.91xB	S92.136S	S93.302D
M06.872	S82.91xC	S92.141A	S93.302S
M06.879	S82.91xP	S92.141B	S93.303A
M06.89	S82.91xQ	S92.141P	S93.303D
M06.9	S82.91xR	S92.141S	S93.303S
M10.00	S82.91xS	S92.142A	S93.304A
M10.071	S82.92xA	S92.142B	S93.304D
M10.072	S82.92xB	S92.142P	S93.304S
M10.079	S82.92xC	S92.142S	S93.305A
M10.09	S82.92xP	S92.143A	S93.305D
M10.20	S82.92xQ	S92.143B	S93.305S
M10.271	S82.92xR	S92.143P	S93.306A
M10.272	S82.92xS	S92.143S	S93.311A
M10.279	S86.001A	S92.144A	S93.311D
M10.29	S86.001D	S92.144B	S93.311S
M14.60	S86.001S	S92.144P	S93.312A
M14.671	S86.002A	S92.144S	S93.312D
M14.672	S86.002D	S92.145A	S93.312S
M14.679	S86.002S	S92.145B	S93.313A
M14.69	S86.009A	S92.145P	S93.313D
M20.10	S86.009D	S92.145S	S93.313S
M20.11	S86.009S	S92.146A	S93.314A
M20.12	S86.011A	S92.146B	S93.314D
M20.20	S86.011D	S92.146P	S93.314S
M20.21	S86.011S	S92.146S	S93.315A
M20.22	S86.012A	S92.151A	S93.315D
M20.40	S86.012D	S92.151B	S93.315S
M21.071	S86.012S	S92.151P	S93.316A
M21.072	S86.019A	S92.151S	S93.316D
M21.079	S86.019D	S92.152A	S93.316S
M21.171	S86.019S	S92.152B	S93.321A
M21.172	S86.021A	S92.152P	S93.321D
M21.179	S86.021D	S92.152S	S93.321S
M21.371	S86.021S	S92.153A	S93.322A
M21.372	S86.022A	S92.153B	S93.322D
M21.379	S86.022D	S92.153P	S93.322S
M21.40	S86.022S	S92.153S	S93.323A
M21.41	S86.029A	S92.154A	S93.323D
M21.42	S86.029D	S92.154B	S93.323S
M21.541	S86.029S	S92.154P	S93.324A
M21.542	S86.091A	S92.154S	S93.324D
M21.549	S86.091D	S92.155A	S93.324S
M21.6X1	S86.091S	S92.155B	S93.325A
M21.6X2	S86.092A	S92.155P	S93.325D
M21.6X9	S86.092D	S92.155S	S93.325S
M24.571	S86.092S	S92.156A	S93.326A

M24.572	S86.099A	S92.156B	S93.326D
M24.573	S86.099D	S92.156P	S93.326S
M24.574	S86.099S	S92.156S	S93.331A
M24.575	S86.101A	S92.191A	S93.331D
M24.576	S86.101D	S92.191B	S93.331S
M25.70	S86.101S	S92.191P	S93.332A
M25.78	S86.102A	S92.191S	S93.332D
M35.1	S86.102D	S92.192A	S93.332S
M54.10	S86.102S	S92.192B	S93.333A
M54.18	S86.109A	S92.192P	S93.333D
M66.271	S86.109D	S92.192S	S93.333S
M66.272	S86.109S	S92.199A	S93.334A
M66.279	S86.191A	S92.199B	S93.334D
M66.361	S86.191D	S92.199P	S93.334S
M66.362	S86.191S	S92.199S	S93.335A
M66.369	S86.192A	S92.201A	S93.335D
M66.371	S86.192D	S92.201B	S93.335S
M66.372	S86.192S	S92.201P	S93.336A
M66.379	S86.199A	S92.201S	S93.336D
M66.861	S86.199D	S92.202A	S93.336S
M66.862	S86.199S	S92.202B	S93.491A
M66.869	S86.201A	S92.202P	S93.491D
M66.871	S86.201D	S92.202S	S93.491S
M66.872	S86.201S	S92.209A	S93.492A
M66.879	S86.202A	S92.209B	S93.492D
M72.2	S86.202D	S92.209P	S93.492S
M72.6	S86.202S	S92.209S	S93.499A
M76.60	S86.209A	S92.211A	S93.499D
M76.61	S86.209D	S92.211B	S93.499S
M76.62	S86.209S	S92.211D	S93.601A
M76.70	S86.291A	S92.211G	S93.601D
M76.71	S86.291D	S92.211P	S93.601S
M76.72	S86.291S	S92.211S	S93.602A
M76.811	S86.292A	S92.212A	S93.602D
M76.812	S86.292D	S92.212B	S93.602S
M76.819	S86.292S	S92.212D	S93.609A
M76.821	S86.299A	S92.212G	S93.609D
M76.822	S86.299D	S92.212P	S93.609S
M76.829	S86.299S	S92.212S	S96.001A
M77.50	S86.301A	S92.213A	S96.001D
M77.51	S86.301D	S92.213B	S96.001S
M77.52	S86.301S	S92.213K	S96.002A
M79.2	S86.302A	S92.213P	S96.002D
M79.5	S86.302D	S92.213S	S96.002S
M79.89	S86.302S	S92.214A	S96.009A
M80.00xA	S86.309A	S92.214B	S96.009D
M80.00xP	S86.309D	S92.214D	S96.009S
M80.00xS	S86.309S	S92.214G	S96.011A
M80.061A	S86.391A	S92.214P	S96.011D

M80.061P	S86.391D	S92.214S	S96.011S
M80.061S	S86.391S	S92.215A	S96.012A
M80.062A	S86.392A	S92.215B	S96.012D
M80.062P	S86.392D	S92.215D	S96.012S
M80.062S	S86.392S	S92.215G	S96.019A
M80.069A	S86.399A	S92.215P	S96.019D
M80.069P	S86.399D	S92.215S	S96.019S
M80.069S	S86.399S	S92.216A	S96.091A
M80.071A	S86.801A	S92.216B	S96.091D
M80.071P	S86.801D	S92.216K	S96.091S
M80.071S	S86.801S	S92.216P	S96.092A
M80.072A	S86.802A	S92.216S	S96.092D
M80.072P	S86.802D	S92.221A	S96.092S
M80.072S	S86.802S	S92.221B	S96.099A
M80.079A	S86.809A	S92.221D	S96.099D
M80.079P	S86.809D	S92.221G	S96.099S
M80.079S	S86.809S	S92.221K	S96.101A
M80.80xP	S86.891A	S92.221P	S96.101D
M80.861P	S86.891D	S92.221S	S96.101S
M80.862P	S86.891S	S92.222A	S96.102A
M80.869P	S86.892A	S92.222B	S96.102D
M80.871P	S86.892D	S92.222P	S96.102S
M80.872P	S86.892S	S92.222S	S96.109A
M80.879P	S86.899A	S92.223A	S96.109D
M84.30xP	S86.899D	S92.223B	S96.109S
M84.361P	S86.899S	S92.223P	S96.111A
M84.362P	S86.901A	S92.223S	S96.111D
M84.363P	S86.901D	S92.224A	S96.111S
M84.364P	S86.901S	S92.224B	S96.112A
M84.369P	S86.902A	S92.224P	S96.112D
M84.371P	S86.902D	S92.224S	S96.112S
M84.372P	S86.902S	S92.225A	S96.119A
M84.373P	S86.909A	S92.225B	S96.119D
M84.374P	S86.909D	S92.225P	S96.119S
M84.375P	S86.909S	S92.225S	S96.191A
M84.376P	S86.991A	S92.226A	S96.191D
M84.377P	S86.991D	S92.226B	S96.191S
M84.378P	S86.991S	S92.226P	S96.192A
M84.379P	S86.992A	S92.226S	S96.192D
M84.38xP	S86.992D	S92.231A	S96.192S
M84.40xP	S86.992S	S92.231B	S96.199A
M84.461P	S86.999A	S92.231P	S96.199D
M84.462P	S86.999D	S92.231S	S96.199S
M84.463P	S86.999S	S92.232A	S96.201A
M84.464P	S89.001A	S92.232B	S96.201D
M84.469P	S89.001S	S92.232P	S96.201S
M84.471P	S89.002A	S92.232S	S96.202A
M84.472P	S89.002S	S92.233A	S96.202D
M84.473P	S89.009A	S92.233B	S96.202S

M84.474P	S89.009S	S92.233P	S96.209A
M84.475P	S89.011A	S92.233S	S96.209D
M84.476P	S89.011S	S92.234A	S96.209S
M84.477P	S89.012A	S92.234B	S96.211A
M84.478P	S89.012S	S92.234P	S96.211D
M84.479P	S89.019A	S92.234S	S96.211S
M84.48xP	S89.019S	S92.235A	S96.212A
M84.561P	S89.021A	S92.235B	S96.212D
M84.562P	S89.021S	S92.235P	S96.212S
M84.563P	S89.022A	S92.235S	S96.219A
M84.564P	S89.022S	S92.236A	S96.219D
M84.569P	S89.029A	S92.236B	S96.219S
M84.571P	S89.029S	S92.236P	S96.291A
M84.572P	S89.031A	S92.236S	S96.291D
M84.573P	S89.031S	S92.241A	S96.291S
M84.574P	S89.032A	S92.241B	S96.292A
M84.575P	S89.032S	S92.241P	S96.292D
M84.576P	S89.039A	S92.241S	S96.292S
M84.60xP	S89.039S	S92.242A	S96.299A
M84.661P	S89.041A	S92.242B	S96.299D
M84.662P	S89.041S	S92.242P	S96.299S
M84.663P	S89.042A	S92.242S	S96.801A
M84.664P	S89.042S	S92.243A	S96.801D
M84.669P	S89.049A	S92.243B	S96.801S
M84.671P	S89.049S	S92.243P	S96.802A
M84.672P	S89.091A	S92.243S	S96.802D
M84.673P	S89.091S	S92.244A	S96.802S
M84.674P	S89.092A	S92.244B	S96.809A
M84.675P	S89.092S	S92.244P	S96.809D
M84.676P	S89.099A	S92.244S	S96.809S
M84.68xP	S89.099S	S92.245A	S96.811A
M86.061	S89.101A	S92.245B	S96.811D
M86.062	S89.101P	S92.245P	S96.811S
M86.069	S89.101S	S92.245S	S96.812A
M86.071	S89.102A	S92.246A	S96.812D
M86.072	S89.102P	S92.246B	S96.812S
M86.079	S89.102S	S92.246P	S96.819A
M86.161	S89.109A	S92.246S	S96.819D
M86.162	S89.109P	S92.251A	S96.819S
M86.169	S89.109S	S92.251B	S96.891A
M86.171	S89.111A	S92.251D	S96.891D
M86.172	S89.111P	S92.251G	S96.891S
M86.179	S89.111S	S92.251K	S96.892A
M86.261	S89.112A	S92.251P	S96.892D
M86.262	S89.112P	S92.251S	S96.892S
M86.269	S89.112S	S92.252A	S96.899A
M86.271	S89.119A	S92.252B	S96.899D
M86.272	S89.119P	S92.252D	S96.899S
M86.279	S89.119S	S92.252G	S96.901A

M86.361	S89.121A	S92.252K	S96.901D
M86.362	S89.121P	S92.252P	S96.901S
M86.369	S89.121S	S92.252S	S96.902A
M86.371	S89.122A	S92.253A	S96.902D
M86.372	S89.122P	S92.253B	S96.902S
M86.379	S89.122S	S92.253K	S96.909A
M86.461	S89.129A	S92.253P	S96.909D
M86.462	S89.129P	S92.253S	S96.909S
M86.469	S89.129S	S92.254A	S96.911A
M86.471	S89.131A	S92.254B	S96.911D
M86.472	S89.131P	S92.254P	S96.911S
M86.479	S89.131S	S92.254S	S96.912A
M86.561	S89.132A	S92.255A	S96.912D
M86.562	S89.132P	S92.255B	S96.912S
M86.569	S89.132S	S92.255P	S96.919A
M86.571	S89.139A	S92.255S	S96.919D
M86.572	S89.139P	S92.256A	S96.919S
M86.579	S89.139S	S92.256B	S96.991A
M86.661	S89.141A	S92.256P	S96.991D
M86.662	S89.141P	S92.256S	S96.991S
M86.669	S89.141S	S92.301A	S96.992A
M86.671	S89.142A	S92.301B	S96.992D
M86.672	S89.142P	S92.301D	S96.992S
M86.679	S89.142S	S92.301G	S96.999A
M86.8X0	S89.149A	S92.301K	S96.999D
M86.8X6	S89.149P	S92.301P	S96.999S
M86.8X7	S89.149S	S92.301S	S99.811A
M86.8X8	S89.191A	S92.302A	S99.812A
M86.8X9	S89.191P	S92.302B	S99.819A
M86.9	S89.191S	S92.302P	S99.821A
M87.00	S89.192A	S92.302S	S99.822A
M87.071	S89.192P	S92.309A	S99.829A
M87.072	S89.192S	S92.309B	S99.911A
	S89.199A	S92.309D	S99.912A
	S89.199P	S92.309G	S99.919A
	S89.199S	S92.309P	S99.921A
	S89.291A	S92.309S	S99.922A
	S89.291S	S92.311A	S99.929A
	S89.292A	S92.311B	T14.8
	S89.292S	S92.311P	T69.1xxA
	S89.299A	S92.311S	T69.1xxD
	S89.299S	S92.312A	T69.1xxS
	S89.301A	S92.312B	T81.31xA
	S89.301P	S92.312P	T81.31xD
	S89.301S	S92.312S	T81.31xS
	S89.302A	S92.313A	T81.4xxA
	S89.302P	S92.313B	T81.4xxD
	S89.302S	S92.313P	T81.4xxS
	S89.309A	S92.313S	T81.718A

	S89.309P	S92.314A S92.314B S92.314P S92.314S S92.315A S92.315B S92.315P	T81.718D T81.718S T81.719A T81.719D T81.719S T81.72xA T81.72xD T81.72xS T81.89xA T81.89xD T81.89xS T85.79xA T85.79xD T85.79xS
--	----------	--	--

**C. Code(s)**

Provider(s) shall report the most specific billing code that accurately and completely describes the procedure, product or service provided. Provider(s) shall use the Current Procedural Terminology (CPT), Health Care Procedure Coding System (HCPCS), and UB-04 Data Specifications Manual (for a complete listing of valid revenue codes) and any subsequent editions in effect at the time of service. Provider(s) shall refer to the applicable edition for the code description, as it is no longer documented in the policy.

If no such specific CPT or HCPCS code exists, then the provider(s) shall report the procedure, product or service using the appropriate unlisted procedure or service code.

**Note:** Services of a podiatrist provided to a recipient on that recipient’s first visit to the practice when billed with a new patient office visit code (99201-99205), will not deny for inappropriate diagnosis. Providers may bill one unit per date of service for the above procedure codes.

**Unlisted Procedure or Service**

**CPT:** The provider(s) shall refer to and comply with the Instructions for Use of the CPT Codebook, Unlisted Procedure or Service, and Special Report as documented in the current CPT in effect at the time of service.

**HCPCS:** The provider(s) shall refer to and comply with the Instructions For Use of HCPCS National Level II codes, Unlisted Procedure or Service and Special Report as documented in the current HCPCS edition in effect at the time of service.

**D. Modifiers**

Provider(s) shall follow applicable modifier guidelines.

**E. Billing Units**

Provider(s) shall report the appropriate code(s) used which determines the unit(s).

**F. Place of Service**

Inpatient, Outpatient, Office.



### **G. Co-payments**

For Medicaid refer to Medicaid State Plan, Attachment 4.18-A, page 1, located at <http://www.ncdhhs.gov/dma/plan/sp.pdf>.

For NCHC refer to G.S. 108A-70.21(d), located at [http://www.ncleg.net/EnactedLegislation/Statutes/HTML/BySection/Chapter\\_108A/GS\\_108A-70.21.html](http://www.ncleg.net/EnactedLegislation/Statutes/HTML/BySection/Chapter_108A/GS_108A-70.21.html)

### **H. Reimbursement**

Provider(s) shall bill their usual and customary charges.

For a schedule of rates, refer to: <http://www.ncdhhs.gov/dma/fee/>