CODE	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
UUDL	DESCRIPTION	RATE
	DIABETIC FOOT CODES	
	FOR DIABETICS ONLY, FITTING (INCLUDING FOLLOW-UP), CUSTOM	
	PREPARATION AND SUPPLY OF OFF-THE-SHELF DEPTH-INLAY SHOE	
A5500*	MANUFACTURED TO ACCOMMODATE MULTI-DENSITY INSERT(S), PER SHOE	60.02
	FOR DIABETICS ONLY, FITTINT (INCLUDING FOLLOW-UP), CUSTOM	
	PREPARATION AND SUPPLY OF SHOE MOLDED FROM CAST(S) OF PATIENT'S	
A5501*	FOOT, (CUSTOM MOLDED SHOE), PER SHOE	180.03
	FOR DIABETICS ONLY, MODIFICATION (INCLUDING FITTING) OF OFF-THE-	
	SHELF DEPTH INLAY SHOE OR CUSTOM MOLDED SHOE WITH ROLLER OR	
A5503*		26.70
	FOR DIABETICS ONLY, MODIFICATION (INCLUDING FITTING) OF OFF-THE- SHELF DEPTH INLAY SHOE OR CUSTOM MOLDED SHOE WITH WEDGE(S), PER	
A5504*	SHELF DEPTH INLAT SHOE OR COSTOM MOLDED SHOE WITH WEDGE(S), PER	26.70
A5504	FOR DIABETICS ONLY, MODIFICATION (INCLUDING FITTING) OF OFF-THE-	26.70
	SHELF DEPTH INLAY SHOE OR CUSTOM MOLDED SHOE WITH METATARSAL	
A5505*	BAR, PER SHOE	26.70
A3303	FOR DIABETICS ONLY, MODIFICATION (INCLUDING FITTING) OF OFF-THE-	20.70
	SHELF DEPTH INLAY SHOE OR CUSTOM MOLDED SHOE WITH OFF-SET	
A5506*	HEEL(S), PER SHOE	26.70
	FOR DIABETICS ONLY, NOT OTHERWISE SPECIFIED MODIFICATION	
	(INCLUDING FITTING) OF OFF-THE-SHELF DEPTH INLAY SHOE OR CUSTOM-	
A5507*	MOLDED SHOE, PER SHOE	26.70
	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, DIRECT FORMED,	
	MOLDED TO FOOT AFTER EXTERNAL HEAT SOURCE OF 230 DEGREES	
	FARENHEIT OR HIGHER, TOTAL CONTACT WITH PATIENT'S FOOT, INCLUDING	
	ARCH, BASE LAYER MINIMUM OF 1/4 INCH MATERIAL OF SHORE A 35	
	DUROMETER OR 3/16 INCH MATERIAL OF SHORE A 40 DUROMETER (OR	
A5512*	HIGHER), PREFABRICATED, EACH	
		24.49
	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, CUSTOM MOLDED FROM	24.49
	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, CUSTOM MOLDED FROM MODEL OF PATIENT'S FOOT, TOTAL CONTACT WITH PATIENT'S FOOT,	24.49
	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, CUSTOM MOLDED FROM MODEL OF PATIENT'S FOOT, TOTAL CONTACT WITH PATIENT'S FOOT, INCLUDING ARCH, BASE LAYER MINIMUM OF 3/16 INCH MATERIAL OF SHORE	24.49
	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, CUSTOM MOLDED FROM MODEL OF PATIENT'S FOOT, TOTAL CONTACT WITH PATIENT'S FOOT, INCLUDING ARCH, BASE LAYER MINIMUM OF 3/16 INCH MATERIAL OF SHORE A 35 DUROMETER OR HIGHER, INCLUDES ARCH FILLER AND OTHER SHAPING	
	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, CUSTOM MOLDED FROM MODEL OF PATIENT'S FOOT, TOTAL CONTACT WITH PATIENT'S FOOT, INCLUDING ARCH, BASE LAYER MINIMUM OF 3/16 INCH MATERIAL OF SHORE A 35 DUROMETER OR HIGHER, INCLUDES ARCH FILLER AND OTHER SHAPING MATERIAL, CUSTOM FABRICATED, EACH	
	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, CUSTOM MOLDED FROM MODEL OF PATIENT'S FOOT, TOTAL CONTACT WITH PATIENT'S FOOT, INCLUDING ARCH, BASE LAYER MINIMUM OF 3/16 INCH MATERIAL OF SHORE A 35 DUROMETER OR HIGHER, INCLUDES ARCH FILLER AND OTHER SHAPING MATERIAL, CUSTOM FABRICATED, EACH ELASTIC SUPPORTS	
	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, CUSTOM MOLDED FROM MODEL OF PATIENT'S FOOT, TOTAL CONTACT WITH PATIENT'S FOOT, INCLUDING ARCH, BASE LAYER MINIMUM OF 3/16 INCH MATERIAL OF SHORE A 35 DUROMETER OR HIGHER, INCLUDES ARCH FILLER AND OTHER SHAPING MATERIAL, CUSTOM FABRICATED, EACH	36.54
A5513*	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, CUSTOM MOLDED FROM MODEL OF PATIENT'S FOOT, TOTAL CONTACT WITH PATIENT'S FOOT, INCLUDING ARCH, BASE LAYER MINIMUM OF 3/16 INCH MATERIAL OF SHORE A 35 DUROMETER OR HIGHER, INCLUDES ARCH FILLER AND OTHER SHAPING MATERIAL, CUSTOM FABRICATED, EACH ELASTIC SUPPORTS	<b>36.5</b> 4 38.09
<b>A5513*</b> A6530 A6531	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, CUSTOM MOLDED FROM MODEL OF PATIENT'S FOOT, TOTAL CONTACT WITH PATIENT'S FOOT, INCLUDING ARCH, BASE LAYER MINIMUM OF 3/16 INCH MATERIAL OF SHORE A 35 DUROMETER OR HIGHER, INCLUDES ARCH FILLER AND OTHER SHAPING MATERIAL, CUSTOM FABRICATED, EACH ELASTIC SUPPORTS GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 30-40 mmHg, EACH	<b>36.5</b> 4 38.09 40.85
A5513* A6530 A6531 A6532	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, CUSTOM MOLDED FROM MODEL OF PATIENT'S FOOT, TOTAL CONTACT WITH PATIENT'S FOOT, INCLUDING ARCH, BASE LAYER MINIMUM OF 3/16 INCH MATERIAL OF SHORE A 35 DUROMETER OR HIGHER, INCLUDES ARCH FILLER AND OTHER SHAPING MATERIAL, CUSTOM FABRICATED, EACH ELASTIC SUPPORTS GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 30-40 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 40-50 mmHg, EACH	<b>36.54</b> 38.09 40.85 57.55
<b>A5513*</b> A6530 A6531	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, CUSTOM MOLDED FROM MODEL OF PATIENT'S FOOT, TOTAL CONTACT WITH PATIENT'S FOOT, INCLUDING ARCH, BASE LAYER MINIMUM OF 3/16 INCH MATERIAL OF SHORE A 35 DUROMETER OR HIGHER, INCLUDES ARCH FILLER AND OTHER SHAPING MATERIAL, CUSTOM FABRICATED, EACH ELASTIC SUPPORTS GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 30-40 mmHg, EACH	<b>36.54</b> 38.09 40.85 57.55
A5513* A6530 A6531 A6532	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, CUSTOM MOLDED FROM MODEL OF PATIENT'S FOOT, TOTAL CONTACT WITH PATIENT'S FOOT, INCLUDING ARCH, BASE LAYER MINIMUM OF 3/16 INCH MATERIAL OF SHORE A 35 DUROMETER OR HIGHER, INCLUDES ARCH FILLER AND OTHER SHAPING MATERIAL, CUSTOM FABRICATED, EACH ELASTIC SUPPORTS GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 30-40 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 40-50 mmHg, EACH	<b>36.5</b> 4 38.09 40.85 57.55 60.79
A5513* A6530 A6531 A6532 A6533 A6534	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, CUSTOM MOLDED FROM MODEL OF PATIENT'S FOOT, TOTAL CONTACT WITH PATIENT'S FOOT, INCLUDING ARCH, BASE LAYER MINIMUM OF 3/16 INCH MATERIAL OF SHORE A 35 DUROMETER OR HIGHER, INCLUDES ARCH FILLER AND OTHER SHAPING MATERIAL, CUSTOM FABRICATED, EACH ELASTIC SUPPORTS GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 30-40 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 30-40 mmHg, EACH	<b>36.54</b> 38.09 40.85 57.55 60.79 72.10
A5513* A6530 A6531 A6532 A6533	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, CUSTOM MOLDED FROM MODEL OF PATIENT'S FOOT, TOTAL CONTACT WITH PATIENT'S FOOT, INCLUDING ARCH, BASE LAYER MINIMUM OF 3/16 INCH MATERIAL OF SHORE A 35 DUROMETER OR HIGHER, INCLUDES ARCH FILLER AND OTHER SHAPING MATERIAL, CUSTOM FABRICATED, EACH ELASTIC SUPPORTS GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 30-40 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 30-40 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 40-50 mmHg, EACH	<b>36.5</b> 4 38.09 40.85 57.55 60.79 72.10
A5513* A6530 A6531 A6532 A6533 A6534 A6535	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, CUSTOM MOLDED FROM MODEL OF PATIENT'S FOOT, TOTAL CONTACT WITH PATIENT'S FOOT, INCLUDING ARCH, BASE LAYER MINIMUM OF 3/16 INCH MATERIAL OF SHORE A 35 DUROMETER OR HIGHER, INCLUDES ARCH FILLER AND OTHER SHAPING MATERIAL, CUSTOM FABRICATED, EACH ELASTIC SUPPORTS GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 30-40 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 30-40 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 40-50 mmHg, EACH	<b>36.5</b> 4 38.09 40.85 57.55 60.79 72.10 74.27
A5513* A6530 A6531 A6532 A6533 A6534	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, CUSTOM MOLDED FROM MODEL OF PATIENT'S FOOT, TOTAL CONTACT WITH PATIENT'S FOOT, INCLUDING ARCH, BASE LAYER MINIMUM OF 3/16 INCH MATERIAL OF SHORE A 35 DUROMETER OR HIGHER, INCLUDES ARCH FILLER AND OTHER SHAPING MATERIAL, CUSTOM FABRICATED, EACH ELASTIC SUPPORTS GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 30-40 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 30-40 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, FULL LENGTH/CHAP STYLE, 18-30 mmHg, EACH	<b>36.5</b> 4 38.09 40.85 57.55 60.79 72.10 74.27
A5513* A6530 A6531 A6532 A6533 A6534 A6535 A6536	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, CUSTOM MOLDED FROM MODEL OF PATIENT'S FOOT, TOTAL CONTACT WITH PATIENT'S FOOT, INCLUDING ARCH, BASE LAYER MINIMUM OF 3/16 INCH MATERIAL OF SHORE A 35 DUROMETER OR HIGHER, INCLUDES ARCH FILLER AND OTHER SHAPING MATERIAL, CUSTOM FABRICATED, EACH ELASTIC SUPPORTS GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 30-40 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 30-40 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, FULL LENGTH/CHAP STYLE, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, FULL LENGTH/CHAP STYLE, 30-40	<b>36.5</b> 4 38.09 40.85 57.55 60.79 72.10 74.27 92.00
A5513* A6530 A6531 A6532 A6533 A6534 A6535	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, CUSTOM MOLDED FROM MODEL OF PATIENT'S FOOT, TOTAL CONTACT WITH PATIENT'S FOOT, INCLUDING ARCH, BASE LAYER MINIMUM OF 3/16 INCH MATERIAL OF SHORE A 35 DUROMETER OR HIGHER, INCLUDES ARCH FILLER AND OTHER SHAPING MATERIAL, CUSTOM FABRICATED, EACH ELASTIC SUPPORTS GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 30-40 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 30-40 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, FULL LENGTH/CHAP STYLE, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, FULL LENGTH/CHAP STYLE, 30-40 mmHg, EACH	<b>36.5</b> 4 38.09 40.85 57.55 60.79 72.10 74.27 92.00
A5513* A6530 A6531 A6532 A6533 A6534 A6535 A6536	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, CUSTOM MOLDED FROM MODEL OF PATIENT'S FOOT, TOTAL CONTACT WITH PATIENT'S FOOT, INCLUDING ARCH, BASE LAYER MINIMUM OF 3/16 INCH MATERIAL OF SHORE A 35 DUROMETER OR HIGHER, INCLUDES ARCH FILLER AND OTHER SHAPING MATERIAL, CUSTOM FABRICATED, EACH ELASTIC SUPPORTS GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 30-40 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 30-40 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, FULL LENGTH/CHAP STYLE, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, FULL LENGTH/CHAP STYLE, 30-40 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, FULL LENGTH/CHAP STYLE, 40-50	36.54 38.09 40.85 57.55 60.79 72.10 74.27 92.00 102.79
A5513* A6530 A6531 A6532 A6533 A6534 A6535 A6536 A6537 A6538	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, CUSTOM MOLDED FROM MODEL OF PATIENT'S FOOT, TOTAL CONTACT WITH PATIENT'S FOOT, INCLUDING ARCH, BASE LAYER MINIMUM OF 3/16 INCH MATERIAL OF SHORE A 35 DUROMETER OR HIGHER, INCLUDES ARCH FILLER AND OTHER SHAPING MATERIAL, CUSTOM FABRICATED, EACH ELASTIC SUPPORTS GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 30-40 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, FULL LENGTH/CHAP STYLE, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, FULL LENGTH/CHAP STYLE, 30-40 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, FULL LENGTH/CHAP STYLE, 40-50 mmHg, EACH	24.49 36.54 38.09 40.85 57.55 60.79 72.10 74.27 92.00 102.79 111.03
A5513* A6530 A6531 A6532 A6533 A6534 A6535 A6536 A6537	FOR DIABETICS ONLY, MULTIPLE DENSITY INSERT, CUSTOM MOLDED FROM MODEL OF PATIENT'S FOOT, TOTAL CONTACT WITH PATIENT'S FOOT, INCLUDING ARCH, BASE LAYER MINIMUM OF 3/16 INCH MATERIAL OF SHORE A 35 DUROMETER OR HIGHER, INCLUDES ARCH FILLER AND OTHER SHAPING MATERIAL, CUSTOM FABRICATED, EACH ELASTIC SUPPORTS GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 30-40 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, BELOW KNEE, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 30-40 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, THIGH LENGTH, 40-50 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, FULL LENGTH/CHAP STYLE, 18-30 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, FULL LENGTH/CHAP STYLE, 30-40 mmHg, EACH GRADIENT COMPRESSIONS STOCKING, FULL LENGTH/CHAP STYLE, 40-50	36.54 38.09 40.85 57.55 60.79 72.10 74.27 92.00 102.79

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
CODE	DESCRIPTION	RATE
A6541	GRADIENT COMPRESSIONS STOCKING, WAIST LENGTH, 40-50 mmHg, EACH	141.60
A6544	GRADIENT COMPRESSIONS STOCKING, GARTER BELT, EACH	28.26
	GRADIENT COMPRESSION WRAP, NON-ELASTIC, BELOW KNEE, 30-50 mmHg,	MANUALLY
A6545*	EACH	PRICED
	GRADIENT COMPRESSIONS STOCKING/SLEEVE, NOT OTHERWISE SPECIFIED,	MANUALLY
A6549*	EACH	PRICED
	HELMETS	
	HELMET, PROTECTIVE, SOFT, PREFABRICATED, INCLUDES ALL	
A8000	COMPONENTS AND ACCESSORIES	147.66
	HELMET PROTECTIVE, HARD, PREFABRICATED, INCLUDES ALL	
A8001	COMPONENTS AND ACCESSORIES	147.66
	HELMET, PROTECTIVE, SOFT, CUSTOM FABRICATED, INCLUDES ALL	MANUALLY
A8002*	COMPONENTS AND ACCESSORIES	PRICED
	HELMET, PROTECTIVE, HARD, CUSTOM FABRICATED, INCLUDES ALL	MANUALLY
A8003*	COMPONENTS AND ACCESSORIES	PRICED
A 000 4*		MANUALLY
A8004"	SOFT INTERFACE FOR HELMET, REPLACEMENT ONLY	PRICED
	LOWER EXTREMITY ORTHOSIS	
	ADDITION TO LOWER EXTREMITY ORTHOSIS, REMOVABLE SOFT INTERFACE,	
K0672	ALL COMPONENTS, REPLACEMENT ONLY, EACH	72.88
	CERVICAL	
	CERVICAL THORACIC LUMBAR SACRAL ORTHOSIS, IMMOBILIZER, INFANT	MANUALLY
L1001*	SIZE, PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	PRICED
	CRANIAL CERVICAL ORTHOSIS, CONGENITAL TORTICOLLIS TYPE, WITH OR	
	WITHOUT SOFT INTERFACE MATERIAL, ADJUSTABLE RANGE OF MOTION	
L0112*	JOINT, CUSTOM FABRICATED	1145.56
	CRANIAL CERVICAL ORTHOSIS, WITHOUT JOINT, WITH OR WITHOUT SOFT	
	INTERFACE MATERIAL, PREFABRICATED, INCLUDES FITTING AND	MANUALLY
	ADJUSTMENT	PRICED
	CERVICAL, FLEXIBLE, NONADJUSTABLE (FOAM COLLAR)	22.90
	CERVICAL, FLEXIBLE, THERMOPLASTIC COLLAR, MOLDED TO PATIENT CERVICAL, SEMI-RIGID, ADJUSTABLE (PLASTIC COLLAR)	165.58
L0140	CERVICAL, SEMI-RIGID, ADJUSTABLE (PLASTIC COLLAR) CERVICAL, SEMI-RIGID, ADJUSTABLE MOLDED CHIN CUP ( PLASTIC COLLAR)	57.13
L0150	WITH MANDIBULAR/OCCIPITAL PIECE)	95.28
L0150	CERVICAL, SEMI-RIGID, WIRE FRAME OCCIPITAL/MANDIBULAR SUPPORT	135.66
	CERVICAL, COLLAR, MOLDED TO PATIENT MODEL	574.07
L0172	CERVICAL, COLLAR, SEMI-RIGID, THERMOPLASTIC FOAM, TWO PIECE	116.40
	CERVICAL, COLLAR, SEMI-RIGID, THERMOPLASTIC FOAM, TWO PIECE WITH	
L0174	THORACIC EXTENSION	209.10
	CERVICAL, MULTIPLE POST COLLAR, OCCIPITAL/MANDIBULAR SUPPORTS,	
L0180	ADJUSTABLE	284.39
1.0400	CERVICAL, MULTIPLE POST COLLAR, OCCIPITAL/MANDIBULAR SUPPORTS,	400.00
L0190	ADJUSTABLE CERVICAL BARS (SOMI, GUILFORD, TAYLOR TYPES) CERVICAL, MULTIPLE POST COLLAR, OCCIPITAL/MANDIBULAR SUPPORTS,	428.08
L0200	ADJUSTABLE CERVICAL BARS, AND THORACIC EXTENSION	393.08
L0200		
1 0220	THORACIC, RIB BELT, CUSTOM FABRICATED	93.22

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
CODE	DESCRIPTION	RATE
	SPINAL ORTHOSIS, ANTERIOR-POSTERIOR-LATERAL CONTROL, WITH	
	INTERFACE MATERIAL, CUSTOM FITTED (DEWALL POSTURE PROTECTOR	
L0430*	ONLY)	1138.49
	TLSO, FLEXIBLE, PROVIDES TRUNK SUPPORT, UPPER THORACIC REGION,	
	PRODUCES INTRACAVITARY PRESSURE TO REDUCE LOAD ON THE	
	INTERVERTEBRAL DISCS WITH RIGID STAYS OR PANEL(S), INCLUDES	
	SHOULDER STRAPS AND CLOSURES, PREFABRICATED, INCLUDES FITTING	
L0450	AND ADJUSTMENT	153.90
	TLSO, FLEXIBLE, PROVIDES TRUNK SUPPORT, UPPER THORACIC REGION,	
	PRODUCES INTRACAVITARY PRESSURE TO REDUCE LOAD ON THE	
	INTERVERTEBRAL DISCS, WITH RIGID STAYS OR PANEL(S), INCLUDES	
L0452	SHOULDER STRAPS AND CLOSURES, CUSTOM FABRICATED	255.30
	TLSO, FLEXIBLE, PROVIDES TRUNK SUPPORT, EXTENDS FROM	
	SACROCOCCYGEAL JUNCTION TO ABOVE T-9 VERTEBRA, RESTRICTS GROSS	
	TRUNK MOTION IN THE SAGITTAL PLANE, PRODUCES INTRACAVITARY	
	PRESSUE TO REDUCE LOAD ON THE INTERVERTEBRAL DISCS, WITH RIGID	
	STAYS OR PANEL(S), INCLUDES SHOULDER STRAPS AND CLOSURES,	
L0454	PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	283.87
	TLSO, FLEXIBLE, PROVIDES TRUNK SUPPORT, THORACIC REGION, RIGID	
	POSTERIOR PANEL AND SOFT ANTERIOR APRON, EXTENDS FROM THE	
	SACROCOCYGEAL JUNCTION AND TERMINATES JUST INFERIOR TO THE	
	SCAPULAR SPINE, RESTRICTS GROSS TRUNK MOTION IN THE SAGITTAL	
	PLANE, PRODUCES INTRACAVITARY PRESSURE TO REDUCE LOAD ON THE	
	INTERVERTEBRAL DISKS, INCLUDES STRAPS AND CLOSURES,	
L0456*	PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT TLSO, TRIPLANAR CONTROL, MODULAR SEGEMENTED SPINAL SYSTEM, TWO	814.05
	RIGID PLASTIC SHELLS, POSTERIOR EXTENDS FROM THE	
	SACROCOCCYGEAL JUNCTION AND TERMINATES JUST INFERIOR TO THE	
	SCAPULAR SPINE, ANTERIOR EXTENDS FROM THE SYMPHYSIS PUBIS TO THE	
	XIPHOID, SOFT LINER, RESTRICTS GROSS TRUNK MOTION IN THE SAGITTAL,	
	CORONAL, AND TRANSVERSE PLANES, LATERAL STRENGTH IS PROVIDED BY	
	OVERLAPPING PLASTIC AND STABILIZING CLOSURES, INCLUDES FITTING	
L0458*	AND ADJUSTMENT TLSO, TRIPLANAR CONTROL, MODULAR SEGMENTED SPINAL SYSTEM, TWO	729.95
	RIGID PLASTIC SHELLS, POSTERIOR EXTENDS FROM THE SACROCOCCYGEAL JUNCTION AND TERMINATES JUST INFERIOR TO THE	
	SACROCOCCYGEAL JUNCTION AND TERMINATES JUST INFERIOR TO THE SCAPULAR SPINE, ANTERIOR EXTENDS FROM THE SYMPHYSIS PUBIS TO THE	
	,	
	STERNAL NOTCH, SOFT LINER, RESTRICTS GROSS TRUNK MOTION IN THE	
	SAGITTAL, CORONAL, AND TRANSVERSE PLANES, LATERAL STRENGTH IS	
10400*	PROVIDED BY OVERLAPPING PLASTIC AND STABILIZING CLOSURES,	
L0460*	INCLUDES FITTING AND ADJUSTMENT TLSO, TRIPLANAR CONTROL, MODULAR SEGMENTED SPINAL SYSTEM,	821.62
	THREE RIGID PLASTIC SHELLS, POSTERIOR EXTENDS FROM THE	
	SACROCOCCYGEAL JUNCTION AND TERMINATES JUST INFERIOR TO THE	
10400*	SCAPULAR SPINE, ANTERIOR EXTENDS FROM THE SYMPHSIS PUBIS TO THE	
L0462*	STERNAL NOTCH, SOFT TLSO, TRIPLANAR CONTROL, MODULAR SEGMENTED SPINAL SYSTEM, FOUR	1021.96
	RIGID PLASTIC SHELLS, POSTERIOR EXTENDS FROM SACROCOCCYGEAL	
	JUNCTION AND TERMINATES JUST INFERIOR TO SCAPULAR SPINE,	
10404*	ANTERIOR EXTENDS FROM SYMPHYSIS PUBIS TO THE STERNAL NOTCH,	1010 00
L0464*	SOFT LINER, RES	1216.62

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
CODE	DESCRIPTION	RATE
	TLSO, SAGITTAL CONTROL, RIGID POSTERIOR FRAME AND FLEXIBLE SOFT	
	ANTERIOR APRON WITH STRAPS, CLOSURES AND PADDING, RESTRICTS	
	GROSS TRUNK MOTION IN SAGITTAL PLANE, PRODUCES INTRACAVITARY	
	PRESSURE TO REDUCE LOAD ON INTERVEREBRAL DISCS, INCLUDES FITTING	
L0466	AND S	312.84
	TLSO, SAGITTAL-CORONAL CONTROL, RIGID POSTERIOR FRAME AND	
	FLEXIBLE SOFT ANTERIOR APRON WITH STRAPS, CLOSURES, AND PADDING,	
	EXTENDS FROM SACROCOCCYGEAL JUNCTION OVER SCAPULAE, LATERAL	
	STRENGTH PROVIDED BY PELVIC, THORACIC, AND LATERAL FRAME PIECES,	
L0468	RESTRIC	392.22
	TLSO, TRIPLANAR CONTROL, RIGID POSTERIOR FRAME AND FLEXIBLE SOFT	
	ANTERIOR APRON WITH STRAPS, CLOSURES AND PADDING, EXTENDS FROM	
	SACROCOCCYGEAL JUNCTION TO SCAPULA, LATERAL STRENGTH PROVIDED	
L0470*	BY PELVIC, THORACIC, AND LATERAL FRAME PIECES, ROTATIONAL STRENG	558.42
L0470	TLSO, TRIPLANAR CONTROL, HYPEREXTENSION, RIGID ANTERIOR AND	550.42
	LATERAL FRAME EXTENDS FROM SYMPHSIS PUBIS TO STERNAL NOTCH	
	WITH TWO ANTERIOR COMPONENTS (ONE PUBIC AND ONE STERNAL).	
	POSTERIOR AND LATERAL PADS WITH STRAPS AND CLOSURES, LIMITS	
L0472	SPINAL FLEXION, RE	350.51
	TLSO, TRIPLANAR CONTROL, ONE PIECE RIGID PLASTIC SHELL WITHOUT	330.31
	INTERFACE LINER, WITH MULTIPLE STRAPS AND CLOSURES, POSTERIOR	
	EXTENDS FROM SACROCOCCYGEAL JUNCTION AND TERMINATES JUST	
	INFERIOR TO SCAPULAR SPINE, ANTERIOR EXTENDS FROM SYMPHYSIS	
L0480*	PUBIS TO STER	1083.87
	TLSO, TRIPLANAR CONTROL, ONE PIECE RIGID PLASTIC SHELL WITH	1000101
	INTERFACE LINER, WITH MULTIPLE STRAPS AND CLOSURES, POSTERIOR	
	EXTENDS FROM SACROCOCCYGEAL JUNCTION AND TERMINATES JUST	
	INFERIOR TO SCAPULAR SPINE, ANTERIOR EXTENDS FROM SYMPHYSIS	
L0482*	PUBIS TO STERNAL	1242.52
	TLSO, TRIPLANAR CONTROL, TWO PIECE RIGID PLASTIC SHELL WITHOUT	
	INTERFACE LINER, WITH MULTIPLE STRAPS AND CLOSURES, POSTERIOR	
	EXTENDS FROM SACROCOCCYGEAL JUNCTION AND TERMINATES JUST	
	INFERIOR TO SCAPULAR SPINE, ANTERIOR EXTENDS FROM SYMPHYSIS	
L0484*	PUBIS TO STER	1448.76
	TLSO, TRIPLANAR CONTROL, TWO PIECE RIGID PLASTIC SHELL WITH	
	INTERFACE LINER, WITH MULTIPLE STRAPS AND CLOSURES, POSTERIOR	
	EXTENDS FROM SACROCOCCYGEAL JUNCTION AND TERMINATES JUST	
	INFERIOR TO SCAPULAR SPINE, ANTERIOR EXTENDS FROM SYMPHYSIS	
L0486*	PUBIS TO STERNAL	1435.16
	TLSO, TRIPLANAR CONTROL, ONE PIECE RIGID PLASTIC SHELL WITH	
	INTERFACE LINER, MULTIPLE STRAPS AND CLOSURES, POSTERIOR	
	EXTENDS FROM SACROCOCCYGEAL JUNCTION AND TERMINATES JUST	
	INFERIOR TO SCAPULAR SPINE, ANTERIOR EXTENDS FROM SYMPHYSIS	
L0488*	PUBIS TO STERNAL NOT	821.62
	TLSO, SAGITTAL-CORONAL CONTROL, ONE PIECE RIGID PLASTIC SHELL,	
	WITH OVERLAPPING REINFORCED ANTERIOR, WITH MULTIPLE STRAPS AND	
	CLOSURES, POSTERIOR EXTENDS FROM SACROCOCCYGEAL JUNCTION AND	
	TERMINATES AT OR BEFORE THE T-9 VERTEBRA, ANTERIOR EXTENDS FROM	
L0490	SYMP	231.53

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
CODE	DESCRIPTION	RATE
	SACROILIAC ORTHOSIS, FLEXIBLE, PROVIDES PELVIC SACRAL SUPPORT,	
	REDUCES MOTION ABOUT THE SACROILIAC JOINT, INCLUDES STRAPS,	
_	CLOSURES, MAY INCLUDE PENDULOUS ABDOMEN DESIGN, PREFABRICATED,	
L0621		72.97
	SACROILIAC ORTHOSIS, FLEXIBLE, PROVIDES PELVIC -SACRAL SUPPORT,	
	REDUCES MOTION ABOUT THE SACROILIAC JOINT, INCLUDES STRAPS,	
1 0000	CLOSURES, MAY INCLUDE PENDULOUS ABDOMEN DESIGN, CUSTOM FABRICATED	407.00
L0622	SACROILIAC ORTHOSIS, PROVIDES PELVIC-SACRAL SUPPORT, WITH RIGID	197.89
	OR SEMI-RIGID PANELS OVER THE SACRUM AND ABDOMEN, REDUCES	
	MOTION ABOUT THE SACRILIAC JOINT, INCLUDES STRAPS, CLOSURES, MAY	
	INCLUDE PENDULOUS ABDOMEN DESIGN, PREFABRICATED, INCLUDES	
L0623	FITTING AN	198.04
L0023		190.04
	SACROILIAC ORTHOSIS, PROVIDES PELVIC -SACRAL SUPPORT, WITH RIGID	
	OR SEMI-RIGID PANESL OVER THE SACRUM AND ABDOMEN, REDUCES	
	MOTION ABOUT THE SACROILIAC JOINT, INCLUDES STRAPS, CLOSURES,	
L0624	MAY INCLUDE PENDULOUS ABDOMEN DESIGN, CUSTOM FABRICATED	251.10
	LUMBAR ORTHOSIS, FLEXIBLE, PROVIDES LUMBAR SUPPORT, POSTERIOR	
	EXTENDS FROM L-1 TO BELOW L-5 VERTEBRA, PRODUCES INTRACAVITARY	
	PRESSURE TO REDUCE LOAD ON THE INTERVERTEBRAL DISCS, INCLUDES	
	STRAPS, CLOSURES, MAY INCLUDE PENDULOUS ABDOMEN DESIGN,	
L0625	SHOULDER STR	45.11
	LUMBAR ORTHOSIS, SAGITTAL CONTROL, WITH RIGID POSTERIOR PANEL(S),	
	POSTERIOR EXTENDS FROM L-1 TO BELOW L-5 VERTEBRA, PRODUCES	
	INTRACAVITARY PRESSURE TO REDUCE LOAD ON THE INTERVERTEBRAL	
	DISCS, INCLUDES STRAPS, CLOSURES, MAY INCLUDE PADDING, STAYS,	
L0626	SHOULDER LUMBAR ORTHOSIS, SAGITTAL CONTROL, WITH RIGID ANTERIOR AND	63.81
	POSTERIOR PANELS, POSTERIOR EXTENDS FROM L-1 TO BELOW L-5	
	VERTEBRA, PRODUCES INTRACAVITARY PRESSURE TO REDUCE LOAD ON	
	THE INTERVERTEBRAL DISCS, INCLUDES STRAPS, CLOSURES, MAY INCLUDE	
L0627	PADDING, SHOU	336.45
L0027	LUMBAR-SACRAL ORTHOSIS, FLEXIBLE, PROVIDES LUMBO-SACRAL	550.45
	SUPPORT, POSTERIOR EXTENDS FROM SACROCOCCYGEAL JUNCTION TO T-	
	9 VERTEBRA, PRODUCES INTRACAVITARY PRESSURE TO REDUCE LOAD ON	
	THE INTERVERTEBRAL DISCS, INCLUDES STRAPS, CLOSURES, MAY INCLUDE	
L0628	STAYS, SHOU	68.65
	LUMBAR-SACRAL ORTHOSIS, FLEXIBLE, PROVIDES LUMBO-SACRAL	
	SUPPORT, POSTERIOR EXTENDS FROM SACROCOCCYGEAL JUNCTION TO T-	
	9 VERTEBRA, PRODUCES INTRACAVITARY PRESSURE TO REDUCE LOAD ON	
	THE INTERVERTEBRAL DISCS, INCLUDES STRAPS, CLOSURES, MAY INCLUDE	
L0629	STAYS, SHOU	206.15
	LUMBAR-SACRAL ORTHOSIS, SAGITTAL CONTROL, WITH RIGID POSTERIOR	
	PANEL(S), POSTERIOR EXTENDS FROM SACROCOCCYGEAL JUNCTION TO T-9	
	VERTEBRA, PRODUCES INTRACAVITARY PRESSURE TO REDUCE LOAD ON	
	THE INTERVERTEBRAL DISCS, INCLUDES STRAPS, CLOSURES, ANY INCLUDE	
L0630	PAD	132.54

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
CODE	DESCRIPTION	RATE
	LUMBAR-SACRAL ORTHOSIS, SAGITTAL CONTROL, WITH RIGID ANTERIOR	
	AND POSTERIOR PANELS, POSTERIOR EXTENDS FROM SACROCOCCYGEAL	
	JUNCTION TO T-9 VERTEBRA, PRODUCES INTRACAVITARY PRESSURE TO	
	REDUCE LOAD ON THE INTERVERTEBRAL DISCS, INCLUDES STRAPS,	
L0631*	CLOSURES, MAY	840.22
	LUMBAR-SACRAL ORTHOSIS, SAGITTAL-CORONAL CONTROL, WITH RIGID	
	POSTERIOR FRAME/PANELS, POSTERIOR EXTENDS FROM	
	SACROCOCCYGEAL JUNCTION TO T-9 VERTEBRA, PRODUCES	
	INTRACAVITARY PRESSURE TO REDUCE LOAD ON THE INTERVERTEBRAL	
L0632*	DISCS, INCLUDES STRAPS, CLOSURES, MAY LUMBAR-SACRAL ORTHOSIS, SAGITTAL-CORONAL CONTROL, WITH RIGID	281.17
	POSTERIOR FRAME/PANEL(S), POSTERIOR EXTENDS FROM	
	SACROCOCCYGEAL JUNCTION TO T-9 VERTEBRA, LATERAL STRENGTH	
	PROVIDED BY RIGID LATERAL FRAME/PANELS, PRODUCES INTRACAVITARY	
L0633	PRESSURE TO REDUCE LOAD	234.70
L0033	LUMBAR-SACRAL ORTHOSIS, SAGITTAL-CORRONAL CONTROL, WITH RIGID	234.70
	POSTERIOR FRAME/PANEL(S), POSTERIOR EXTENDS FROM	
	SACROCOCCYGEAL JUNCTION TO T-9 VERTEBRA, LATERAL STRENGTH	
	PROVIDED BY RIGID LATERAL FRAME/PANELS, PRODUCES INTRACAVITARY	
L0634	PRESSURE TO REDUCE LOAD	298.42
	LUMBAR-SACRAL ORTHOSIS, SAGITTAL-CORONAL CONTROL, LUMBAR	
	FLEXION, RIGID POSTERIOR FRAME/PANELS, LATERAL ARTICULATING	
	DESIGN TO FLEX THE LUMBAR SPINE, POSTERIOR EXTENDS FROM	
	SACROCOCCYGEAL JUNCTION TO T-9 VERTEBRA, LATERAL STRENGTH	
L0635*	PROVIDED BY RIGID LATERA	870.35
	LUMBAR SACRAL ORTHOSIS, SAGITTAL-CORONAL CONTROL, LUMBAR	
	FLEXION, REGID POSTERIOR FRAME/PANELS, LATERAL ARTICULATING	
	DESIGN TO FLEX THE LUMBAR SPINE, POSTERIOR EXTENDS FROM	
	SACROCOCCYGEAL JUNCTION TO T-9 VERTEBRA, LATERAL STRENGTH	
L0636*	PROVIDED BY RIGID LATERA	1284.24
	LUMBAR-SACRAL ORTHOSIS, SAGITTAL-CORONAL CONTROL, WITH RIGID	
	ANTERIOR AND POSTERIOR FRAME/PANELS, POSTERIOR EXTENDS FROM	
	SACROCOCCYGEAL JUNCTION TO T-9 VERTEBRA, LATERAL STRENGTH	
	PROVIDED BY RIGID LATERAL FRAME/PANELS, PRODUCES INTRACAVITARY	
L0637*	PRESSURE TO R LUMBAR-SACRAL ORTHOSIS, SAGITTAL-CORONAL CONTROL, WITH RIGID	1114.25
	ANTERIOR AND POSTERIOR FRAME/PANELS, POSTERIOR EXTENDS FROM	
	SACROCOCCYGEAL JUNCTION TO T-9 VERTEBRA, LATERAL STRENGTH	
	PROVIDED BY RIGID LATERAL FRAME/PANELS, PRODUCES INTRACAVITARY	
L0638*	PRESSURE TO R	1079.49
L0030	LUMBAR-SACRAL ORTHOSIS, SAGITTAL-CORONAL CONTROL, RIGID	1079.49
	SHELL(S)/PANEL(S) POSTERIOR EXTENDS FROM SACROCOCCYGEAL	
	JUNCTION TO T-9 VERTEBRA, ANTERIOR EXTENDS FROM SYMPHYSIS PUBIS	
	TO XYPHOID, PRODUCES INTRACAVITARY PRESSURE TO REDUCE LOAD ON	
L0639*	THE INTERVERTEBRA	1114.25
	LUMBAR-SACRAL ORTHOSIS, SAGITTAL-CORONAL CONTROL, RIGID	
	SHELL(S)/PANEL(S), POSTERIOR EXTENDS FROM SACROCOCCYGEAL	
	JUNCTION TO T-9 VERTEBRA, ANTERIOR EXTENDS FROM SYMPHYSIS PUBIS	
	TO XIPHOID, PRODUCES INTRACAVITARY PRESSURE TO REDUCE LOAD ON	
	THE INTERVERTEBR	I

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
	DESCRIPTION	RATE
OODL	CTLSO, ANTERIOR-POSTERIOR LATERAL CONTROL, MOLDED TO PATIENT	
L0700*	MODEL (MINERVA TYPE)	1762.21
20700	CTLSO, ANTERIOR-POSTERIOR-LATERAL CONTROL, MOLDED TO PATIENT	1702.21
L0710*	MODEL, WITH INTERFACE MATERIAL (MINERVA TYPE)	1923.57
	HALO PROCEDURE, CERVICAL HALO INCORPORATED INTO JACKET VEST	2043.50
L0810"	HALO PROCEDURE, CERVICAL HALO INCORPORATED INTO JACKET VEST HALO PROCEDURE, CERVICAL HALO INCORPORATED INTO PLASTER BODY	2043.50
1 0000+		4050 44
L0820*		1653.11
	HALO PROCEDURE, CERVICAL HALO INCORPORATED INTO MILWAUKEE TYPE	
L0830*		2386.90
1.00-0.0	ADDITION TO HALO PROCEDURE, MAGNETIC RESONANCE IMAGE	
L0859*	COMPATIBLE SYSTEMS, RINGS AND PINS, ANY MATERIAL	927.30
	ADDITION TO HALO PROCEDURE, REPLACEMENT LINER/INTERFACE	
		176.42
	TLSO, CORSET FRONT	86.99
	LSO, CORSET FRONT	88.93
	TLSO, FULL CORSET	181.70
	LSO, FULL CORSET	162.28
	AXILLARY CRUTCH EXTENSION	146.52
	PERONEAL STRAPS, PAIR	13.29
	STOCKING SUPPORTER GRIPS, SET OF FOUR (4)	14.48
L0984	PROTECTIVE BODY SOCK, EACH	46.22
		MANUALLY
L0999*	ADDITION TO SPINAL ORTHOSIS, NOT OTHERWISE SPECIFIED	PRICED
	SCOLIOSIS ORTHOSES	
	CTLSO, (MILWAUKEE), INCLUSIVE OF FURNISHING INITIAL ORTHOSIS,	
L1000*	INCLUDING MODEL	1545.39
	TENSION BASED SCOLIOSIS ORTHOSIS AND ACCESSORY PADS, INCLUDES	
L1005 *	FITTING AND ADJUSTMENT	2619.67
L1010	ADDITION TO CTLSO OR SCOLIOSIS ORTHOSIS, AXILLA SLING	62.23
L1020	ADDITION TO CTLSO OR SCOLIOSIS ORTHOSIS, KYPHOSIS PAD	85.03
L1025	ADDITION TO CTLSO OR SCOLIOSIS ORTHOSIS, KYPHOSIS PAD, FLOATING	96.64
L1030	ADDITION TO CTLSO OR SCOLIOSIS ORTHOSIS, LUMBAR BOLSTER PAD	64.56
	ADDITION TO CTLSO OR SCOLIOSIS ORTHOSIS, LUMBAR OR LUMBAR RIB	
L1040	PAD	77.71
L1050	ADDITION TO CTLSO OR SCOLIOSIS ORTHOSIS, STERNAL PAD	67.29
L1060	ADDITION TO CTLSO OR SCOLIOSIS ORTHOSIS, THORACIC PAD	75.90
L1070	ADDITION TO CTLSO OR SCOLIOSIS ORTHOSIS, TRAPEZIUS SLING	77.59
L1080	ADDITION TO CTLSO OR SCOLIOSIS ORTHOSIS, OUTRIGGER	53.77
	ADDITION TO CTLSO OR SCOLIOSIS ORTHOSIS, OUTRIGGER, BILATERAL	
L1085	WITH VERTICAL EXTENSIONS	149.37
L1090	ADDITION TO CTLSO OR SCOLIOSIS ORTHOSIS, LUMBAR SLING	69.77
	ADDITION TO CTLSO OR SCOLIOSIS ORTHOSIS, RING FLANGE, PLASTIC OR	
L1100	LEATHER	123.18
	ADDITION TO CTLSO OR SCOLIOSIS ORTHOSIS, RING FLANGE, PLASTIC OR	
L1110	LEATHER, MOLDED TO PATIENT MODEL	208.62
	, <b>-</b>	
L1120	ADDITION TO CTLSO OR SCOLIOSIS ORTHOSIS, COVER FOR UPRIGHT, EACH	33.24
L1200*	TLSO, INCLUSIVE OF FURNISHING INITIAL ORTHOSIS ONLY	1322.84
L1200	ADDITION TO TLSO (LOW PROFILE), LATERAL THORACIC EXTENSION	199.17
L1220	ADDITION TO TLSO (LOW PROFILE), ANTERIOR THORACIC EXTENSION	168.63
	ATTENENT IN THE LOOK THE AND	100.00

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
CODE	DESCRIPTION	RATE
L1230	ADDITION TO TLSO (LOW PROFILE), MILWAUKEE TYPE SUPERSTRUCTURE	432.69
	ADDITION TO TLSO (LOW PROFILE), LUMBAR DEROTATION PAD	74.46
L1250	ADDITION TO TLSO (LOW PROFILE), ANTERIOR ASIS PAD	73.32
	······································	
L1260	ADDITION TO TLSO (LOW PROFILE), ANTERIOR THORACIC DEROTATION PAD	75.34
	ADDITION TO TLSO (LOW PROFILE), ABDOMINAL PAD	75.25
	ADDITION TO TLSO (LOW PROFILE), RIB GUSSET (ELASTIC), EACH	67.08
L1290	ADDITION TO TLSO (LOW PROFILE), LATERAL TROCHANTERIC PAD	76.06
	,,	
L1300*	OTHER SCOLIOSIS PROCEDURE, BODY JACKET MOLDED TO PATIENT MODEL	1271.51
L1310*	OTHER SCOLIOSIS PROCEDURE, POST-OPERATIVE BODY JACKET	1308.38
		MANUALLY
1 1499*	SPINAL ORTHOSIS, NOT OTHERWISE SPECIFIED	PRICED
L1433	LOWER LIMB - HIP	TRICED
L 1500*	THKAO, MOBILITY FRAME (NEWINGTON, PARAPODIUM TYPES)	1445.84
	THKAO, STANDING FRAME	914.71
	THKAO, SVIVEL WALKER	2172.57
L1320	HO, ABDUCTION CONTROL OF HIP JOINTS, FLEXIBLE, (FREJKA TYPE WITH	2172.57
L1600	COVER), PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	98.08
LIUUU	HO, ABDUCTION CONTROL OF HIP JOINTS, FLEXIBLE, (FREJKA COVER ONLY),	50.00
L1610	PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	22.42
	HO, ABDUCTION CONTROL OF HIP JOINTS, FLEXIBLE, (PAVLIK HARNESS),	33.42
	PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	110.04
L1020	HO, ABDUCTION CONTROL OF HIP JOINTS, SEMI-FLEXIBLE, (VON ROSEN	110.04
14000		404.04
L1630	TYPE), CUSTOM FABRICATED	131.31
14040	HO, ABDUCTION CONTROL OF HIP JOINTS, STATIC, PELVIC BAND OR	054.00
L1640	SPREADER BAR, THIGH CUFFS, CUSTOM FABRICATED	351.23
1 4 9 5 9	HO, ABDUCTION CONTROL OF HIP JOINTS, STATIC, ADJUSTABLE (ILFLED	100.05
L1650	TYPE), PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	186.25
	HO, ABDUCTION CONTROL OF HIP JOINTS, STATIC, PLASTIC,	
L1652	PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT, ANY TYPE	291.77
	HO, ABDUCTION CONTROL OF HIP JOINTS, STATIC, PLASTIC,	
	PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	130.27
	HO, ABDUCTION CONTROL OF HIP JOINTS, DYNAMIC, PELVIC CONTROL,	
	ADJUSTABLE HIP MOTION CONTROL, THIGH CUFFS (RANCHO HIP ACTION	
L1680*	TYPE), CUSTOM FABRICATED	1070.98
	HO, ABDUCTION CONTROL OF HIP JOINT, POST-OPERATIVE HIP ABDUCTION	
L1685*	TYPE, CUSTOM FABRICATED	1130.06
	HO, ABDUCTION CONTROL OF HIP JOINT, POST-OPERATIVE HIP ABDUCTION	
L1686*	TYPE, PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	758.12
	COMBINATION, BILATERAL, LUMBO-SACRAL, HIP, FEMUR ORTHOSIS	
	PROVIDING ADDUCTION AND INTERNAL ROTATION CONTROL,	
	PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	1582.74
	LEGG PERTHES ORTHOSIS, (TORONTO TYPE), CUSTOM FABRICATED	1316.74
L1710*	LEGG PERTHES ORTHOSIS, (NEWINGTON TYPE), CUSTOM FABRICATED	1547.75
	LEGG PERTHES ORTHOSIS, TRILATERIAL (TACHDIJAN TYPE), CUSTOM	
L1720*	FABRICATED	1143.32
L1730*	LEGG PERTHES ORTHOSIS, (SCOTTISH RITE TYPE), CUSTOM FABRICATED	862.62

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
	DESCRIPTION	RATE
L1755*	LEGG PERTHES ORTHOSIS, (PATTEN BOTTOM TYPE), CUSTOM FABRICATED	1255.54
	KO, ELASTIC WITH JOINTS, PREFABRICATED, INCLUDES FITTING AND	
L1810	ADJUSTMENT	99.09
	KO, ELASTIC WITH CONDYLAR PADS AND JOINTS, WITH OR WITHOUT	
	PATELLAR CONTROL, PREFABRICATED, INCLUDES FITTING AND	
L1820		98.70
	KO, IMMOBILIZER, CANVAS LONGITUDINAL, PREFABRICATED, INCLUDES	00110
L1830	FITTING AND ADJUSTMENT	82.56
	KO, LOCKING KNEE JOINT(S), POSITIONAL ORTHOSIS, PREFABRICATED,	02.00
L1831	INCLUDES FITTING AND ADJUSTMENT	240.89
21001	KO, ADJUSTABLE KNEE JOINTS, (UNICENTRIC OR POLYCENTRICE),	240.00
	POSITIONAL ORTHOSIS, RIGID SUPPORT, PREFABRICATED, INCLUDES	
L1832*	FITTING AND ADJUSTMENT	617.03
L1834*	KO, WITHOUT KNEE JOINT, RIGID, CUSTOM FABRICATED	725.92
L1034	KO, RIGID, WITHOUT JOINT(S), INCLUDES SOFT INTERFACE MATERIAL,	125.52
L1836	PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	109.20
L1030	KO, DEROTATION, MEDIAL-LATERAL, ANTERIOR CRUCIATE LIGAMENT,	109.20
L1840*	CUSTOM FABRICATED	762.07
L1040	KO, SINGLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND	763.07
	EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIAL-LATERAL AND	
	ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT,	
1 40 40*	PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	704.00
L1843*	KO, SINGLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND	734.39
	EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIAL-LATERAL AND	
1 40 4 4*	ROTATION CONTROL WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT,	4070 50
L1844*	CUSTOM FABRICATED KO, DOUBLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND	1272.53
	EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIAL-LATERAL AND	
1 40 45+	ROTATION CONTROL WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT,	700.04
L1845*	PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT KO, DOUBLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND	766.64
	EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIAL-LATERAL AND	
	ROTATION CONTROL WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT,	
L1846*		972.73
	KO, DOUBLE UPRIGHT WITH ADJUSTABLE JOINT, WITH INFLATABLE AIR	
	SUPPORT CHAMBER(S), PREFABRICATED, INCLUDES FITTING AND	
L1847	ADJUSTMENT	470.77
L1850	KO, SWEDISH TYPE, PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	219.10
	KO, MODIFICATION OF SUPRACONDYLAR PROSTHETIC SOCKET, CUSTOM	
L1860*		849.81
	AFO, SPRING WIRE, DORSIFLEXION ASSIST CALF BAND, CUSTOM	
L1900		230.22
	AFO, ANKLE GAUNTLET, PREFABRICATED, INCLUDES FITTING AND	
L1902	ADJUSTMENT	62.52
L1904	AFO, MOLDED ANKLE GAUNTLET, CUSTOM FABRICATED	357.94
	AFO, MULTILIGAMENTOUS ANKLE SUPPORT, PREFABRICATED, INCLUDES	
L1906	FITTING AND ADJUSTMENTS	104.60
	AFO, SUPRAMALLEOLAR WITH STRAPS, WITH OR WITHOUT	
L1907	INTERFACE/PADS, CUSTOM FABRICATED	460.56

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
	DESCRIPTION	RATE
	AFO, POSTERIOR, SINGLE BAR, CLASP ATTACHMENT TO SHOE COUNTER,	
L1910	PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	203.56
	AFO, SINGLE UPRIGHT WITH STATIC OR ADJUSTABLE STOP (PHELPS OR	
L1920	PERLSTEIN TYPE), CUSTOM FABRICATED	266.11
	AFO, PLASTIC OR OTHER MATERIAL, PREFABRICATED, INCLUDES FITTING	
L1930	AND ADJUSTMENT	180.07
	AFO, RIGID ANTERIOR TIBIAL SECTION, TOTAL CARBON FIBER OR EQUAL	
L1932*	MATERIAL, PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	730.37
L1940	AFO, PLASTIC OR OTHER MATERIAL, CUSTOM FABRICATED	406.93
	AFO, MOLDED TO PATIENT MODEL, PLASTIC, RIGID ANTERIOR TIBIAL	
L1945*	SECTION (FLOOR REACTION), CUSTOM FABRICATED	747.29
	AFO, SPIRAL, (INSTITUTE OF REHABILITATIVE MEDICINE TYPE), PLASTIC,	
L1950*	CUSTOM FABRICATED	566.97
	AFO, SPIRAL, (INSTITUTE OF REHABILITATIVE MEDICINE TYPE), PLASTIC OR	
L1951*	OTHER MATERIAL, PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	687.38
21001	AFO, POSTERIOR SOLID ANKLE, MOLDED TO PATIENT MODEL, PLASTIC,	001100
L1960	CUSTOM FABRICATED	421.92
L1970*	AFO, PLASTIC, WITH ANKLE JOINT, CUSTOM FABRICATED	624.03
	AFO, PLASTIC OR OTHER MATERIAL WITH ANKLE JOINT, PREFABRICATED,	021100
L1971	INCLUDES FITTING AND ADJUSTMENT	383.64
210/1	AFO, SINGLE UPRIGHT FREE PLANTAR DORSIFLEXION, SOLID STIRRUP, CALF	000.04
L1980	BAND/CUFF (SINGLE BAR "BK" ORTHOSIS), CUSTOM FABRICATED	279.36
	AFO, DOUBLE UPRIGHT FREE PLANTAR DORSIFLEXION, SOLID STIRRUP,	
L1990	CALF BAND/CUFF (DOUBLE BAR "BK" ORTHOSIS), CUSTOM FABRICATED	358.93
	KAFO, SINGLE UPRIGHT, FREE KNEE, FREE ANKLE, SOLID STIRRUP, THIGH	
	AND CALF BANDS/CUFFS (SINGLE BAR "AK" ORTHOSIS), CUSTOM	
L2000*	FABRICATED	772.06
	KAFO, ANY MATERIAL, SINGLE OR DOUBLE UPRIGHT, STANCE CONTROL,	
	AUTOMATIC LOCK AND SWING PHASE RELEASE, MECHANICAL ACTIVATION,	
L2005*	INCLUDES ANKLE JOINT, ANY TYPE, CUSTOM FITTED	3353.91
	KAFO, SINGLE UPRIGHT, FREE ANKLE, SOLID STIRRUP, THIGH AND CALF	
	BANDS/CUFFS (SINGLE BAR "AK" ORTHOSIS), WITHOUT KNEE JOINT,	
L2010*	CUSTOM FABRICATED	703.80
	KAFO, DOUBLE UPRIGHT, FREE KNEE, FREE ANKLE, SOLID STIRRUP, THIGH	
	AND CALF BANDS/CUFFS (DOUBLE BAR "AK" ORTHOSIS), CUSTOM	
L2020*	FABRICATED	888.79
	KAFO, DOUBLE UPRIGHT, FREE ANKLE, SOLID STIRRUP, THIGH AND CALF	
	BANDS/CUFFS (DOUBLE BAR "AK" ORTHOSIS), WITHOUT KNEE JOINT,	
L2030*	CUSTOM FABRICATED	771.11
	KNEE ANKLE FOOT ORTHOSIS, FULL PLASTIC, SINGLE UPRIGHT, WITH OR	
	WITHOUT FREE MOTION KNEE, MEDIALLATERAL ROTATION CONTROL, WITH	
L2034*	OR WITHOUT FREE MOTION ANKLE, CUSTOM FABRICATED	1680.59
	KAFO, FULL PLASTIC, STATIC (PEDIATRIC SIZE), WITHOUT FREE MOTION	
L2035	ANKLE, PREFABRICATED, INCLUDES FITTING AND ADJUSTMENTS	141.79
	· · · · · · · · · · · · · · · · · · ·	
	KAFO, FULL PLASTIC, DOUBLE UPRIGHT, WITH OR WITHOUT FREE MOTION	
L2036*	KNEE, WITH OR WITHOUT FREE MOTION ANKLE, CUSTOM FABRICATED	1412.24
	· · · · · · · · · · · · · · · · · · ·	

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
	DESCRIPTION	RATE
	KAFO, FULL PLASTIC, SINGLE UPRIGHT, WITH OR WITHOUT FREE MOTION	
L2037*	KNEE, WITH OR WITHOUT FREE MOTION ANKLE, CUSTOM FABRICATED	1301.46
	KAFO, FULL PLASTIC, WITH OR WITHOUT FREE MOTION KNEE, MULTI-AXIS	
L2038*	ANKLE, CUSTOM FABRICATED	1088.29
	HKAFO, TORSION CONTROL, BILATERAL ROATION STRAPS, PELVIC	
L2040	BAND/BELT, CUSTOM FABRICATED	139.01
	HKAFO, TORSION CONTROL, BILATERAL TORSION CABLES, HIP JOINT,	
L2050	PELVIC BAND/BELT, CUSTOM FABRICATED	370.21
	HKAFO, TORSION CONTROL, BILATERAL TORSION CABLES, BALL BEARING	
L2060	HIP JOINT, PELVIC BAND/BELT, CUSTOM FABRICATED	475.13
	HKAFO, TORSION CONTROL, UNILATERAL ROTATION STRAPS, PELVIC	
L2070	BAND/BELT, CUSTOM FABRICATED	136.49
	HKAFO, TORSION CONTROL, UNILATERAL TORSION CABLE, HIP JOINT,	
L2080	PELVIC BAND/BELT, CUSTOM FABRICATED	291.07
	HKAFO, TORSION CONTROL, UNILATERAL TORSION CABLE, BALL BEARING	
L2090	HIP JOINT, PELVIC BAND/BELT, CUSTOM FABRICATED	358.78
	AFO, FRACTURE ORTHOSIS, TIBIAL FRACTURE CAST ORTHOSIS,	
L2106*	THERMOPLASTIC TYPE CASTING MATERIAL, CUSTOM FABRICATED	517.54
	AFO, FRACTURE ORTHOSIS, TIBIAL FRACTURE CAST ORTHOSIS, CUSTOM	
L2108*	FABRICATED	813.29
	AFO, FRACTURE ORTHOSIS, TIBIAL FRACTURE ORTHOSIS, SOFT,	
L2112	PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	386.16
	AFO, FRACTURE ORTHOSIS, TIBIAL FRACTURE ORTHOSIS, SEMI-RIGID,	
L2114	PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	441.82
	AFO, FRACTURE ORTHOSIS, TIBIAL FRACTURE ORTHOSIS, RIGID,	
L2116*	PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	582.11
	KAFO, FRACTURE ORTHOSIS, FEMORAL FRACTURE CAST ORTHOSIS,	
L2126*	THERMOPLASTIC TYPE CASTING MATERIAL, CUSTOM FABRICATED	1035.70
	KAFO, FRACTURE ORTHOSIS, FEMORAL FRACTURE CAST ORTHOSIS,	
L2128*	CUSTOM FABRICATED	1305.23
	KAFO, FRACTURE ORTHOSIS, FEMORAL FRACTURE CAST ORTHOSIS, SOFT,	
L2132*	PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	614.03
	KAFO, FRACTURE ORTHOSIS, FEMORAL FRACTURE CAST ORTHOSIS, SEMI-	
L2134*	RIGID, PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	736.20
	KAFO, FRACTURE ORTHOSIS, FEMORAL FRACTURE CAST ORTHOSIS, RIGID	
L2136*	PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	900.18
	ADDITION TO LOWER EXTREMITY FRACTURE ORTHOSIS, PLASTIC SHOE	
L2180	INSERT WITH ANKLE JOINTS	89.14
	ADDITION TO LOWER EXTERMITY FRACTURE ORTHOSIS, DROP LOCK KNEE	
L2182		69.76
	ADDITION TO LOWER EXTREMITY FRACTURE ORTHOSIS, LIMITED MOTION	
L2184		125.72
	ADDITION TO LOWER EXTREMITY FRACTURE ORTHOSIS, ADJUSTABLE	
L2186	MOTION KNEE JOINT, LERMAN TYPE	139.31
	ADDITION TO LOWER EXTREMITY FRACTURE ORTHOSIS, QUADRILATERAL	_
L2188	BRIM	303.96
L2190	ADDITION TO LOWER EXTREMITY FRACTURE ORTHOSIS, WAIST BELT	78.95
	ADDITION TO LOWER EXTREMITY FRACTURE ORTHOSIS, HIP JOINT, PELVIC	
L2192	BAND, THIGH FLANGE, AND PELVIC BELT	271.41
L2200	ADDITION TO LOWER EXTREMITY, LIMITED ANKLE MOTION, EACH JOINT	36.19

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
	DESCRIPTION	RATE
	ADDITION TO LOWER EXTREMITY, DORSIFLEXION ASSIST (PLANTAR FLEXION	1011
L2210	RESIST), EACH JOINT	58.74
	ADDITION TO LOWER EXTREMITY , DORSIFLEXION AND PLANTAR FLEXION	00114
L2220	ASSIST/RESIST, EACH JOINT	67.43
	ADDITION TO LOWER EXTREMITY, SPLIT CALIPER STIRRUPS AND PLATE	01110
L2230	ATTACHMENT	58.41
LLLOU	ADDITION TO LOWER EXTERMITY ORTHOSIS, ROCKER BOTTOM FOR TOTAL	00111
	CONTACT ANKLE FOOT ORTHOSIS, FOR CUSTOM FABRICATED ORTHOSIS	
L2232	ONLY	79.07
		10101
L2240	ADDITION TO LOWER EXTREMITY, ROUND CALIPER AND PLATE ATTACHMENT	63.66
	ADDITION TO LOWER EXTREMITY, FOOT PLATE, MOLDED TO PATIENT	
L2250	MODEL, STIRRUP ATTACHMENT	270.47
	ADDITION TO LOWER EXTREMITY, REINFORCED SOLID STIRRUP (SCOTT-	
L2260	CRAIG TYPE)	152.59
L2265	ADDITION TO LOWER EXTREMITY, LONG TONGUE STIRRUP	89.63
	ADDITION TO LOWER EXTREMITY, VARUS/VALGUS CORRECTION ("T") STRAP,	
L2270	PADDED/LINED OR MALLEOLUS PAD	40.88
	ADDITION TO LOWER EXTREMITY, VARUS/VALGUS CORRECTION, PLASTIC	10100
L2275	MODIFICATION PADDED/LINED	99.46
L2280	ADDITION TO LOWER EXTREMITY, MOLDED INNER BOOT	369.52
LLLOU	ADDITION TO LOWER EXTREMITY, ABDUCTION BAR (BILATERAL HIP	000.02
L2300	INVOLVEMENT), JOINTED, ADJUSTABLE	208.58
L2310	ADDITION TO LOWER EXTREMITY, ABDUCTION BAR, STRAIGHT	93.64
	ADDITION TO LOWER EXTREMITY, NONMOLDED LACER, FOR CUSTOM	00101
L2320	FABRICATED ORTHOSIS ONLY	156.61
	ADDITION TO LOWER EXTREMITY, LACER MOLDED TO PATIENT MODEL, FOR	
L2330	CUSTOM FABRICATED ORTHOSIS ONLY	298.89
L2335	ADDITION TO LOWER EXTREMITY, ANTERIOR SWING BAND	175.83
	ADDITION TO LOWER EXTREMITY, PRETIBIAL SHELL, MOLDED TO PATIENT	
L2340	MODEL	414.91
	ADDITION TO LOWER EXTREMITY, PROSTHETIC TYPE, (BK) SOCKET, MOLDED	
L2350*	TO PATIENT MODEL, (USED FOR PTB, AFO ORTHOSES)	678.25
	ADDITION TO LOWER EXTREMITY, EXTENDED STEEL SHANK	39.38
	ADDITION TO LOWER EXTREMITY, PATTEN BOTTOM	195.40
	ADDITION TO LOWER EXTREMITY, TORSION CONTROL, ANKLE JOINT AND	
L2375	HALF SOLID STIRRUP	86.01
	ADDITION TO LOWER EXTREMITY, TORSION CONTROL, STRAIGHT KNEE	
L2380	JOINT, EACH JOINT	93.71
	ADDITION TO LOWER EXTREMITY, STRAIGHT KNEE JOINT, HEAVY DUTY,	
L2385	EACH JOINT	101.95
	ADDITION TO LOWER EXTREMITY, POLYCENTRIC KNEE JOINT, FOR CUSTOM	
L2387	FABRICATED KNEE ANKLE FOOT ORTHOSIS, EACH JOINT	138.36
L2390	ADDITION TO LOWER EXTREMITY, OFFSET KNEE JOINT, EACH JOINT	83.32
	ADDITION TO LOWER EXTREMITY, OFFSET KNEE JOINT, HEAVY DUTY, EACH	
L2395	JOINT	127.22
L2397	ADDITION TO LOWER EXTREMITY, ORTHOSIS, SUSPENSION SLEEVE	89.21
L2405	ADDITION TO KNEE JOINT, DROP LOCK, EACH	71.37
	ADDITION TO KNEE LOCK WITH INTEGRATED RELEASE MECHANISM (BAIL,	
L2415	CABLE, OR EQUAL), ANY MATERIAL, EACH JOINT	99.42
		201.12

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
CODE	DESCRIPTION	RATE
	ADDITION TO KNEE JOINT, DISC OR DIAL LOCK FOR ADJUSTABLE KNEE	
L2425	FLEXION, EACH JOINT	117.31
	ADDITION TO KNEE JOINT, RATCHET LOCK FOR ACTIVE AND PROGRESSIVE	
L2430	KNEE EXTENSION, EACH JOINT	117.31
L2492	ADDITION TO KNEE JOINT, LIFT LOOP FOR DROP LOCK RING	77.62
	ADDITION TO LOWER EXTREMITY, THIGH/WEIGHT BEARING,	
L2500	GLUTEAL/ISCHIAL WEIGHT BEARING, RING	240.13
22000	ADDITION TO LOWER EXTREMITY, THIGH/WEIGHT BEARING, QUADRI-	210110
I 2510*	LATERAL BRIM, MOLDED TO PATIENT MODEL	642.94
22010	ADDITION TO LOWER EXTREMITY, THIGH/WEIGHT BEARING, QUADRI-	042.04
L2520	LATERAL BRIM, CUSTOM FITTED	350.66
LZJZU	ADDITION TO LOWER EXTREMITY, THIGH/WEIGHT BEARING, ISCHIAL	550.00
L2525*	CONTAINMENT/NARROW M-L BRIM MOLDED TO PATIENT MODEL	1203.05
L2525	ADDITION TO LOWER EXTREMITY, THIGH/WEIGHT BEARING, ISCHIAL	1203.05
L2526*	CONTAINMENT/NARROW M-L BRIM, CUSTOM FITTED	648.45
LZJZ0"	ADDITION TO LOWER EXTREMITY, TIGHT/WEIGHT BEARING, LACER, NON-	040.43
1 2520	MOLDED	470 04
L2530	ADDITION TO LOWER EXTREMITY, THIGH/WEIGHT BEARING, LACER, MOLDED	178.84
1 05 40		004.00
L2540	TO PATIENT MODEL	321.82
L2550	ADDITION TO LOWER EXTREMITY, THIGH/WEIGHT BEARING, HIGH ROLL CUFF	218.62
	ADDITION TO LOWER EXTREMITY, PELVIC CONTROL, HIP JOINT, CLEVIS	
L2570	TYPE, TWO POSITION JOINT, EACH	483.41
L2580	ADDITION TO LOWER EXTREMITY, PELVIC CONTROL, PELVIC SLING	458.25
-	ADDITION TO LOWER EXTREMITY, PELVIC CONTROL, HIP JOINT, CLEVIS	
L2600	TYPE, OR THRUST BEARING, FREE, EACH	156.33
	ADDITION TO LOWER EXTREMITY, PELVIC CONTROL, HIP JOINT, CLEVIS TYPE	
L2610	OR THRUST BEARING, LOCK, EACH	184.86
	ADDITION TO LOWER EXTREMITY, PELVIC CONTROL, HIP JOINT, HEAVY	
L2620	DUTY, EACH	203.52
	ADDITION TO LOWER EXTREMITY, PELVIC CONTROL, HIP JOINT,	
L2622	ADJUSTABLE FLEXION, EACH	233.43
	ADDITION TO LOWER EXTREMITY, PELVIC CONTROL, HIP JOINT,	
L2624	ADJUSTABLE FLEXION, EXTENSION, ADBUCTION CONTROL, EACH	317.33
	ADDITION TO LOWER EXTREMITY, PELVIC CONTROL, PLASTIC, MOLDED TO	
L2627*	PATIENT MODEL, RECIPROCATING HIP JOINT AND CABLES	1307.39
	ADDITION TO LOWER EXTREMITY, PELVIC CONTROL, METAL FRAME,	
L2628*	RECIPROCATING HIP JOINT AND CABLES	1535.78
	ADDITION TO LOWER EXTREMITY, PELVIC CONTROL, BAND AND BELT,	
L2630	UNILATERAL	188.48
	ADDITION TO LOWER EXTREMITY, PELVIC CONTROL, BAND AND BELT,	
L2640	BILATERAL	255.80
	ADDITION TO LOWER EXTREMITY, PELVIC AND THORACIC CONTROL,	
L2650		91.34
L2660	ADDITION TO LOWER EXTREMITY, THORACIC CONTROL, THORACIC BAND	141.87
	ADDITION TO LOWER EXTREMITY, THORACIC CONTROL, PARASPINAL	
L2670	UPRIGHTS	129.84
	ADDITION TO LOWER EXTREMITY, THORACIC CONTROL, LATERAL SUPPORT	.20.04
L2680	UPRIGHTS	119.12
000	ADDITION TO LOWER EXTREMITY ORTHOSIS, PLATING CHROME OR NICKEL,	113.12
L2750	PER BAR	63.63
		03.03

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
	DESCRIPTION	RATE
	ADDITION TO LOWER EXTREMITY ORTHOSIS, HIGH STRENGTH, LIGHTWEIGHT	· · · · · <b>-</b>
	MATERIAL, ALL HYBRID LAMINATION/PREPREG COMPOSITE PER SEGMENT,	
L2755	FOR CUSTOM FABRICATED ORTHOSIS ONLY	106.97
	ADDITION TO LOWER EXTREMITY ORTHOSIS, EXTENSION, PER EXTENSION,	
L2760	PER BAR (FOR LINEAL ADJUSTMENT FOR GROWTH)	46.25
L2768	ORTHOTIC SIDE BAR DISCONNECT DEVICE, PER BAR	106.66
	ADDITION TO LOWER EXTREMITY ORTHOSIS, NON-CORROSIVE FINISH, PER	
L2780	BAR	54.71
L2785	ADDITION TO LOWER EXTREMITY ORTHOSIS, DROP LOCK RETAINER, EACH	32.16
	ADDITION TO LOWER EXTREMITY ORTHOSIS, KNEE CONTROL, FULL	
L2795	KNEECAP	64.67
	ADDITION TO LOWER EXTREMITY ORTHOSIS, KNEE CONTROL, KNEE CAP,	
	MEDIAL OR LATERAL PULL, FOR USE WITH CUSTOM FABRICATED ORTHOSIS	
L2800	ONLY	81.20
	ADDITION TO LOWER EXTREMITY ORTHOSIS, KNEE CONTROL, CONDYLAR	•=•
L2810	PAD	59.45
	ADDITION TO LOWER EXTREMITY ORTHOSIS, SOFT INTERFACE FOR MOLDED	
L2820	PLASTIC, BELOW KNEE SECTION	66.10
	ADDITION TO LOWER EXTREMITY ORTHOSIS, SOFT INTERFACE FOR MOLDED	
L2830	PLASTIC, ABOVE KNEE SECTION	74.33
	ADDITION TO LOWER EXTREMITY ORTHOSIS, TIBIAL LENGTH SOCK,	
L2840	FRACTURE OR EQUAL, EACH	41.48
	ADDITION TO LOWER EXTREMITY ORTHOSIS, FEMORAL LENGTH SOCK,	
L2850	FRACTURE OR EQUAL, EACH	47.13
	ADDITION TO LOWER EXTREMITY JOINT, KNEE OR ANKLE, CONCENTRIC	
	ADJUSTABLE TORSION STYLE MECHANISM FOR CUSTOM FABRICATED	MANUALLY
L2861	ORTHOTICS ONLY, EACH	PRICED
	<u> </u>	MANUALLY
L2999*	LOWER EXTREMITY ORTHOSES, NOT OTHERWISE SPECIFIED	PRICED
	ORTHOPEDIC SHOES	
	FOOT INSERT, REMOVABLE, MOLDED TO PATIENT MODEL, "UCB" TYPE,	
L3000+	BERKELEY SHELL, EACH	257.11
L3001+	FOOT INSERT, REMOVABLE, MOLDED TO PATIENT MODEL, SPENCO, EACH	108.24
	FOOT INSERT, REMOVABLE, MOLDED TO PATIENT MODEL, PLASTAZOTE OR	
	EQUAL, EACH	132.19
	FOOT INSERT, MOLDED TO PATIENT MODEL, SILICONE GEL, EACH	142.60
	FOOT INSERT, REMOVABLE, MOLDED TO PATIENT MODEL, LONGITUDINAL	
	ARCH SUPPORT, EACH	142.60
	FOOT INSERT, REMOVABLE, MOLDED TO PATIENT MODEL,	
L3020+	LONGITUDINAL/METATARSAL SUPPORT, EACH	162.39
	FOOT INSERT, REMOVALBE, FORMED TO PATIENT FOOT, EACH	62.46
	,,,,,,	
L3040+	FOOT, ARCH SUPPORT, REMOVABLE, PREMOLDED, LONGITUDIANL, EACH	38.52
	FOOT, ARCH SUPPORT, REMOVABLE, PREMOLDED, METATARSAL, EACH	38.52
	FOOT, ARCH SUPPORT, REMOVABLE, PREMOLDED,	50.02
L3060+	LONGITUDINAL/METATARSAL, EACH	60.37
	FOOT, ARCH SUPPORT, NON-REMOVABLE, ATTACHED TO SHOE,	50.57
L3070+	LONGITUDINAL, EACH	26.03
		20.03

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
	DESCRIPTION	RATE
	FOOT, ARCH SUPPORT, NON-REMOVALBE, ATTACHED TO SHOE,	IUTE
	METATARSAL, EACH	26.03
	FOOT, ARCH SUPPORT, NON-REMOVABLE, ATTACHED TO SHOE,	20.00
	LONGITUDINAL/METATARSAL, EACH	33.32
	HALLUS-VALGUS NIGHT DYNAMIC SPLINT	35.38
	FOOT, ABDUCTION ROTATION BAR, INCLUDING SHOE(S)	72.87
	FOOT, ABDUCTION ROTATION BAR, WITHOUT SHOE(S)	66.62
	FOOT, ADJUSTABLE SHOE-STYLED POSITIONING DEVICE	78.48
	FOOT, PLASTIC, SILICONE OR EQUAL, HEEL STABILIZER, EACH	41.65
	ORTHOPEDIC SHOE, OXFORD WITH SUPINATOR OR PRONATOR, INFANT	30.06
	ORTHOPEDIC SHOE, OXFORD WITH SUPINATOR OR PRONATOR, INPANT	32.89
	ORTHOPEDIC SHOE, OXFORD WITH SUPINATOR OR PRONATOR, CHIED ORTHOPEDIC SHOE, OXFORD WITH SUPINATOR OR PRONATOR, JUNIOR	32.69
	ORTHOPEDIC SHOE, HIGHTOP WITH SUPINATOR OR PRONATOR, INFANT	32.26
	ORTHOPEDIC SHOE, HIGHTOP WITH SUPINATOR OR PRONATOR, CHILD	34.94
L3207	ORTHOPEDIC SHOE, HIGHTOP WITH SUPINATOR OR PRONATOR, JUNIOR	40.99
	SURGICAL BOOT, EACH, INFANT	35.27
	SURGICAL BOOT, EACH, CHILD	36.00
	SURGICAL BOOT, EACH, JUNIOR	31.78
	BENESCH BOOT, PAIR, INFANT	57.29
	BENESCH BOOT, PAIR, CHILD	59.22
	BENESCH BOOT, PAIR, JUNIOR	62.11
	ORTHOPEDIC FOOTWEAR, LADIES SHOE, OXFORD, EACH	82.33
	ORTHOPEDIC FOOTWEAR, LADIES SHOE, DEPTH INLAY, EACH	139.76
	ORTHOPEDIC FOOTWEAR, LADIES SHOE, HIGHTOP, DEPTH INLAY, EACH	108.85
	ORTHOPEDIC FOOTWEAR, MENS SHOE, OXFORD, EACH	83.29
	ORTHOPEDIC FOOTWEAR, MEN SHOE, DEPTH INLAY, EACH	178.74
L3222+	ORTHOPEDIC FOOTWEAR, MEN SHOE, HIGHTOP, DEPTH INLAY, EACH	131.76
_	ORTHOPEDIC FOOTWEAR, WOMAN'S SHOE, OXFORD, USED AS AN INTEGRAL	
L3224+	PART OF A BRACE (ORTHOSIS)	44.76
	ORTHOPEDIC FOOTWEAR, MAN'S SHOE, OXFORD, USED AS AN INTEGRAL	
L3225+	PART OF A BRACE (ORTHOSIS)	51.49
	ORTHOPEDIC FOOTWEAR, CUSTOM MOLDED SHOE, REMOVABLE INNER	
	MOLD, PROSTHETIC SHOES, EACH	265.53
	FOOT, SHOE MOLDED TO PATIENT MODEL, SILICONE SHOE, EACH	329.95
	FOOT, SHOE MOLDED TO PATIENT MODEL, PLASTAZOTE (OR SIMILAR),	
L3252+	CUSTOM FABRICATED, EACH	214.45
	FOOT, MOLDED SHOE, PLASTAZOTE (OR SIMILAR), CUSTOM FITTED, EACH	101.96
L3254+	NON-STANDARD SIZE OR WIDTH	27.44
L3255+	NON-STANDARD SIZE OR LENGTH	27.44
L3257+	ORTHOPEDIC FOOTWEAR, ADDITIONAL CHARGE FOR SPLIT SIZE	39.16
	SURGICAL BOOT/SHOE, EACH	45.62
	PLASTAZOTE SANDAL, EACH	57.06
	LIFT, ELEVATION, HEEL, TAPERED TO METATARSALS, PER INCH	42.67
L3310+	LIFT, ELEVATION, HEEL AND SOLE, NEOPRENE, PER INCH	66.62
L3320+	LIFT, ELEVATION, HEEL AND SOLE, CORK, PER INCH	68.74
L3330+	LIFT, ELEVATION, METAL EXTENSION (SKATE)	463.21
L3332+	LIFT, ELEVATION, INSIDE SHOE, TAPERED, UP TO ONE-HALF INCH	60.37
	LIFT, ELEVATION, HEEL, PER INCH	31.23
	HEEL WEDGE, SACH	69.76
	HEEL WEDGE	18.72
L3350+	HEEL WEDGE	18.7

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
	DESCRIPTION	RATE
	SOLE WEDGE, OUTSIDE SOLE	29.14
	SOLE WEDGE, BETWEEN SOLE	40.60
	CLUBFOOT WEDGE	40.60
	OUTFLARE WEDGE	40.60
	METATARSAL BAR WEDGE, ROCKER	33.32
	METATARSAL BAR WEDGE, BETWEEN SOLE	76.00
	FULL SOLE AND HEEL WEDGE, BETWEEN SOLE	44.75
	HEEL, COUNTER, PLASTIC REINFORCED	131.16
	HEEL, COUNTER, LEATHER REINFORCED	62.40
	HEEL, SACH CUSHION TYPE	86.38
	HEEL, NEW LEATHER, STANDARD	33.32
	HEEL, NEW RUBBER, STANDARD	28.08
	HEEL, THOMAS WITH WEDGE	47.87
	HEEL, THOMAS WITH WEDGE HEEL, THOMAS EXTENDED TO BALL	51.00
	HEEL, PAD AND DEPRESSION FOR SPUR	51.00
	HEEL, PAD AND DEFRESSION FOR SFOR HEEL, PAD, REMOVABLE FOR SPUR	21.77
	ORTHOPEDIC SHOE ADDITION, INSOLE, LEATHER	23.96
	ORTHOPEDIC SHOE ADDITION, INSOLE, LEATHER ORTHOPEDIC SHOE ADDITION, INSOLE, RUBBER	23.96
	ORTHOPEDIC SHOE ADDITION, INSOLE, ROBBER ORTHOPEDIC SHOE ADDITION, INSOLE, FELT COVERED WITH LEATHER	
	ORTHOPEDIC SHOE ADDITION, INSOLE, FELT COVERED WITH LEATHER	26.03
		26.03
	ORTHOPEDIC SHOE ADDITION, SOLE, FULL ORTHOPEDIC SHOE ADDITION, TOE TAP, STANDARD	41.65
	· · ·	7.30
L3560+	ORTHOPEDIC SHOE ADDITION, TOE TAP, HORSESHOE	18.72
1.0570	ORTHOPEDIC SHOE ADDITION, SPECIAL EXTENSION TO INSTEP (LEATHER	oo <b>7</b> 0
		69.76
L3580+	ORTHOPEDIC SHOE ADDITION, CONVERT INSTEP TO VELCRO CLOSURE	53.08
	ORTHOPEDIC SHOE ADDITION, CONVERT FIRM SHOE COUNTER TO SOFT	40 70
		43.72
L3595+		34.34
1 0 0 0 0	TRANSFER OF AN ORTHOSIS FROM ONE SHOE TO ANOTHER, CALIPER	00.40
L3600+	PLATE, EXISTING	62.46
	TRANSFER OF AN ORTHOSIS FROM ONE SHOE TO ANOTHER, CALIPER	
	PLATE, NEW	82.23
	TRANSFER OF AN ORTHOSIS FROM ONE SHOE TO ANOTHER, SOLID STIRRUP,	
L3620+	EXISTING	62.46
	TRANSFER OF AN ORTHOSIS FROM ONE SHOE TO ANOTHER, SOLID STIRRUP,	
L3630+		82.23
	TRANSFER OF AN ORTHOSIS FROM ONE SHOE TO ANOTHER, DENNIS	
L3640	BROWNE SPLINT (RIVETON), BOTH SHOES	35.38
		MANUALLY
L3649*	ORTHOPEDIC SHOE, MODIFICATION, ADDITION OR TRANSFER, NOS	PRICED
	UPPER LIMB ORTHOSES	
	SO, FIGURE OF EIGHT DESIGN ABDUCTION RESTRAINER, PREFABRICATED,	
L3650	INCLUDES FITTING AND ADJUSTMENT	44.59
	SO, FIGURE OF EIGHT DESIGN ABDUCTION RESTRAINER, CANVAS AND	
L3660	WEBBING, PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	76.56
	SO, ACROMIO/CLAVICULAR (CANVAS AND WEBBING TYPE), PREFABRICATED,	
L3670	INCLUDES FITTING AND ADJUSTMENT	106.71
	SO, SHOULDER CAP DESIGN, WITHOUT JOINTS, MAY INCLUDE SOFT	
	INTERFACE, STRAPS, CUSTOM FABRICATED, INCLUDES FITTING AND	
L3671*	ADJUSTMENTS	671.18

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
CODE		RATE
	SO, ABDUCTION POSITIONING (AIRPLANE DESIGN), THORACIC COMPONENT	
	AND SUPPORT BAR, WITHOUT JOINTS, MAY INCLUDE SOFT INTERFACE,	
L3672*	STRAPS, CUSTOM FABRICATED, INCLUDES FITTING AND ADJUSTMENT	834.68
LUUIZ	SO, ABDUCTION POSITINING (AIRPLANE DESIGN), THORACIC COMPONENT	004.00
	AND SUPPORT BAR, INCLUDES NONTORSION JOINT/TURNBUCKLE, MAY	
	INCLUDE SOFT INTERFACE, STRAPS, CUSTOM FABRICATED, INCLUDES	
L3673*	FITTING AND ADJUSTMENT	909.71
L3073	SO, VEST TYPE ABDUCTION RESTRAINER, CANVAS WEBBING TYPE, OR	909.71
L3675	EQUAL, PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	420 72
L30/5	SO, HARD PLASTIC, SHOULDER STABILIZER, PREFABRICATED, INCLUDES	130.73
1 0077+		400.04
L3677*		193.31
	EO, WITHOUT JOINTS, MAY INCLUDE SOFT INTERFACE, STRAPS, CUSTOM	
L3702	FABRICATED, INCLUDES FITTING AND ADJUSTMENT	215.09
	EO, ELASTIC WITH METAL JOINTS, PREFABRICATED, INLCUDES FITTING AND	
L3710	ADJUSTMENT	108.00
	EO, DOUBLE UPRIGHT WITH FOREARM/ARM CUFFS, FREE MOTION, CUSTOM	
L3720*	FABRICATED	538.81
	EO, DOUBLE UPRIGHT WITH FOREARM/ARM CUFFS, EXTENSION/FLEXION	
L3730*	ASSIST, CUSTOM FABRICATED	709.28
	EO, DOUBLE UPRIGHT WITH FOREARM/ARM CUFFS, ADJUSTABLE POSITION	
L3740*	LOCK WITH ACTIVE CONTROL, CUSTOM FABRICATED	797.11
	EO, WITH ADJUSTABLE POSITION LOCKING JOINT(S), PREFABRICATED,	
L3760	INCLUDES FITTING AND ADJUSTMENTS, ANY TYPE	372.51
	EO, RIGID, WITHOUT JOINTS, INCLUDES SOFT INTERFACE MATERIAL,	
L3762	PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	80.10
	ELBOW, WRIST, HAND ORTHOSIS, RIGID, WITHOUT JOINTS, MAY INCLUDE	
	SOFT INTERFACE, STRAPS, CUSTOM FABRICATED. INCLUDES FITTING AND	
L3763*	ADJUSTMENT	591.41
	ELBOW, WRIST, HAND ORTHOSIS, INCLUDES ONE OR MORE NONTORSION	
	JOINTS, ELASTIC BANDS, TURNBUCKLES, MAY INCLUDE SOFT INTERFACE,	
L3764*	STRAPS, CUSTOM FABRICATED, INCLUDES FITTING AND ADJUSTMENT	589.80
20104	ELBOW, WRIST, HAND, FINGER ORTHOSIS, RIGID, WITHOUT JOINTS, MAY	000100
	INCLUDE SOFT INTERFACE, STRAPS, CUSTOM FABRICATED, INCLUDES	
L3765*	FITTING AND ADJUSTMENT	955.13
L3703	ELBOW, WRIST, HAND, FINGER ORTHOSIS, INCLUDES ONE OR MORE	333.13
	NONTORSION JOINTS, ELASTIC BANDS, TURNBUCKLES, MAY INCLUDE SOFT	
	INTERFACE, STRAPS, CUSTOM FABRICATED, INCLUDES FITTING AND	
1.0700*		4044 40
L3766*	ADJUSTMENT WRIST HAND FINGER ORTHOSIS, INCLUDES ONE OR MORE NON-TORSION	1011.42
	·	
	JOINT(S), TURNBUCKLES, ELASTIC BANDS, MAY INCLUDE SOFT INTERFACE	
1 0000	MATERIAL, STRAPS, CUSTOM FABRICATED, INCLUDES FITTING AND	
L3806		338.36
	WHFO, WITHOUT JOINT(S), PERFABRICATED, INCLUDES FITTING AND	
L3807	ADJUSTMENTS, ANY TYPE	186.25
	WRIST HAND FINGER ORTHOSIS, RIGID WITHOUT JOINTS, MAY INCLUDE	
L3808	SOFT INTERFACE MATERIAL, STRAPS; CUSTOM FABRICATED, INCLUDES FITTING AND ADJUSTMENT	Ì

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
	DESCRIPTION	RATE
0002	ADDITION TO UPPER EXTREMITY JOINT, WRIST OR ELBOW, CONCENTRIC	10/112
	ADJUSTABLE TORSION STYLE MECHANISM FOR CUSTOM FABRICATED	MANUALLY
L3891	ORTHOTICS ONLY, EACH	PRICED
L3031	WHFO, DYNAMIC FLEXOR HINGE, RECIPROCAL WRIST EXTENSION/FLEXION,	TRICED
	FINGER FLEXION/EXTENSION, WRIST OR FINGER DRIVEN, CUSTOM	
L3900*	FABRICATED	1163.64
L3900		1103.04
	WHFO, DYNAMIC FLEXOR HINGE, RECIPROCAL WRIST EXTENSION/FLEXION,	
L3901*	FINGER FLEXION/EXTENSION, CABLE DRIVEN, CUSTOM FABRICATED	1304.76
L3904*	WHFO, EXTERNAL POWERED, ELECTRIC, CUSTOM FABRICATED	2656.12
L3304	WHO, INCLUDES ONE OR MORE NONTORSION JOINTS, ELASTIC BANDS,	2030.12
	TURNBUCKLES, MAY INCLUDE SOFT INTERFACE, STRAPS, CUSTOM	
L3905*	FABRICATED, INCLUDES FITTING AND ADJUSTMENT	738.69
L3905	WHO, WITHOUT JOINTS, MAY INCLUDE SOFT INTERFACE, STRAPS, CUSTOM	7 30.09
L3906	FABRICATED, INCLUDES FITTING AND ADJUSTMENT	314.24
L3900	WHO, WRIST EXTENSION CONTROL COCK-UP, NON-MOLDED,	314.24
L3908	PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	44.62
L3900	HFO, FLEXION GLOVE WITH ELASTIC FINGER CONTROL, PREFABRICATED,	44.63
L3912	INCLUDES FITTING AND ADJUSTMENT	74 50
LJ91Z	HFO, WITHOUT JOINTS, MAY INCLUDE SOFT INTERFACE, STRAPS, CUSTOM	71.59
1 2042	FABRICATED, INCLUDES FITTING AND ADJUSTMENT	204 75
L3913	radricated, includes fitting and adjustment	201.75
	WRIST HAND ORTHOSIS, INCLUDES ONE OR MORE NON-TORSION JOINT(S),	
	ELASTIC BANDS, TURNBUCKLES, MAY INCLUDE SOFT INTERFACE, STRAPS,	
L3915	PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	205.07
L3915	HO, METACARPAL FRACTURE ORTHOSIS, PREFABRICATED, INCLUDES	395.97
L3917	FITTING AND ADJUSTMENT	78.68
L3917	HO, WITHOUT JOINTS, MAY INCLUDE SOFT INTERFACE, STRAPS, CUSTOM	70.00
L3919	FABRICATED, INCLUDES FITTING AND ADJUSTMENT	201.75
L3919	HFO, INCLUDES ONE OR MORE NONTORSION JOINTS, ELASTIC BANDS,	201.75
	TURNBUCKLES, MAY INCLUDE SOFT INTERFACE, STRAPS, CUSTOM	
L3921	FABRICATED, INCLUDES FITTING AND ADJUSTMENT	239.29
LJJZI	HFO, WITHOUT JOINTS, MAY INCLUDE SOFT INTERFACE, STRAPS, CUSTOM	235.25
L3923	FABRICATED, INCLUDES FITTING AND ADJUSTMENTS	64.80
L3923	FINGER ORTHOSIS, PROXIMAL INTERPHALANGEAL (PIP)/DISTAL	04.00
	INTERPHALANGEAL (DIP), NON TORSION JOINT/SPRING,	
	EXTENSION/FLEXION, MAY INCLUDE SOFT INTERFACE MATERIAL,	
L3925	PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	39.36
L3923	FINGER ORTHOSIS, PROXIMAL INTERPHALANGEAL (PIP)/DISTAL	39.30
	INTERPHALANGEAL (DIP), WITHOUT JOINT/SPRING, EXTENSION/FLEXION	
	(E.G. STATIC OR RING TYPE), MAY INCLUDE SOFT INTERFACE MATERIAL,	MANUALLY
L3927*	PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	PRICED
LJ321	HFO, INCLUDES ONE OR MORE NON TORSION JOINT(S), TURNBUCKLES,	FRICED
	ELASTIC BANDS/SPRINGS, MAY INCLUDE SOFT INTERFACE MATERIAL,	
L3929	STRAPS, PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	62.71
LJJ2J		02.71
	WHFO, INCLUDES ONE OR MORE NON TORSION JOINT(S), TURNBUCKLES,	
	ELASTIC BANDS/SPRINGS, MAY INCLUDE SOFT INTERFACE MATERIAL,	
L3931	STRAPS, PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	151.69
L3331	FO, WITHOUT JOINTS, MAY INCLUDE SOFT INTERFACE, CUSTOM	151.09
L3933	FABRICATED, INCLUDES FITTING AND ADJUSTMENT	158.94
L0000		130.94

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
CODE	DESCRIPTION	RATE
	FO, NONTORSION JOINT, MAY INCLUDE SOFT INTERFACE, CUSTOM	
L3935	FABRICATED, INCLUDES FITTING AND ADJUSTMENT	164.57
	ADDITION OF JOINT TO UPPER EXTREMITY ORTHOSIS, ANY MATERIAL; PER	
L3956*		104.96
	SEWHO, ABDUCTION POSITIONING, AIRPLANE DESIGN, PREFABRICATED,	
L3960*	INCLUDES FITTING AND ADJUSTMENT	614.00
	SEWHO, SHOULDER CAP DESIGN, WITHOUT JOINTS, MAY INCLUDE SOFT	
	INTERFACE, STRAPS, CUSTOM FABRICATED, INCLUDES FITTING AND	
L3961*	ADJUSTMENT	1251.50
	SEWHO, ABDUCTION POSITIONING, ERB'S PALSEY DESIGN, PREFABRICATED,	
L3962*		639.31
	SEO, MOBILE ARM SUPPORT ATTACHED TO WHEELCHAIR, BALANCED,	
L3964*	ADJUSTABLE, PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	586.34
·	SEO, MOBILE ARM SUPPORT ATTACHED TO WHEELCHAIR, BALANCED,	
	ADJUSTABLE RANCHO TYPE, PREFABRICATED, INCLUDES FITTING AND	
L3965*	ADJUSTMENT	935.63
	SEO, MOBILE ARM SUPPORT ATTACHED TO WHEELCHAIR, BALANCED,	
L3966*		699.56
	SEWHO, ABDUCTION POSITIONING (AIRPLANE DESIGN), THORACIC	
	COMPONENT AND SUPPORT BAR, WITHOUT JOINTS, MAY INCLUDE SOFT	
	INTERFACE, STRAPS, CUSTOM FABRICATED, INCLUDES FITTING AND	
L3967*	ADJUSTMENT	1477.60
	SEO, MOBILE ARM SUPPORT ATTACHED TO WHEELCHAIR, BALANCED,	
	FRICTION ARM SUPPORT (FRICTION DAMPENING TO PROXIMAL AND DISTAL	
L3968*	JOINTS), PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT	891.97
	SEO, MOBILE ARM SUPPORT, MONOSUSPENSION ARM AND HAND SUPPORT,	
	OVERHEAD ELBOW FOREARM HAND SLING SUPPORT, YOKE TYPE	
	SUSPENSION SUPPORT, PREFABRICATED, INCLUDES FITTING AND	
L3969*	ADJUSTMENT	530.19
L3970	SEO, ADDITION TO MOBILE ARM SUPPORT, ELEVATING PROXIMAL ARM	249.51
	SEWHO, SHOULDER CAP DESIGN, INCLUDES ONE OR MORE NONTORSION	
	JOINTS, ELASTIC BANDS, TURNBUCKLES, MAY INCLUDE SOFT INTERFACE,	
L3971*	STRAPS, CUSTOM FABRICATED, INCLUDES FITTING AND ADJUSTMENT	1402.56
	SEO, ADDITION TO MOBILE ARM SUPPORT, OFFSET OR LATERAL ROCKER	
L3972	ARM WITH ELASTIC BALANCE CONTROL	150.91
	SEWHO, ABDUCTION POSITIONING (AIRPLANE DESIGN), THORACIC	
	COMPONENT AND SUPPORT BAR, INCLUDES ONE OR MORE NONTORSION	
	JOINTS, ELASTIC BANDS, TURNBUCKLES, MAY INCLUDE SOFT INTERFACE,	
L3973*	STRAPS, CUSTOM FABRICATED, INCLUDES FITTING AND ADJUSTMENT	1477.60
L3974	SEO, ADDITION TO MOBILE ARM SUPPORT, SUPINATOR	114.39
	SEWHFO, SHOULDER CAP DESIGN, WITHOUT JOINTS, MAY INCLUDE SOFT	
	INTERFACE, STRAPS, CUSTOM FABRICATED, INCLUDES FITTING AND	
L3975*		1251.50
	SEWHFO, ABDUCTION POSITIONING (AIRPLANE DESIGN), THORACIC	
	COMPONENT AND SUPPORT BAR, WITHOUT JOINTS, MAY INCLUDE SOFT	
	INTERFACE, STRAPS, CUSTOM FABRICATED, INCLUDES FITTING AND	
L3976*	ADJUSTMENT	1251.50

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
	DESCRIPTION	RATE
	SEWHRO, SHOULDER CAP DESIGN, INCLUDES ONE OR MORE NONTORSION	
	JOINTS, ELASTIC BANDS, TURNBUCKLES, MAY INCLUDE SOFT INTERFACE,	
L3977*	STRAPS, CUSTOM FABRICATED, INCLUDES FITTING AND ADJUSTMENT	1402.56
	SEWHFO, ABDUCTION POSITIONING (AIRPLANE DESIGN), THORACIC	
	COMPONENT, AND SUPPORT BAR, INCLUDES ONE OR MORE NONTORSION	
	JOINTS, ELASTIC BANDS, TURNBUCKLES, MAY INCLUDE SOFT INTERFACE,	
L3978*	STRAPS, CUSTOM FABRICATED, INCLUDES FITTING AND ADJUSTMENT	1477.60
L3370	UPPER EXTREMITY FRACTURE ORTHOSIS, HUMERAL, PREFABRICATED,	1477.00
L3980	INCLUDES FITTING AND ADJUSTMENT	230.27
L3900	UPPER EXTREMITY FRACTURE ORTHOSIS, RADIUS/ULNAR, PREFABRICATED,	230.27
1 2002	INCLUDES FITTING AND ADJUSTMENT	294 50
L3982	UPPER EXTREMITY FRACTURE ORTHOSIS, WRIST, PREFABRICATED,	284.50
1 2004		202.00
L3984	INLCUDES FITTING AND ADJUSTMENT	303.68
	ADDITION TO UPPER EXTREMITY ORTHOSIS, SOCK, FRACTURE OR EQUAL,	
L3995	EACH	25.49
		MANUALLY
L3999*	UPPER LIMB ORTHOSIS, NOT OTHERWISE SPECIFIED	PRICED
	REPLACE/REPAIR	
L4000*	REPLACE GIRDLE FOR SPINAL ORTHOSIS (CTLSO OR SO)	992.99
	REPLACEMENT STRAP, ANY ORTHOSIS, INCLUDES ALL COMPONENTS, ANY	
	LENGTH, ANY TYPE	15.17
	REPLACE TRILATERAL SOCKET BRIM	558.79
	REPLACE QUADILATERAL SOCKET BRIM, MOLDED TO PATIENT MODEL	697.99
L4030	REPLACE QUADRILATERAL SOCKET BRIM, CUSTOM FITTED	384.31
	REPLACE MOLDED THIGH LACER, FOR CUSTOM FABRICATED ORTHOSIS	
L4040	ONLY	310.71
	REPLACE NON-MOLDED THIGH LACER FOR CUSTOM FABRICATED ORTHOSIS	
L4045	ONLY	249.69
L4050	REPLACE MOLDED CALF LACER FOR CUSTOM FABRICATED ORTHOSIS ONLY	314.25
	REPLACE NON-MOLDED CALF LACER FOR CUSTOM FABRICATED ORTHOSIS	
L4055	ONLY	203.48
	REPLACE HIGH ROLL CUFF	241.90
	REPLACE PROXIMAL AND DISTAL UPRIGHT FOR KAFO	230.80
L4080	REPLACE METAL BANDS KAFO, PROXIMAL THIGH	81.36
	REPLACE METAL BANDS AND KAFO-AFO, CALF OR DISTAL THIGH	72.02
	REPLACE LEATHER CUFF KAFO, PROXIMAL THIGH	81.22
	REPLACE LEATHER CUFF KAFO-AFO, CALF OR DISTAL THIGH	64.55
	REPLACE PRETIBIAL SHELL	444.26
	REPAIR OF ORTHOTIC DEVICE, LABOR COMPONET, PER 15 MINUTES	14.84
27200		MANUALLY
1 /210*	REPAIR OF ORTHOTIC DEVICE, REPAIR OR REPLACE MINOR PARTS	PRICED
	ANCILLARY ORTHOSES	
	ANKLE CONTROL ORTHOSIS, STIRRUP STYLE, RIGID, INCLUDES ANY TYPE	
	INTERFACE (E.G., PNEUMATIC, GEL), PREFABRICATED, INCLUDES FITTING	
1 4950		
L4350	AND ADJUSTMENT	80.04
	WALKING BOOT, PNEUMATIC AND/OR VACUMN, WITH OR WITHOUT JOINTS,	
1 4000	WITH OUR WITHOUT INTERFACE MATERIAL, PREFABRICATED, INCLUDES	
L4360	FITTING AND ADJUSTMENT	223.93

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
	DESCRIPTION	RATE
	PNEUMATIC FULL LEG SPLINT, PREFABRICATED, INCLUDES FITTING AND	
L4370		143.70
	PNEUMATIC KNEE SPLINT, PREFABRICATED, INCLUDES FITTING AND	
L4380	ADJUSTMENT	88.11
24000	WALKING BOOT, NON-PNEUMATIC, WITH OR WITHOUT JOINTS, WITH OR	00.11
	WITHOUT INTERFACE MATERIAL, PREFABRICATED, INCLUDES FITTING AND	
L4386	ADJUSTMENT	129.77
	REPLACEMENT SOFT INTERFACE MATERIAL, STATIC AFO	19.28
L4392	REPLACE SOFT INTERFACE MATERIAL, FOOT DROP SPLINT	14.07
L4334	STATIC OR DYNAMIC ANKLE FOOT ORTHOSIS, INCLUDING SOFT INTERFACE	14.07
	MATERIAL, ADJUSTABLE FOR FIT, FOR POSITIONING, MAY BE USED FOR	
	MINIMAL AMBULATION, PREFABRICATED, INCLUDES FITTING AND	
1 4206	ADJUSTMENT	427.27
L4396	FOOT DROP SPLINT, RECUMBENT POSITIONING DEVICE, PREFABRICATED,	137.37
		<u> </u>
L4398	INCLUDES FITTING AND ADJUSTMENT	63.21
1 5000	LOWER LIMB PROSTHESES	100.47
	PARTIAL FOOT, SHOE INSERT WITH LONGITUDINAL ARCH, TOE FILLER	429.17
L5010*	PARTIAL FOOT, MOLDED SOCKET, ANKLE HEIGHT, WITH TOE FILLER	1036.53
1 5000	PARTIAL FOOT, MOLDED SOCKET, TIBIAL TUBERCLE HEIGHT, WITH TOE	
L5020*		1760.29
L5050*	ANKLE, SYMES, MOLDED SOCKET, SACH FOOT	1947.21
	ANKLE, SYMES, METAL FRAME, MOLDED LEATHER SOCKET, ARTICULATED	
	ANKLE/FOOT	2239.84
	BELOW KNEE, MOLDED SOCKET, SHIN, SACH FOOT	1951.50
L5105*	BELOW KNEE, PLASTIC SOCKET, JOINTS AND THIGH LACER, SACH FOOT	2817.19
	KNEE DISARTICULATION (OR THROUGH KNEE), MOLDED SOCKET, EXTERNAL	
L5150*	KNEE JOINTS, SHIN, SACH FOOT	2847.79
	KNEE DISARTICULATION (OR THROUGH KNEE), MOLDED SOCKET, BENT	
L5160*	KNEE CONFIGURATION, EXTERNAL KNEE JOINTS, SHIN, SACH FOOT	3097.48
	ABOVE KNEE, MOLDED SOCKET, SINGLE AXIS CONSTANT FRICTION KNEE,	
L5200*	SHIN, SACH FOOT	2966.29
	ABOVE KNEE, SHORT PROSTHESIS, NO KNEE JOINT (STUBBIES), WITH FOOT	
L5210*	BLOCKS, NO ANKLE JOINTS, EACH	1967.83
	ABOVE KNEE, SHORT PROSTHESIS, NO KNEE JOINT (STUBBIES), WITH	
L5220*	ARTICULATED ANKLE/FOOT, DYNAMICALLY ALIGNED, EACH	2236.79
	ABOVE KNEE, FOR PROXIMAL FEMORAL FOCAL DEFICIENCY, CONSTANT	
L5230*	FRICTION KNEE, SHIN, SACH FOOT	3084.99
	HIP DISARTICULATION, CANADIAN TYPE; MOLDED SOCKET, HIP JOINT,	
L5250*	SINGLE AXIS CONSTANT FRICTION KNEE, SHIN, SACH FOOT	4207.64
	HIP DISARTICULATION, TILT TABLE TYPE; MOLDED SOCKET, LOCKING HIP	
L5270*	JOINT, SINGLE AXIS CONSTANT FRICTION KNEE, SHIN, SACH FOOT	4188.97
	HEMIPELVECTOMY, CANADIAN TYPE; MOLDED SOCKET, HIP JOINT, SINGLE	
L5280*	AXIS CONSTANT FRICTION KNEE, SHIN, SACH FOOT	4156.89
	BELOW KNEE, MOLDED SOCKET, SHIN, SACH FOOT, ENDOSKELETAL	
L5301*	SYSTEM	2230.68
	KNEE DISARTICULATION (OR THROUGH KNEE), MOLDED SOCKET, EXTERNAL	2200.00
L5311*	KNEE JOINTS , SHIN, SACH FOOT, ENDOSKELETAL SYSTEM	3193.07
20011	ABOVE KNEE, MOLDED SOCKET, OPEN END, SACH FOOT, ENDOSKELETAL	5135.07
L5321*	SYSTEM, SINGLE AXIS KNEE	3233.43
	HIP DISARTICULATION, CANADIAN TYPE, MOLDED SOCKET, ENDOSKELETAL	5233.43
L5331*	SYSTEM, HIP JOINT, SINGLE AXIS KNEE, SACH FOOT	4120.05
LJJJ]	STOTEM, THE SOLAT, SHAGLE AND NIEE, SACE FOUL	4120.03

\* indicates prior approval is required for HCPCS code

	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
CODE	DESCRIPTION	RATE
	HEMIPELVECTOMY, CANADIAN TYPE, MOLDED SOCKET, ENDOSKELETAL	
L5341*	SYSTEM, HIP JOINT, SINGLE AXIS KNEE, SACH FOOT	4288.98
	IMMEDIATE POSTSURGICAL OR EARLY FITTING, APPLICATION OF INITIAL	
	RIGID DRESSING, INCLUDING FITTING, ALIGNMENT, SUSPENSION, AND ONE	
L5400*	CAST CHANGE, BELOW KNEE	1104.38
	IMMEDIATE POSTSURGICAL OR EARLY FITTING, APPLICATION OF INITIAL	
	RIGID DRESSING, INCLUDING FITTING, ALIGNMENT AND SUSPENSION,	
L5410	BELOW KNEE, EACH ADDITIONAL CAST CHANGE AND REALIGNMENT	338.83
	IMMEDIATE POSTSURGICAL OR EARLY FITTING, APPLICATION OF INITIAL	
	RIGID DRESSING, INCLUDING FITTING, ALIGNMENT AND SUSPENSION AND	
L5420*	ONE CAST CHANGE AK OR KNEE DISARTICULATION	1353.38
	IMMEDIATE POSTSURGICAL OR EARLY FITTING, APPLICATION OF INITIAL	
	RIGID DRESSING, INCLUDES FITTING, ALIGNMENT AND SUSPENSION, AK OR	
	KNEE DISARTICULATION, EACH ADDITIONAL CAST CHANGE AND	
L5430	REALIGNMENT	408.08
	IMMEDIATE POST SURGICAL OR EARLY FITTING, APPLICATION OF NON-	
L5450	WEIGHT BEARING RIGID DRESSING, BELOW KNEE	331.99
	IMMEDIATE POST SURGICAL OR EARLY FITTING, APPLICATION OF NON-	
L5460	WEIGHT BEARING RIGID DRESSING, ABOVE KNEE	442.30
	INITIAL, BELOW KNEE - "PTB" TYPE SOCKET, NON-ALIGNABLE SYSTEM,	
L5500*	PYLON, NO COVER, SACH FOOT, PLASTER SOCKET, DIRECT FORMED	1041.53
	INITIAL, ABOVE KNEE-KNEE DISARTICULATION, ISCHIAL LEVEL SOCKET, NON-	
	ALIGNABLE SYSTEM, PYLON, NO COVER, SACH FOOT PLASTER SOCKET,	
L5505*	DIRECT FORMED	1440.46
	PREPARATORY, BELOW KNEE PTB TYPE SOCKET, NON-ALIGNABLE SYSTEM,	
L5510*	PYLON, NO COVER, SACH FOOT, PLASTER SOCKET, MOLDED TO MODEL	1180.64
	PREPARATORY, BELOW KNEE "PTB" TYPE SOCKET, NON-ALIGNABLE	
	SYSTEM, PYLON, NO COVER, SACH FOOT, THERMOPLASTIC OR EQUAL,	
L5520*	DIRECT FORMED	1166.18
	PREPARATORY, BELOW KNEE "PTB" TYPE SOCKET, NON-ALIGNABLE	
	SYSTEM, PYLON, NO COVER, SACH FOOT, THERMOPLASTIC OR EQUAL,	
L5530*	MOLDED TO MODEL	1400.70
	PREPARATORY, BELOW KNEE "PTB" TYPE SOCKET, NON-ALIGNABLE	
	SYSTEM, PYLON, NO COVER, SACH FOOT, PREFABRICATED, ADJUSTABLE	
L5535*	OPEN END SOCKET	1375.21
	PREPARATORY, BELOW KNEE-"PTB" TYPE SOCKET, NON-ALIGNABLE	
	SYSTEM, PYLON, NO COVER, SACH FOOT, LAMINATED SOCKET, MOLDED TO	
L5540*		1467.78
	PREPARATORY, ABOVE KNEE-KNEE DISARTICULATION, ISCHIAL LEVEL	
	SOCKET, NON-ALIGNABLE SYSTEM, PYLON, NO COVER, SACH FOOT,	<b>,</b>
L5560*	PLASTER SOCKET, MOLDED TO MODEL	1576.14
	PREPARATORY, ABOVE KNEE-KNEE DISARTICULATION, ISCHIAL LEVEL	
	SOCKET, NON-ALIGNABLE SYSTEM, PYLON, NO COVER, SACH FOOT,	
L5570*	THERMOPLASTIC OR EQUAL, DIRECT FORMED	1638.64
	PREPARATORY, ABOVE KNEE-KNEE DISARTICULATION, ISCHIAL LEVEL	
1 6600*	SOCKET, NON-ALIGNABLE SYSTEM, PYLON, NO COVER, SACH FOOT,	4040 00
L5580*	THERMOPLASTIC OR EQUAL, MOLDED TO MODEL	1912.99

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
	DESCRIPTION	RATE
OODL	PREPARATORY, ABOVE KNEE-KNEE DISARTICULATION, ISCHIAL LEVEL	
	SOCKET, NON-ALIGNABLE SYSTEM, PYLON, NO COVER, SACH FOOT,	
L5585*	PREFABRICATED, ADJUSTABLE OPEN END SOCKET	2354.24
L3303	PREPARATORY, ABOVE KNEE-KNEE DISARTICULATION, ISCHIAL LEVEL	2334.24
	SOCKET, NON-ALIGNABLE SYSTEM, PYLON, NO COVER, SACH FOOT,	
L5590*	LAMINATED SOCKET, MOLDED TO MODEL	1040 46
L0090	PREPARATORY, HIP DISARTICLATION - HEMIPELVECTOMY, PYLON, NO	1949.46
	COVER, SACH FOOT, THERMOPLASTIC OR EQUAL, MOLDED TO PATIENT	2444.00
L5595*		3444.00
	PREPARATORY, HIP DISARTICULATION - HEMIPELVECTOMY, PYLON, NO	0700 40
L5600*	COVER, SACH FOOT, LAMINATED SOCKET, MOLDED TO PATIENT MODEL	3702.13
	ADDITION TO LOWER EXTREMITY, ENDOSKELETAL SYSTEM, ABOVE KNEE,	
L5610*	HYDRACADENCE SYSTEM	1678.97
	ADDITION TO LOWER EXTREMITY, ENDOSKELETAL SYSTEM, ABOVE KNEE-	
	KNEE DISARTICULATION, 4-BAR LINKAGE, WITH FRICTION SWING PHASE	
L5611*	CONTROL	1306.58
	ADDITION TO LOWER EXTREMITY, ENDOSKELETAL SYSTEM, ABOVE KNEE-	
	KNEE DISARTICULATION, 4-BAR LINKAGE, HYDRAULIC SWING PHASE	
L5613*	CONTROL	2042.78
	ADDITION TO LOWER EXTREMITY, EXOSKELETAL SYSTEM, ABOVE KNEE-	
	KNEE DISARTICULATION, 4-BAR LINKAGE WITH PNUEMATIC SWING PHASE	
L5614*	CONTROL	1383.85
	ADDITION TO LOWER EXTREMITY, ENDOSKELETAL SYSTEM, ABOVE KNEE,	
L5616*	UNIVERSAL MULTIPLEX SYSTEM, FRICITION SWING PHASE CONTROL	1103.91
	ADDITION TO LOWER EXTREMITY, QUICK CHANGE SELF-ALIGNING UNIT,	
L5617	ABOVE OR BELOW KNEE, EACH	458.84
L5618	ADDITION TO LOWER EXTREMITY, TEST SOCKET, SYMES	242.74
L5620	ADDITION TO LOWER EXTREMITY, TEST SOCKET, BELOW KNEE	225.46
L5622	ADDITION TO LOWER EXTREMITY, TEST SOCKET, KNEE DISARTICULATION	293.99
L5624	ADDITION TO LOWER EXTREMITY, TEST SOCKET, ABOVE KNEE	294.83
L5626	ADDITION TO LOWER EXTREMITY, TEST SOCKET, HIP DISARTICULATION	386.65
L5628	ADDITION TO LOWER EXTREMITY, TEST SOCKET, HEMIPELVECTOMY	413.42
L5629	ADDITION TO LOWER EXTREMITY, BELOW KNEE, ACRYLIC SOCKET	257.72
L5630	ADDITION TO LOWER EXTREMITY, SYMES TYPE, EXPANDABLE WALL SOCKET	363.95
	ADDITION TO LOWER EXTREMITY, ABOVE KNEE OR KNEE DISARTICULATION,	
L5631	ACRYLIC SOCKET	356.31
L5632	ADDITION TO LOWER EXTREMITY, SYMES TYPE, PTB BRIM DESIGN SOCKET	198.87
	ADDITION TO LOWER EXTREMITY, SYMES TYPE, POSTERIOR OPENING	
L5634	(CANADIAN) SOCKET	246.68
-		
L5636	ADDITION TO LOWER EXTREMITY, SYMES TYPE, MEDIAL OPENING SOCKET	206.64
L5637	ADDITION TO LOWER EXTREMITY, BELOW KNEE, TOTAL CONTACT	234.28
L5638	ADDITION TO LOWER EXTREMITY, BELOW KNEE, LEATHER SOCKET	408.10
L5639*	ADDITION TO LOWER EXTREMITY, BELOW KNEE, WOOD SOCKET	909.21
	ADDITION TO LOWER EXTREMITY, KNEE DISARTICULATION, WITH LEATHER	000.21
L5640*	SOCKET	518.55
L5642*	ADDITION TO LOWER EXTREMITY, ABOVE KNEE, LEATHER SOCKET	502.43
20072		502.45

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
	DESCRIPTION	RATE
0002	ADDITION TO LOWER EXTREMITY, HIP DISARTICULATION, FLEXIBLE INNER	TOTE
L5643*	SOCKET, EXTERNAL FRAME	1262.19
L5644	ADDITION TO LOWER EXTREMITY, ABOVE KNEE, WOOD SOCKET	478.98
LJUTT	ADDITION TO LOWER EXTREMITY, BELOW KNEE, FLEXIBLE INNER SOCKET,	470.30
L5645*	EXTERNAL FRAME	647.05
L3043	ADDITION TO LOWER EXTREMITY, BELOW KNEE, AIR, FLUID, GEL OR EQUAL,	047.05
1.5040		444.00
		444.32
L5647*	ADDITON TO LOWER EXTREMITY, BELOW KNEE, SUCTION SOCKET	645.08
	ADDITION TO LOWER EXTREMITY, ABOVE KNEE, AIR, FULID, GEL OR EQUAL,	
L5648*		533.91
	ADDITION TO LOWER EXTREMITY, ISCHIAL CONTAINMENT/NARROW M-L	
L5649*	SOCKET	1934.64
	ADDITION TO LOWER EXTREMITY, TOTAL CONTACT, ABOVE KNEE OR KNEE	
L5650	DISARTICULATION SOCKET	395.89
	ADDITON TO LOWER EXTREMITY, ABOVE KNEE, FLEXIBLE INNER SOCKET,	
L5651*	EXTERNAL FRAME	973.88
	ADDITION TO LOWER EXTREMITY, SUCTION SUSPENSION, ABOVE KNEE OR	
L5652*	KNEE DISARTICULATION SOCKET	353.55
	ADDITION TO LOWER EXTREMITY, KNEE DISARTICULATION, EXPANDABLE	
L5653	WALL SOCKET	471.96
	ADDITION TO LOWER EXTREMITY, SOCKET INSERT, SYMES (KEMBLO,	
L5654	PELITE, ALIPLAST, PLASTAZOTE OR EQUAL)	268.94
	ADDITION TO LOWER EXTREMITY, SOCKET INSERT, BELOW KNEE (KEMBLO,	
L5655	PELITE, ALIPLAST, PLASTAZOTE OR EQUAL)	227.91
		221101
	ADDITION TO LOWER EXTREMITY, SOCKET INSERT, KNEE DISARTICULATION	
L5656	(KEMBLO, PELITE, ALIPLAST, PLASTAZOTE OR EQUAL)	305.75
20000	ADDITION TO LOWER EXTREMITY, SOCKET INSERT, ABOVE KNEE (KEMBLO,	505.75
L5658	PELITE, ALIPLAST, PLASTAZOTE OR EQUAL)	294.85
L3030	ADDITION TO LOWER EXTREMITY, SOCKET INSERT, MULTI-DUROMETER,	294.05
L5661	SYMES	402 50
L3001	ADDITION TO LOWER EXTREMITY, SOCKET INSERT, MULTI-DUROMETER,	493.50
		445.00
L5665		415.23
L5666	ADDITION TO LOWER EXTREMITY, BELOW KNEE, CUFF SUSPENSION	56.76
L5668	ADDITION TO LOWER EXTREMITY, BELOW KNEE, MOLDED DISTAL CUSHION	91.56
	ADDITION TO LOWER EXTREMITY, BELOW KNEE, MOLDED SUPRACONDYLAR	
L5670	SUSPENSION (PTS OR SIMILAR)	220.05
	ADDITION TO LOWER EXTREMITY, BELOW KNEE/ABOVE KNEE SUSPENSION	
	LOCKING MECHANISM (SHUTTLE, LANYARD OR EQUAL), EXCLUDES SOCKET	
L5671	INSERT	466.31
	ADDITION TO LOWER EXTREMITY, BELOW KNEE, REMOVABLE MEDIAL BRIM	
L5672	SUSPENSION	241.81
	ADDITION TO LOWER EXTREMITY, BELOW KNEE/ABOVE KNEE, CUSTOM	
	FABRICATED FROM EXSISTING MOLD OR PREFABRICATED, SOCKET INSERT,	
	SILICONE GEL, ELASTOMERIC OR EQUAL, FOR USE WITH LOCKING	
L5673*	MECHANISM	576.63
	ADDITION TO LOWER EXTREMITY, BELOW KNEE, KNEE JOINTS, SINGLE AXIS,	
L5676	PAIR	293.86
	ADDITION TO LOWER EXTREMITY, BELOW KNEE, KNEE JOINTS,	200.00
L5677	POLYCENTRIC, PAIR	399.84
LUUII		J33.04

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
	DESCRIPTION	RATE
L5678	ADDITION TO LOWER EXTREMITY, BELOW KNEE JOINT COVERS, PAIR	32.20
	ADDITION TO LOWER EXTREMITY, BELOW KNEE/ABOVE KNEE, CUSTOM	
	FABRICATED FROM EXSISTING MOLD OR PREFABRICATED, SOCKET INSERT,	
	SILICONE GEL, ELASTOMERIC OR EQUAL, NOT FOR USE WITH LOCKING	
L5679	MECHANISM	480.51
	ADDITION TO LOWER EXTREMITY, BELOW KNEE, THIGH LACER, NON-	
L5680	MOLDED	268.78
	ADDITION TO LOWER EXTREMITY, BELOW KNEE/ABOVE KNEE, CUSTOM	
	FABRICATED SOCKET INSERT FOR CONGENTIAL OR ATYPICAL TRAUMATIC	
	AMPUTEE, SILICONE GEL, ELASTOMERIC OR EQUAL, FOR USE WITH OR	
	WITHOUT LOCKING MECHANISM, INITIAL ONLY (FOR OTHER THAN INITIAL,	
L5681*	USE CODE	1078.73
	ADDITION TO LOWER EXTREMITY, BELOW KNEE, THIGH LACER,	
L5682*	GLUTEAL/ISCHIAL, MOLDED	507.16
	ADDITION TO LOWER EXTREMITY, BELOW KNEE/ABOVE KNEE, CUSTOM	
	FABRICATED SOCKET INSERT FOR OTHER THAN CONGENTIAL OR ATYPICAL	
	TRAUMATIC AMPUTEE, SILICONE GEL, ELASTOMERIC OR EQUAL, FOR USE	
	WITH OR WITHOUT LOCKING MECHANISM, INITIAL ONLY (FOR OTHER THAN	
L5683*	INITIA	1078.73
L5684	ADDITION TO LOWER EXTREMITY, BELOW KNEE, FORK STRAP	39.03
	ADDITION TO LOWER EXTREMITY PROSTHESIS, BELOW KNEE,	
	SUSPENSION/SEALING SLEEVE, WITH OR WITHOUT VALVE, ANY MATERIAL,	
L5685	EACH	105.04
	ADDITION TO LOWER EXTREMITY, BELOW KNEE, BACK CHECK (EXTENSION	
L5686	CONTROL)	41.42
L5688	ADDITION TO LOWER EXTREMITY, BELOW KNEE, WAISTBELT, WEBBING	49.53
	ADDITION TO LOWER EXTREMITY, BELOW KNEE, WAISTBELT, PADDED AND	
L5690	LINED	79.35
	ADDITION TO LOWER EXTREMITY, ABOVE KNEE, PELVIC CONTROL BELT,	
L5692	LIGHT	107.76
	ADDITION TO LOWER EXTREMITY, ABOVE KNEE, PELVIC CONTROL BELT,	
L5694	PADDED AND LINED	147.12
	ADDITION TO LOWER EXTREMITY, ABOVE KNEE, PELVIC CONTROL, SLEEVE	
L5695	SUSPENSION, NEOPRENE OR EQUAL, EACH	135.82
	ADDITION TO LOWER EXTREMITY, ABOVE KNEE OR KNEE DISARTICULATION,	
L5696	PELVIC JOINT	150.04
	ADDITION TO LOWER EXTREMITY, ABOVE KNEE OR KNEE DISARTICULATION,	
L5697	PELVIC BAND	65.10
	ADDITION TO LOWER EXTREMITY, ABOVE KNEE OR KNEE DISARTICULATION,	
L5698	SILESMAN BANDAGE	106.46
L5699	ALL LOWER EXTREMITY PROSTHESES, SHOULDER HARNESS	191.77
L5700 *	REPLACEMENT, SOCKET, BELOW KNEE, MOLDED TO PATIENT MODEL	2323.51
	REPLACEMENT, SOCKET, ABOVE KNEE/KNEE DISARTICULATION, INCLUDING	
L5701*	ATTACHMENT PLATE, MOLDED TO PATIENT MODEL	2790.37
	REPLACEMENT, SOCKET, HIP DISARTICULATION, INCLUDING HIP JOINT,	
L5702*		3530.23
	ANKLE, SYMES, MOLDED TO PATIENT MODEL, SOCKET WITHOUT SOLID	
	ANKLE CUSHION HEEL (SACH) FOOT, REPLACEMENT ONLY	1826.93
	CUSTOM SHAPED PROTECTIVE COVER, BELOW KNEE	434.67
	CUSTOM SHAPED PROTECTIVE COVER, ABOVE KNEE	776.68
L5706*	CUSTOM SHAPED PROTECTIVE COVER, KNEE DISARTICULATION	761.36

\* indicates prior approval is required for HCPCS code

+ indicates prior approval is required for HCPCS code for adults only

**BOLD** print indicates HCPCS code is Medicare covered

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
	DESCRIPTION	RATE
L5707*	CUSTOM SHAPED PROTECTIVE COVER, HIP DISARTICULATION	1003.74
L5710	ADDITION, EXOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, MANUAL LOCK	303.28
	ADDITION, EXOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, MANUAL LOCK,	
L5711		423.86
-	ADDITION, EXOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, FRICTION	
L5712	SWING AND STANCE PHASE CONTROL (SAFETY KNEE)	355.17
-	ADDITION, EXOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, VARIABLE	
L5714	FRICTION SWING PHASE CONTROL	364.82
	ADDITION, EXOSKELETAL KNEE-SHIN SYSTEM, POLYCENTRIC, MECHANICAL	
L5716*	STANCE PHASE LOCK	591.05
	ADDITION, EXOSKETETAL KNEE-SHIN SYSTEM, SINGLE AXIS, POLYCENTRIC,	
L5718*	FRICTION SWING AND STANCE PHASE CONTROL	738.75
	ADDITION, EXOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, PNEUMATIC	
L5722*	SWING, FRICTION STANCE PHASE CONTROL	780.47
	ADDITION, EXOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, FLUID SWING	
L5724*	PHASE CONTROL	1224.05
	ADDITION, EXOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, EXTERNAL	
L5726*	JOINTS, FLUID SWING PHASE CONTROL	1410.69
	ADDITION, EXOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, FLUID SWING	
L5728*	AND STANCE PHASE CONTROL	1929.64
	ADDITION, EXOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS,	
L5780*	PNEUMATIC/HYDRA PNEUMATIC SWING PHASE CONTROL	928.46
	ADDITION TO LOWER LIMB PROSTHESIS, VACUUM PUMP, RESIDUAL LIMB	
L5781*	VOLUME MANAGEMENT AND MOISTURE EVACUATION SYSTEM	3281.28
	ADDITION TO LOWER LIMB PROSTHESIS, VACUUM PUMP, RESIDUAL LIMB	
L5782*	VOLUME MANAGEMENT AND MOISTURE EVACUATION SYSTEM, HEAVY DUTY	3459.21
	ADDITION, EXOSKELETAL SYSTEM, BELOW KNEE, ULTRA-LIGHT MATERIAL	
L5785*	(TITANIUM, CARBON FIBER OR EQUAL)	521.90
	ADDITION, EXOSKELETAL SYSTEM, ABOVE KNEE, ULTRA-LIGHT MATERIAL	
L5790*	(TITANIUM, CARBON FIBER OR EQUAL)	583.09
	ADDITION, EXOSKELETAL SYSTEM, HIP DISARTICULATION, ULTRA-LIGHT	
L5795*	MATERIAL (TITANIUM, CARBON FIBER OR EQUAL)	1160.94
L5810	ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, MANUAL LOCK	394.82
	ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, MANUAL	
L5811*	LOCK, ULTRA-LIGHT MATERIAL	591.44
	ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, FRICTION	
L5812	SWING AND STANCE PHASE CONTROL (SAFETY KNEE)	458.42
	ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, POLYCENTRIC, HYDRAULIC	
L5814*	SWING PHASE CONTROL, MECHANICAL STANCE PHASE LOCK	3045.67
	ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, MECHANICAL	
L5816*	STANCE PHASE LOCK	693.81
	ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, POLYCENTRIC, FRICTION	
L5818*	SWING AND STANCE PHASE CONTROL	778.77
	ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, PNEUMATIC	
L5822*	SWING, FRICTION STANCE PHASE CONTROL	1380.97
	ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, FLUID SWING	
L5824*	PHASE CONTROL	1243.64

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
	DESCRIPTION	RATE
0000		
	ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, HYDRAULIC	
L5826*	SWING PHASE CONTROL, WITH MINIATURE HIGH ACTIVITY FRAME	2561.01
LJUZU	ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS, FLUID SWING	2301.01
L5828*	AND STANCE PHASE CONTROL	2290.06
LJOZO	ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, SINGLE AXIS,	2290.00
L5830*	PNEUMATIC/SWING PHASE CONTROL	1538.80
L3030	ADDITION, ENDOSKELETAL KNEE-SHIN SYSTEM, 4-BAR LINKAGE OR	10000
1 50 40*		2045.24
L5840*	MULTIAXIAL, PNEUMATIC SWING PHASE CONTROL	2845.24
	ADDITION, ENDOSKELETAL KNEE SHIN SYSTEM, STANCE FLEXION FEATURE,	4 4 9 9 9 9
L5845*		1469.89
	ADDITION TO ENDOSKELETAL, KNEE-SHIN SYSTEM, FLUID STANCE	
L5848*	EXTENSION, DAMPENING FEATURE, WITH OR WITHOUT ADJUSTABILITY	881.83
	ADDITION, ENDOSKELETAL SYSTEM, ABOVE KNEE OR HIP DISARTICULATION,	
L5850	KNEE EXTENSION ASSIST	103.74
	ADDITION, ENDOSKELETAL SYSTEM, HIP DISARTICULATION, MECHANICAL	
L5855	HIP EXTENSION ASSIST	278.76
L5910	ADDITION, ENDOSKELETAL SYSTEM, BELOW KNEE, ALIGNABLE SYSTEM	293.70
	ADDITION, ENDOSKELETAL SYSTEM, ABOVE KNEE OR HIP DISARTICULATION,	
L5920	ALIGNABLE SYSTEM	430.27
	ADDITION, ENDOSKELETAL SYSTEM, ABOVE KNEE, KNEE DISARTICULATION	
L5925	OR HIP DISARTICULATION, MANUAL LOCK	363.31
L5930*	ADDITION, ENDOSKELETAL SYSTEM, HIGH ACTIVITY KNEE CONTROL FRAME	2760.28
	ADDITION, ENDOSKELETAL SYSTEM, BELOW KNEE, ULTRA-LIGHT MATERIAL	
L5940	(TITANIUM, CARBON FIBER OR EQUAL)	406.78
	ADDITION, ENDOSKETETAL SYSTEM, ABOVE KNEE, ULTRA-LIGHT MATERIAL	
L5950*	(TITANIUM, CARBON FIBER OR EQUAL)	636.03
	ADDITION, ENDOSKETETAL SYSTEM, HIP DISARTICULATION, ULTRA-LIGHT	
L5960*	MATERIAL (TITANIUM, CARBON FIBER OR EQUAL)	781.79
	ADDITION, ENDOSKELETAL SYSTEM, BELOW KNEE, FLEXIBLE PROTECTIVE	
L5962*	OUTER SURFACE COVERING SYSTEM	514.50
20002	ADDITION, ENDOSKELETAL SYSTEM, ABOVE KNEE, FLEXIBLE PROTECTIVE	014.00
1 596/*	OUTER SURFACE COVERING SYSTEM	759.47
L3304	ADDITION, ENDOSKELETAL SYSTEM, HIP DISARTICULATION, FLEXIBLE	155.41
L5966*	PROTECTIVE OUTER SURFACE COVERING SYSTEM	967.75
L3900	ADDITION TO LOWER LIMB PROTHESIS, MULTIAXIAL ANKLE WITH SWING	307.75
L5968*	PHASE ACTIVE DORISFLEXION FEATURE	2980.11
L3900		2900.11
1 5070		464.60
L5970	ALL LOWER EXTREMITY PROSTHESES, FOOT, EXTERNAL KEEL, SACH FOOT ALL LOWER EXTREMITY PROSTHESIS, SOLID ANKLE CUSHION HEEL (SACH)	164.69
1 5074		464.60
L5971	FOOT, REPLACEMENT ONLY	164.69
1 5070	ALL LOWER EXTREMITY PROSTHESES, FLEXIBLE KEEL FOOT (SAFE, STEN,	
L5972		307.64
L5974	ALL LOWER EXTREMITY PROSTHESES, FOOT, SINGLE AXIS ANKLE/FOOT	188.97
	ALL LOWER EXTREMITY PROSTHESES, COMBINATION SINGLE AXIS ANKLE	
L5975	AND FLEXIBLE KEEL FOOT	380.19
	ALL LOWER EXTREMITY PROSTHESES, ENERGY STORING FOOT ( SEATTLE,	
L5976	CARBON COPY II OR EQUAL)	454.15
L5978	ALL LOWER EXTREMITY PROSTHESES, FOOT, MULTI-AXIAL ANKLE/FOOT	236.66

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
	DESCRIPTION	RATE
	ALL LOWER EXTREMITY PROTHESES, MULTI-AXIAL ANKLE, DYNAMIC	
L5979*	RESPONSE FOOT, ONE PIECE SYSTEM	1850.39
L5980*		3006.76
L5981*	ALL LOWER EXTREMITY PROTHESES, FLEX-WALK SYSTEM OR EQUAL	2429.04
L3901	ALL EXOSKELETAL LOWER EXTREMITY PROSTHESES, AXAIL ROTATION	2423.04
L5982	UNIT, WITH OR WITHOUT ADJUSTIBILITY	468.82
L3902	ALL ENDOSKELETAL LOWER EXTREMITY PROSTHESES, AXIAL ROTATION	400.02
L5984	UNIT, WITH OR WITHOUT ADJUSTABILITY	461.07
L3964	ALL ENDOSKELETAL LOWER EXTREMITY PROSTHESES, DYNAMIC	461.97
L5985	PROSTHETIC PYLON	004 57
L3903	ALL LOWER EXTREMITY PROSTHESES, MULTI-AXIAL ROTATION UNIT (MCP	231.57
1 5000+		540.00
L5986*	OR EQUAL) ALL LOWER EXTREMITY PROSTHESIS, SHANK FOOT SYSTEM WITH VERTICAL	513.89
	,	5000 44
L5987*		5899.44
	ADDITION TO LOWER LIMB PROSTHESIS, VERTICAL SHOCK REDUCING	
L5988*		1638.26
	ADDITION TO LOWER EXTREMITY PROSTHESIS, USER ADJUSTABLE HEEL	
L5990*	HEIGHT	1487.79
		MANUALLY
L5999*	LOWER EXTREMITY PROTHESIS, NOT OTHERWISE SPECIFIED	PRICED
-	UPPER LIMB PROSTHESES	
L6000*	PARTIAL HAND, ROBIN-AIDS, THUMB REMAINING (OR EQUAL)	1077.49
	PARTIAL HAND, ROBIN-AIDS, LITTLE AND/OR RING FINGER REMAINING (OR	
L6010*	EQUAL)	1199.07
L6020*	PARTIAL HAND, ROBIN-AIDS, NO FINGER REMAINING (OR EQUAL)	1117.95
	WRIST DISARTICULATION, MOLDED SOCKET, FLEXIBLE ELBOW HINGES,	
L6050*	TRICEPS PAD	1540.49
	WRIST DISARTICULATION, MOLDED SOCKET WITH EXPANDABLE INTERFACE,	
L6055*	FLEXIBLE ELBOW HINGES, TRICEPS PAD	2147.05
L6100*	BELOW ELBOW, MOLDED SOCKET, FLEXIBLE ELBOW HINGE, TRICEPS PAD	1560.76
	BELOW ELBOW, MOLDED SOCKET (MUENSTER OR NORTHWESTERN	
L6110*	SUSPENSION TYPES)	1655.44
	BELOW ELBOW, MOLDED DOUBLE WALL SPLIT SOCKET, STEP-UP HINGES,	
L6120*	HALF CUFF	1929.19
	BELOW ELBOW, MOLDED DOUBLE WALL SPLIT SOCKET, STUMP ACTIVATED	
L6130*	LOCKING HINGE, HALF CUFF	2099.31
	ELBOW DISARTICULATION, MOLDED SOCKET, OUTSIDE LOCKING HINGE,	
L6200*	FOREARM	2212.34
	ELBOW DISARTICULATION, MOLDED SOCKET WITH EXPANDABLE	
L6205*	INTERFACE, OUTSIDE LOCKING HINGES, FOREARM	2953.12
	ABOVE ELBOW, MOLDED DOUBLE WALL SOCKET, INTERNAL LOCKING	
L6250*	ELBOW, FOREARM	2318.01
	SHOULDER DISARTICULATION, MOLDED SOCKET, SHOULDER BULKHEAD,	
L6300*	HUMERAL SECTION, INTERNAL LOCKING ELBOW, FOREARM	3021.28
	SHOULDER DISARTICULATION, PASSIVE RESTORATION (COMPLETE	
L6310*	PROSTHESIS)	2608.74
20010	SHOULDER DISARTICULATION, PASSIVE RESTORATION (SHOULDER CAP	2000.74
L6320*	ONLY)	1425.11
20320	INTERSCAPULAR THORACIC, MOLDED SOCKET, SHOULDER BULKHEAD,	1423.11
L6350*	HUMERAL SECTION, INTERNAL LOCKING ELBOW, FOREARM	3176.41
L0330	ITOMIENAE SECTION, INTERNAE ECORING ELBOW, FOREARM	51/0.41

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
CODE	DESCRIPTION	RATE
	INTERSCAPULAR THORACIC, PASSIVE RESTORATION (COMPLETE	
L6360*	PROSTHESIS)	2856.69
1 0070+		4700.05
L63/0°	INTERSCAPULAR THORACIC, PASSIVE RESTORATION (SHOULDER CAP ONLY) IMMEDIATE POSTSURGICAL OR EARLY FITTING, APPLICATION OF INITIAL	1709.35
	RIGID DRESSING, INCLUDING FITTING ALIGNMENT AND SUSPENSION OF	
1 0000+	COMPONENTS, AND ONE CAST CHANGE, WRIST DISARTICULATION OR	000 50
L6380*	BELOW ELBOW IMMEDIATE POSTSURGICAL OR EARLY FITTING, APPLICATION OF INITIAL	990.53
	RIGID DRESSING, INCLUDING FITTING ALIGNMENT AND SUSPENSION OF	
	COMPONENTS, AND ONE CAST CHANGE, ELBOW DISARTICULATION OR	
L6382*	ABOVE ELBOW	4 4 0 0 0 0
L0382"	IMMEDIATE POSTSURGICAL OR EARLY FITTING, APPLICATION OF INITIAL	1490.22
	RIGID DRESSING, INCLUDING FITTING ALIGNMENT AND SUSPENSION OF	
	COMPONENTS, AND ONE CAST CHANGE, SHOULDER DISARTICULATION OR	
L6384 *	INTERSCAPULAR THORACIC	2064 55
L0304	IMMEDIATE POST SURGICAL OR EARLY FITTING, EACH ADDITIONAL CAST	2061.55
L6386	CHANGE AND REALIGNMENT	325.67
L0300	IMMEDIATE POST SURGICAL OR EARLY FITTING, APPLICATION OF RIGID	525.07
L6388*	DRESSING ONLY	356.51
20300	BELOW ELBOW, MOLDED SOCKET, ENDOSKELETAL SYSTEM, INCLUDING	550.51
L6400*	SOFT PROSTHETIC TISSUE SHAPING	1881.72
20400	ELBOW DISARTICULATION, MOLDED SOCKET, ENDOSKELETAL SYSTEM,	1001.72
L6450*	INCLUDING SOFT PROSTHETIC TISSUE SHAPING	2513.93
20100	ABOVE ELBOW, MOLDED SOCKET, ENDOSKETETAL SYSTEM, INCLUDING	2010.00
L6500*	SOFT PROSTHETIC TISSUE SHAPING	2630.09
	SHOULDER DISARTICULATION, MOLDED SOCKET, ENDOSKELETAL SYSTEM,	
L6550*	INCLUDING SOFT PROSTHETIC TISSUE SHAPING	3161.41
	INTERSCAPULAR THORACIC, MOLDED SOCKET, ENDOSKELETAL SYSTEM,	
L6570*	INCLUDING SOFT PROSTHETIC TISSUE SHAPING	3549.41
	PREPARATORY, WRIST DISARTICULATION OR BELOW ELBOW, SINGLE WALL PLASTIC SOCKET, FRICTION WRIST, FLEXIBLE ELBOW HINGES, FIGURE OF	
	EIGHT HARNESS, HUMERAL CUFF, BOWDEN CABLE CONTROL, USMC OR	
L6580*		4255.00
L0300	EQUAL PYLON, NO COVER, MOLDED TO PATIENT MODEL PREPARATORY, WRIST DISARTICULATION OR BELOW ELBOW, SINGLE WALL	1355.09
	SOCKET, FRICTION WRIST, FLEXIBLE ELBOW HINGES, FIGURE EIGHT	
	HARNESS, HUMERAL CUFF, BOWDEN CABLE CONTROL, USMC OR EQUAL	
L6582*	PYLON, NO COVER, DIRECT FORMED	1227.35
20002	PREPARATORY, ELBOW DISARTICULATION OR ABOVE ELBOW, SINGLE WALL	1221.33
	PLASTIC SOCKET, FRICTION WRIST, LOCKING ELBOW, FIGURE EIGHT	
	HARNESS, FAIR LEAD CABLE CONTROL, USMC OR EQUAL PYLON, NO COVER	
L6584*	, MOLDED TO PATIENT MODEL	1924.79
	PREPARATORY, ELBOW DISARTICULATION OR ABOVE ELBOW, SINGLE WALL	
	SOCKET, FRICTION WRIST, LOCKING ELBOW, FIGURE EIGHT HARNESS, FAIR	
	LEAD CABLE CONTROL, USMC OR EQUAL PLYON, NO COVER, DIRECT	
L6586*	FORMED	1801.29
-	PREPARATORY, SHOULDER DISARTICULATION OR INTERSCAPULAR	
	THORACIC SINGLE WALL PLASTIC SOCKET, SHOULDER JOINT, LOCKING	
	ELBOW, FRICTION WRIST, CHEST STRAP, FAIR LEAD CABLE CONTROL, USMC	
L6588*	OR EQUAL PYLON, NO COVER, MOLDED TO PATIENT MODEL	2366.87

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
CODE	DESCRIPTION	RATE
	PREPARATORY, SHOULDER DISARTICULATION OR INTERSCAPULAR	
	THORACIC, SINGLE WALL SOCKET, SHOULDER JOINT, LOCKING ELBOW,	
	FRICTION WRIST CHEST STRAP, FAIR LEAD CABLE CONTROL, USMC OR	
L6590*	EQUAL PYLON, NO COVER, DIRECT FORMED	2248.17
L6600	UPPER EXTREMITY ADDITIONS, POLYCENTRIC HINGE, PAIR	152.12
L6605	UPPER EXTREMITY ADDITIONS, SINGLE PIVOT HINGE, PAIR	150.19
L6610	UPPER EXTREMITY ADDITIONS, FLEXIBLE METAL HINGE, PAIR	144.24
L6615	UPPER EXTREMITY ADDITION, DISCONNECT LOCKING WRIST UNIT	155.42
	UPPER EXTREMITY ADDITION, ADDITIONAL DISCONNECT INSERT FOR	
L6616	LOCKING WRIST UNIT, EACH	57.59
	UPPER EXTREMITY ADDITION, FLEXION/EXTENSION WRIST UNIT, WITH OR	
L6620	WITHOUT FRICTION	248.65
	UPPER EXTREMITY ADDITION, SPRING ASSISTED ROTATIONAL WRIST UNIT	
L6623*	WITH LATCH RELEASE	693.59
	UPPER EXTREMITY ADDITION, FLEXION/EXTENSION AND ROTATION WRIST	
L6624*		3088.48
L6625	UPPER EXTREMITY ADDITION, ROTATION WRIST UNIT WITH CABLE LOCK	492.82
	UPPER EXTREMITY ADDITION, QUICK DISCONNECT HOOK ADAPTER, OTTO	
L6628	BOCK OR EQUAL	388.48
	UPPER EXTREMITY ADDITION, QUICK DISCONNECT LAMINATION COLLAR	
L6629	WITH COUPLING PIECE, OTTO BOCK OR EQUAL	118.64
L6630	UPPER EXTREMITY ADDITION, STAINLESS STEEL, ANY WRIST	174.78
L6632	UPPER EXTREMITY ADDITIONS, LATEX SUSPENSION SLEEVE, EACH	60.70
L6635	UPPER EXTREMITY ADDITION, LIFT ASSIST FOR ELBOW	142.83
L6637	UPPER EXTREMITY ADDITION, NUDGE CONTROL ELBOW LOCK	304.66
	UPPER EXTREMITY ADDITION TO PROSTHESIS, ELECTRIC LOCKING FEATURE	
L6638*	ONLY FOR USE WITH MANUALLY POWERED ELBOW	2050.80
L6640	UPPER EXTREMITY ADDITION, SHOULDER ABDUCTION JOINT, PAIR	270.65
L6641	UPPER EXTREMITY ADDITION, EXCURSION AMPLIFIER, PULLEY TYPE	130.10
L6642	UPPER EXTREMITY ADDITION, EXCURSION AMPLIFIER, LEVER TYPE	176.34
L6645	UPPER EXTREMITY ADDITION, SHOULDER FLEXION-ABDUCTION JOINT, EACH	325.49
	UPPER EXTREMITY ADDITION, SHOULDER JOINT, MULTIPOSITIONAL	
	LOCKING, FLEXION, ADJUSTABLE ABDUCTION FRICTION CONTROL, FOR USE	
L6646*	WITH BODY POWERED OR EXTERNAL POWERED SYSTEM	2586.52
	UPPER EXTREMTIY ADDITION, SHOULDER LOCK MECHANISM, BODY	
L6647	POWERED ACTUATOR	425.81
	UPPER EXTREMITY ADDITION, SHOULDER UNIVERSAL JOINT, EACH	337.94
L6655	UPPER EXTREMITY ADDITION, STANDARD CONTROL CABLE, EXTRA	66.42
L6660	UPPER EXTREMITY ADDITION, HEAVY DUTY CONTROL CABLE	74.44
L6665	UPPER EXTREMITY ADDITION, TEFLON, OR EQUAL, CABLE LINING	37.35
L6670	UPPER EXTREMITY ADDITION, HOOK TO HAND, CABLE ADAPTER	41.29
	UPPER EXTREMITY ADDITION, HARNESS, CHEST OR SHOULDER, SADDLE	
L6672	ТҮРЕ	163.87
	UPPER EXTREMITY ADDITION, HARNESS, (E.G., FIGURE OF 8 EIGHT TYPE),	
L6675	SINGLE CABLE DESIGN	97.38
	UPPER EXTREMITY ADDITION, HARNESS, (E.G., FIGURE OF 8 EIGHT TYPE),	
L6676	DUAL CABLE DESIGN	112.58
	UPPER EXTREMITY ADDITION, HARNESS, TRIPLE CONTROL, SIMULTANEOUS	
L6677	OPERATION OF TERMINAL DEVICE AND ELBOW	255.47

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
	DESCRIPTION	RATE
	UPPER EXTREMITY ADDITION, TEST SOCKET, WRIST DISARTICULATION OR	
L6680	BELOW ELBOW	188.15
	UPPER EXTREMITY ADDITION, TEST SOCKET, ELBOW DISARTICULATION OR	
L6682	BELOW ELBOW	208.02
	UPPER EXTREMITY ADDITION, TEST SOCKET, SHOULDER DISARTICULATION	
L6684	OR INTERSCAPULAR THORACIC	282.68
L6686*	UPPER EXTREMITY ADDITION, SUCTION SOCKET	638.35
	UPPER EXTREMITY ADDITION, FRAME TYPE SOCKET, BELOW ELBOW OR	
L6687	WRIST DISARTICULATION	467.76
	UPPER EXTREMITY ADDITION, FRAME TYPE SOCKET, ABOVE ELBOW OR	
L6688	ELBOW DISARTICULATION	464.95
20000	UPPER EXTREMITY ADDITION, FRAME TYPE SOCKET, SHOULDER	-000
L6689*	DISARTICULATION	557.06
_0000	UPPER EXTREMITY ADDITION, FRAME TYPE SOCKET, INTERSCAPULAR-	
L6690*	THORACIC	607.03
L6691	UPPER EXTREMITY ADDITION, REMOVABLE INSERT, EACH	280.97
L6692	UPPER EXTREMITY ADDITION, SILICONE GEL INSERT OR EQUAL, EACH	453.51
LUUJZ	UPPER EXTREMITY ADDITION, SILICONE GEL INSERT OR EQUAL, EACH	
L6693*	COUNTERBALANCE	2328.19
20033	ADDITION TO UPPER EXTREMITY PROSTHESIS, BELOW ELBOW/ABOVE	2320.13
	ELBOW, CUSTOM FABRICATED FROM EXISTING MOLD OR PREFABRICATED,	
	SOCKET INSERT, SILICONE GEL, ELASTOMERIC OR EQUAL, FOR USE WITH	
L6694*	LOCKING MECHANISM	576.63
L0034	ADDITION TO UPPER EXTREMITY PROSTHESIS, BELOW ELBOW/ABOVE	570.05
	ELBOW, CUSTOM FABRICATED FROM EXISTING MOLD OR PREFABRICATED,	
	SOCKET INSERT, SILICONE GEL, ELASTOMERIC OR EQUAL, NOT FOR USE	
L6695*	WITH LOCKING MECHANISM	480.51
L0093	ADDITION TO UPPER EXTREMITY PROSTHESIS, BELOW ELBOW/ABOVE	400.51
	ELBOW, CUSTOM FABRICATED SOCKET INSERT FOR CONGENITAL OR	
	ATYPICAL TRAUMATIC AMPUTEE, SILICONE GEL, ELASTOMERIC OR EQUAL,	
	FOR USE WITH OR WITHOUT LOCKING MECHANISM, INITIAL ONLY (FOR	
L6696*	OTHER THAN INIT	1078.73
L0090.	ADDITION TO UPPER EXTREMITY PROSTHESIS, BELOW ELBOW/ABOVE	10/0./3
	ELBOW. CUSTOM FABRICATED SOCKET INSERT FOR OTHER THAN	
	CONGENITAL OR ATYPICAL TRAUMATIC AMPUTEE, SILICONE GEL,	
	ELASTOMERIC OR EQUAL, FOR USE WITH OR WITHOUT LOCKING	
1 6607*	MECHANISM, INITIAL ONLY (FOR OTHE	1070 70
L6697*	ADDITION TO UPPER EXTREMITY PROSTHESIS, BELOW ELBOW/ABOVE	1078.73
1 6600+		400.04
L6698*	ELBOW, LOCK MECHANISM, EXCLUDES SOCKET INSERT	466.31
L6703	TERMINAL DEVICE, PASSIVE HAND/MITT, ANY MATERIAL, ANY SIZE	294.82
10704	TERMINAL DEVICE, SPORT/RECREATIONAL/WORK ATTACHMENT, ANY	474.00
L6704	MATERIAL, ANY SIZE	474.92
1.0700	TERMINAL DEVICE, HOOK, MECHANICAL, VOLUNTARY OPENING, ANY	
L6706	MATERIAL, ANY SIZE, LINED OR UNLINED	282.96
1.070-2	TERMINAL DEVICE, HOOK, MECHANICAL, VOLUNTARY CLOSING, ANY	
L6707*	MATERIAL, ANY SIZE, LINED OR UNLINED	1042.93
	TERMINAL DEVICE, HAND, MECHANICAL, VOLUNTARY OPENING, ANY	
L6708*	MATERIAL, ANY SIZE	681.80
L6709*	TERMINAL DEVICE, HAND, MECHANICAL, VOLUNTARY CLOSING, ANY	
	MATERIAL, ANY SIZE	982.49

\* indicates prior approval is required for HCPCS code

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
	DESCRIPTION	RATE
	TERMINAL DEVICE, HOOK, MECHANICAL, VOLUNTARY OPENING, ANY	
L6711*	MATERIAL, ANY SIZE, LINED OR UNLINE, PEDIATRIC	578.91
	TERMINAL DEVICE, HOOK, MECHANICAL, VOLUNTARY CLOSING, ANY	
L6712*	MATERIAL, ANY SIZE, LINED OR UNLINE, PEDIATRIC	1065.91
20112	TERMINAL DEVICE, HAND, MECHANICAL, VOLUNTARY OPENING, ANY	1000101
L6713*	MATERIAL, ANY SIZE, LINED OR UNLINE, PEDIATRIC	1345.26
20/13	TERMINAL DEVICE, HAND, MECHANICAL, VOLUNTARY CLOSING, ANY	1040.20
L6714*	MATERIAL, ANY SIZE, LINED OR UNLINE, PEDIATRIC	1139.44
LUTT	TERMINAL DEVICE, HOOK OR HAND, HEAVY DUTY, MECHANICAL,	1100.44
L6721*	VOLUNTARY OPENING, ANY MATERIAL, ANY SIZE, LINED OR UNLINE	2025.25
LUIZI	TERMINAL DEVICE, HOOK OR HAND, HEAVY DUTY, MECHANICAL,	2020.20
L6722*	VOLUNTARY CLOSING, ANY MATERIAL, ANY SIZE, LINED OR UNLINE	1745.90
L6805	ADDITION TO TERMINAL DEVICE, MODIFIER WRIST UNIT	275.91
L6810	ADDITION TO TERMINAL DEVICE, PRECISION PINCHER DEVICE	156.40
LUGIU	ADDITION TO TERMINAL DEVICE, FRECISION FINCTIER DEVICE	130.40
	REPLACEMENT SOCKET, BELOW ELBOW/WRIST DISARTICULATION, MOLDED	
L6883*	TO PATIENT MODEL, FOR USE WITH OUR WITHOUT EXTERNAL POWER	1286.88
L0003	TO FATIENT MODEL, FOR USE WITH OUR WITHOUT EXTERNAL FOWER	1200.00
	REPLACEMENT SOCKET, ABOVE ELBOW/ELBOW DISARTICULATION, MOLDED	
L6884*	TO PATIENT MODEL. FOR USE WITH OR WITHOUT EXTERNAL POWER	1000.00
L0004	REPLACEMENT SOCKET, SHOULDER DISARTICULATION/INTERSCAPULAR	1909.99
	THORACIC, MOLDED TO PATIENT MODEL, FOR USE WITH OR WITHOUT	
L6885*	EXTERNAL POWER	
L0000	ADDITION TO UPPER EXTERMITY PROSTHESIS, GOLVE FOR TERMINAL	2856.69
	DEVICE, ANY MATERIAL, PERFABRICATED, INCLUDES FITTING AND	
L6890	ADJUSTMENT	137.93
L0090	ADJUSTMENT	137.93
	HAND RESTORATION (CASTS, SHADING AND MEASUREMENTS INCLUDED),	
L6900*	PARTIAL HAND, WITH GLOVE, THUMB OR ONE FINGER REMAINING	1448.03
L0900	PARTIAL HAND, WITH GLOVE, THUMB OR ONE FINGER REMAINING	1440.03
	HAND RESTORATION (CASTS, SHADING AND MEASUREMENTS INCLUDED),	
L6905*	PARTIAL HAND, WITH GLOVE, MULITPLE FINGERS REMAINING	1439.80
L0902	HAND RESTORATION (CASTS, SHADING AND MEASUREMENTS INCLUDED),	1439.60
1 604.0*	PARTIAL HAND, WITH GLOVE, NO FINGERS REMAINING	1231.18
L0910	HAND RESTORATION (SHADING AND MEASUREMENTS INCLUDED),	1231.10
L6915*	REPLACEMENT GLOVE FOR ABOVE	620.74
L0915	ADDITION TO UPPER EXTREMITY PROSTHESIS, BELOW ELBOW/WRIST	020.74
	DISARTICULATION, ULTRALIGHT MATERIAL (TITANIUM, CARBON FIBER OR	
L7400	EQUAL)	254 25
L/400	ADDITION TO UPPER EXTREMITY PROSTHESIS, ABOVE ELBOW	251.35
	DISARTICULATION, ULTRALIGHT MATERIAL (TITANIUM, CARBON FIBER OR	
1 7404		004 00
L7401	EQUAL) ADDITION TO UPPER EXTREMITY PROSTHESIS, SHOULDER	281.38
	DISARTICULATION/INTERSCAPULAR THOACIC, ULTRALIGHT MATERIAL	
17400	,	202.05
L7402	(TITANIUM, CARBON FIBER OR EQUAL) ADDITION OTO UPPER EXTERMITY PROSTHESIS, BELOW ELBOW/WRIST	303.85
1 7400		000 00
L7403	DISARTICULATION, ACRYLIC MATERIAL	302.02
17404	ADDITION TO UPPER EXTREMITY PROSTHESIS, ABOVE ELBOW	
L7404	DISARTICULATION, ACRYLIC MATERIAL	455.79
	ADDITION TO UPPER EXTREMITY PROSTHESIS, SHOULDER	500 44
L7405*	DISARTICULATION/INTERSCAPULAR THOACIC, ACRYLIC MATERIAL	596.11

\* indicates prior approval is required for HCPCS code

+ indicates prior approval is required for HCPCS code for adults only

**BOLD** print indicates HCPCS code is Medicare covered

HCPCS	ORTHOTIC & PROSTHETIC DEVICES	MAXIMUM
	DESCRIPTION	RATE
		MANUALLY
L7499*	UPPER EXTREMITY PROSTHESIS, NOT OTHERWISE SPECIFIED	PRICED
21400		MANUALLY
L7510*	REPAIR OF PROSTHETIC DEVICE, REPAIR OR REPLACE MINOR PARTS	PRICED
	REPAIR OF PROSTHETIC DEVICE, LABOR COMPONENT, PER 15 MINUTES	22.17
L7600	PROSTHETIC DONNING SLEEVE, ANY MATERIAL, EACH	72.09
	TRUSSES	
L8300	TRUSS, SINGLE WITH STANDARD PAD	78.98
	TRUSS, DOUBLE WITH STANDARD PADS	121.44
	TRUSS, ADDITION TO STANDARD PAD, WATER PAD	53.05
L8330	TRUSS, ADDITION TO STANDARD PAD, SCROTAL PAD	52.58
20330	PROSTHETIC SOCKS	52.50
L8400	PROSTHETIC SHEATH, BELOW KNEE, EACH	15.37
	PORSTHETIC SHEATH, ABOVE KNEE, EACH PROSTHETIC SHEATH, UPPER LIMB, EACH	17.48
L0413	PROSTHETIC SHEATH, UPPER LIMB, EACH PROSTHETIC SHEATH/SOCK, INCLUDING A GEL CUSHION LAYER, BELOW	17.38
10447	KNEE OR ABOVE KNEE, EACH	C1 CC
	PROSTHETIC SOCK, MULTIPLE PLY, BELOW KNEE, EACH	61.66
	PROSTHETIC SOCK, MULTIPLE PLY, ABOVE KNEE, EACH	20.32
		22.34
	PROSTHETIC SOCK, MULITPLE PLY, UPPER LIMB, EACH	20.06
		42.52
	PROSTHETIC SHRINKER, ABOVE KNEE, EACH	59.17
		52.74
	PROSTHETIC SOCK, SINGLE PLY, FITTING, BELOW KNEE, EACH	5.42
	PROSTHETIC SOCK, SINGLE PLY, FITTING, ABOVE KNEE, EACH	7.46
L8485	PROSTHETIC SOCK, SINGLE PLY, FITTING, UPPER LIMB, EACH	9.02
1 0 4 0 0 *		MANUALLY
L8499*	UNLISTED PROCEDURE FOR MISCELLANEOUS PROSTHETIC SERVICES	PRICED
	EXTERNAL BREAST PROSTHESES	
	ADHESIVE SKIN SUPPORT ATTACHMENT FOR USE WITH EXTERNAL BREAST	
	PROSTHESIS, EACH	5.03
L8000	BREAST PROSTHESIS, MASTECTOMY BRA	35.67
	BREAST PROSTHESIS, MASTECTOMY BRA, WITH INTEGRATED BREAST	
L8001	PROSTHESIS FORM, UNILATERAL	102.85
	BREAST PROSTHESIS, MASTECTOMY BRA, WITH INTEGRATED BREAST	
	PROSTHESIS FORM, BILATERAL	135.31
L8010	BREAST PROSTHESIS, MASTECTOMY/SLEEVE	85.70
	BREAST PROSTHESIS GARMENT, WITH MASTECTOMY FORM, POST-	
L8015	MASTECTOMY	49.16
L8020	BREAST PROSTHESIS, MASTECTOMY FORM	184.89
L8030	BREAST PROSTHESIS, SILICONE OR EQUAL, WITHOUT INTEGRAL ADHESIVE	267.43
	OCULAR PROSTHESES	
V2623*	PROSTHETIC EYE, PLASTIC, CUSTOM	727.94
	POLISHING/RESURFACING OF OCULAR PROSTHESIS	49.36
	ENLARGEMENT OF OCULAR PROSTHESIS	319.77
	REDUCTION OF OCULAR PROSTHESIS	202.87
	SCLERAL COVER SHELL	1161.49
VZ0Z/		