Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

DRAFT

Therapeutic Class Code: D6K, S2J, S2M, S2Q, Z2U, Z2Z, S2Z, L1A, S2V, Z2V, D6K, Z27 **Therapeutic Class Description:** Immunomodulatory Agents

Medication	Medication	Medication
Actemra SQ	Ilumya	Siliq
Actemra Infusion	Inflectra Infusion	Simponi
Arcalyst	Kevzara	Simponi Aria Infusion
Avsola Infusion	Kineret	Skyrizi
Cimzia	Olumiant	Stelara
Cosentyx	Orencia Infusion	Stelara Infusion
Enbrel	Orencia SQ	Taltz
<u>Enspryng</u>	Otezla	Tremfya
Entyvio Infusion	Remicade Infusion	Uplizna
Humira	Renflexis	Xeljanz and Xeljanz XR
Ilaris	Rinvoq ER	

Eligible Beneficiaries

NC Medicaid (Medicaid) beneficiaries shall be enrolled on the date of service and may have service restrictions due to their eligibility category that would make them ineligible for this service.

NC Health Choice (NCHC) beneficiaries, ages 6 through 18 years of age, shall be enrolled on the date of service to be eligible, and must meet policy coverage criteria, unless otherwise specified. **EPSDT does not apply to NCHC beneficiaries**.

EPSDT Special Provision: Exception to Policy Limitations for Beneficiaries under 21 Years of Age

42 U.S.C. § 1396d(r) [1905(r) of the Social Security Act]

Early and Periodic Screening, Diagnostic, and Treatment (EPSDT) is a federal Medicaid requirement that requires the state Medicaid agency to cover services, products, or procedures for Medicaid beneficiaries under 21 years of age **if** the service is **medically necessary health care** to correct or ameliorate a defect, physical or mental illness, or a condition [health problem] identified through a screening examination (includes any evaluation by a physician or other licensed clinician). This means EPSDT covers most of the medical or remedial care a child needs to improve or maintain his/her health in the best condition possible, compensate for a health problem, prevent it from worsening, or prevent the development of additional health problems. Medically necessary services will be provided in the most economic mode, as long as the treatment made available is similarly efficacious to the service requested by the beneficiary's physician, therapist, or other licensed practitioner; the determination process does not delay the delivery of the needed service; and the determination does not limit the beneficiary's right to a free choice of providers.

EPSDT does not require the state Medicaid agency to provide any service, product, or procedure

a. that is unsafe, ineffective, or experimental/investigational.

b. that is not medical in nature or not generally recognized as an accepted method of medical practice or treatment.

20K19 Public Comment

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

Service limitations on scope, amount, duration, frequency, location of service, and/or other specific criteria described in clinical coverage policies may be exceeded or may not apply as long as the provider's

documentation shows that the requested service is medically necessary "to correct or ameliorate a defect, physical or mental illness, or a condition" [health problem]; that is, provider documentation shows how the service, product, or procedure meets all EPSDT criteria, including to correct or improve or maintain the beneficiary's health in the best condition possible, compensate for a health

problem, prevent it from worsening, or prevent the development of additional health problems.

EPSDT and Prior Approval Requirements

If the service, product, or procedure requires prior approval, the fact that the beneficiary is under 21 years of age does **NOT** eliminate the requirement for prior approval.

IMPORTANT ADDITIONAL INFORMATION about EPSDT and prior approval is found in the NCTracks Provider Claims and Billing Assistance Guide, and on the EPSDT provider page. The Web addresses are specified below.

NCTracks Provider Claims and Billing Assistance Guide:

<u>https://www.nctracks.nc.gov/content/public/providers/provider-manuals.html</u> **EPSDT provider page:** <u>https://medicaid.ncdhhs.gov/medicaid/get-started/find-programs-and-services-right-you/medicaid-benefit-children-and-adolescents</u>

Health Choice Special Provision: Exceptions to Policy Limitations for Health Choice Beneficiaries ages 6 through 18 years of age

EPSDT does not apply to NCHC beneficiaries. If a NCHC beneficiary does not meet the clinical coverage criteria within **the Outpatient Pharmacy prior approval** clinical coverage criteria, the NCHC beneficiary shall be denied services. Only services included under the Health Choice State Plan and the NC Medicaid clinical coverage policies, service definitions, or billing codes shall be covered for NCHC beneficiaries.

Criteria

- **<u>1.</u>** <u>Ankylosing Spondylitis</u>: For Enbrel, Humira, Cosentyx, <u>Avsola</u> Cimzia, Inflectra, Simponi, Simponi Aria, Remicade, Taltz and Renflexis ONLY.
- Beneficiary has a diagnosis of Ankylosing Spondylitis AND
- Beneficiary is not on another injectable biologic immunomodulator AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab AND
- Beneficiary has experienced inadequate symptom relief from treatment with at least two NSAIDS OR
- Beneficiary is unable to receive treatment with NSAIDS due to contraindications. OR
- 20K19 Public Comment

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

- Beneficiary has clinical evidence of severe or rapidly progressing disease AND
- Coverage of non-preferred medications require a trial and failure of Cosentyx, Enbrel or Humira or a clinical reason beneficiary cannot try Cosentyx, Enbrel or Humira.
- **<u>2.</u>** <u>Crohn's disease (Adult):</u> For Humira, Avsola, Cimzia, Entyvio, Inflectra, Stelara, Stelara Infusion Remicade and Renflexis ONLY.
- Beneficiary has a diagnosis of moderate to severe Crohn's Disease. AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab AND
- Coverage of non-preferred medications require a trial and failure of Humira or a clinical reason beneficiary cannot try Humira
- **<u>3.</u>** <u>**Crohn's disease (Pediatric)**</u>: For Humira, Avsola, Inflectra, Remicade, and Renflexis ONLY
- Beneficiary has a diagnosis of moderate to severe Crohn's Disease. AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab AND
- Coverage of non-preferred medications require a trial and failure of Humira or a clinical reason beneficiary cannot try Humira
- **<u>4.</u>** <u>Polyarticular Juvenile Idiopathic Arthritis (PJIA)</u>: For Enbrel, Humira, Actemra SQ, Actemra Infusion, Orencia Infusion and Orencia SQ ONLY.</u>
- Beneficiary has a diagnosis of Polyarticular Juvenile Idiopathic Arthritis AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab AND
- Beneficiary has tried one systemic corticosteroid (e.g. prednisone, methylprednisolone) or methotrexate, leflunomide or sulfasalazine with inadequate response or is unable to take these therapies due to contraindications. OR
- Beneficiary has PJIA subtype enthesitis related arthritis AND
- Coverage of non-preferred medications require a trial and failure of Enbrel or Humira or a
- 20K19 Public Comment

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

clinical reason beneficiary cannot try Enbrel or Humira.

5. <u>Systemic Onset Juvenile Idiopathic Arthritis.(SJIA)</u>: For Actemra Infusion, Actemra SQ and Ilaris ONLY.

- Beneficiary has a diagnosis of Systemic Juvenile Idiopathic arthritis
- AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has a diagnosis of Systemic Juvenile Idiopathic arthritis
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab OR
- Beneficiary has systemic arthritis with active systemic features and features of poor prognosis, as determined by the prescribing physician (e.g. arthritis of the hip, radiographic damage)

6. Neonatal Onset Multisystem Inflammatory Disease (NOMID): For Kineret ONLY.

- Beneficiary has a diagnosis of neonatal-onset multisystem inflammatory disease AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab
- 7. Cryopyrin-Associated Periodic Syndromes (CAPS) including Familial Cold Autoinflammatory Syndrome (FCAS) and Muckle-Wells Syndrome (MWS): For Arcalyst and Ilaris ONLY.
 - Beneficiary has a diagnosis of Cryopyrin-Associated Periodic Syndromes (CAPS) including Familial Cold Autoinflammatory Syndrome (FCAS) and Muckle-Wells Syndrome (MWS) AND
 - Beneficiary is not on another injectable biologic immunomodulator. AND
 - Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
 - Beneficiary has been tested with Hep B SAG and Core Ab
- **<u>8.</u>** <u>Plaque psoriasis (Pediatric</u>): For Enbrel, Stelara (ages <u>12.6</u> and up), and Taltz (ages 6 and up) ONLY.
 - Beneficiary has a diagnosis of plaque psoriasis and is a candidate for systemic therapy or phototherapy AND
 - Beneficiary is not on another injectable biologic immunomodulator. AND
 - Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- 20K19 Public Comment

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

- Beneficiary has been tested with Hep B SAG and Core Ab AND
- Beneficiary has experienced a therapeutic failure/inadequate response with or has a contraindication or intolerance to methotrexate. AND
- Beneficiary has body surface area (BSA) involvement of at least 3%. OR
- Beneficiary has involvement of the palms, soles, head and neck, or genitalia, causing disruption in normal daily activities and/or employment. AND
- For ages 6 and up, coverage of non-preferred medications requires a trial and failure of Enbrel or a clinical reason beneficiary cannot try Enbrel.
- **<u>9.</u>** <u>Plaque psoriasis (adult):</u> For Enbrel, Humira, Cosentyx, Avsola, Cimzia, Ilumya, Inflectra, Otezla, Remicade, Renflexis, Siliq, Skyrizi, Stelara, Taltz, and Tremfya ONLY.
 - Beneficiary has a documented definitive diagnosis of moderate-to-severe chronic plaque psoriasis AND
 - Beneficiary is 18 years of age or older AND
 - Beneficiary is not on another injectable biologic immunomodulator. AND
 - Beneficiary has been considered and screened for the presence of latent tuberculosis infection (not required for Otezla).
 AND
 - Beneficiary has been tested with Hep B SAG and Core Ab (not required for Otezla). AND
 - Beneficiary has body surface area (BSA) involvement of at least 3%. OR
 - Beneficiary has involvement of the palms, soles, head and neck, or genitalia, causing disruption in normal daily activities and/or employment.
 AND
 - Beneficiary has failed to respond to, or has been unable to tolerate phototherapy and **ONE** of the following medications or beneficiary has contraindications to these treatments:
 - Soriatane (acitretin)
 - Methotrexate
 - Cyclosporine

AND

- Coverage of non-preferred medications require a trial and failure of Cosentyx, Enbrel or Humira or a clinical reason beneficiary cannot try either Cosentyx, Enbrel or Humira. AND
- Beneficiaries, Providers, and Pharmacies utilizing Siliq must be registered appropriately in the Siliq Risk Evaluation and Mitigation Strategy Program (REMS program).
- <u>10. Psoriatic arthritis:</u> For Enbrel, Humira, Cosentyx, Avsola, Cimzia, Inflectra, Orencia SQ, Orencia Infusion, Otezla, Renflexis, Remicade, Simponi, Simponi Aria, Stelara, Taltz, <u>Tremfya</u>, Xeljanz and Xeljanz XR ONLY
 - Beneficiary has a documented definitive diagnosis of psoriatic arthritis AND
- 20K19 Public Comment

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

- Beneficiary is 18 years of age or older AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection (not required for Otezla).
- AND
- Beneficiary has been tested with Hep B SAG and Core Ab (not required for Otezla). AND
- Beneficiary has a documented inadequate response or inability to take methotrexate AND
- Coverage of non-preferred medications require a trial and failure of Cosentyx, Enbrel or Humira or a clinical reason beneficiary cannot try either Cosentyx, Enbrel or_Humira.
- **<u>11.</u>** <u>**Rheumatoid arthritis:**</u> For Enbrel, Humira, Actrema Infusion, Actemra SQ, Avsola, Cimzia, Inflectra, Kevzara, Kineret, Olumiant, Orencia, Orencia SQ, Remicade, Renflexis, Rinvoq ER, Simponi, Simponi Aria, Xeljanz and Xeljanz XR ONLY
 - Beneficiary has a diagnosis of Rheumatoid Arthritis AND
 - Beneficiary is not on another injectable biologic immunomodulator. AND
 - Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
 - Beneficiary has been tested with Hep B SAG and Core Ab AND
 - Beneficiary has experienced a therapeutic failure/inadequate response with methotrexate or at least one disease modifying antirheumatic drug (e.g. leflunomide, hydroxychloroquine, minocycline, sulfasalazine).

OR

- Beneficiary is unable to receive methotrexate or disease modifying antirheumatic drug due to contraindications or intolerabilities. OR
- Beneficiary has clinical evidence of severe or rapidly progressing disease AND
- Coverage of non-preferred medications require a trial and failure of Enbrel or Humira or a clinical reason beneficiary cannot try either Enbrel or Humira.
- **12.** <u>Ulcerative colitis (Adult):</u> For Humira, <u>Avsola</u>, Entyvio, Inflectra, Remicade, Renflexis, Stelara, Simponi, Xeljanz and Xeljanz XR ONLY.
 - Beneficiary has a diagnosis of ulcerative colitis. AND
 - Beneficiary is not on another injectable biologic immunomodulator. AND
 - Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
 - Beneficiary has been tested with Hep B SAG and Core Ab AND
 - Coverage of non-preferred medications require a trial and failure of Humira or a clinical
- 20K19 Public Comment

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

reason beneficiary cannot try Humira

13. <u>Ulcerative colitis (Pediatric):</u> For Avsola, Remicade ONLY

- Beneficiary has a diagnosis of ulcerative colitis. AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab

<u>14.</u> <u>Hidradenitis Suppurativa:</u> For Humira ONLY (ages 12 and older)

- Beneficiary has a diagnosis of Hidradenitis Suppurativa (moderate to severe). AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab

15. <u>Tumor Necrosis Factor Receptor Associated Periodic Syndrome (TRAPS);</u> Ilaris ONLY

- Beneficiary has a diagnosis of Tumor Necrosis Factor Receptor Associated Periodic Syndrome (TRAPS) AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab

<u>16.</u> <u>Hyperimmunoglobulin D Syndrome (HIDS)/Mevalonate Kinase Deficiency (MKD):</u> <u>Ilaris ONLY</u>

- Beneficiary has a diagnosis of Hyperimmunoglobulin D Syndrome (HIDS)/Mevalonate Kinase Deficiency (MKD) AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab

<u>17.</u> Familial Mediterranean Fever (FMF): Ilaris ONLY

- Beneficiary has a diagnosis of Familial Mediterranean Fever (FMF) AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- 20K19 Public Comment

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

• Beneficiary has been tested with Hep B SAG and Core Ab

<u>18.</u> Non-infectious Intermediate Posterior Panuveitis: Humira ONLY (ages 2 and older)

- Beneficiary has a diagnosis of Non-infectious Intermediate Posterior Panuveitis AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab

19. Giant Cell Arteritis: Actemra and Actemra SQ ONLY

- Beneficiary has a diagnosis of Giant Cell Arteritis AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab

20. Cytokine Release Syndrome: Actemra and Actemra SQ ONLY

- Beneficiary has a diagnosis of Cytokine Release Syndrome AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab

21. <u>Non-Radiographic Axial Spondyloarthritis: Cimzia</u>, <u>Cosentyx</u>, and <u>Taltz ONLY</u>

- Beneficiary has a diagnosis of Non-Radiographic Axial Spondyloarthritis AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has failed an adequate trial of a Non-Steroidal Anti-Imflammatory Drug (NSAID) unless contraindicated. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab <u>AND</u>

<u>Coverage of non-preferred medications require a trial and failure of Cosentyx</u>

22. Oral Ulcers associated with Behcet's Disease: Otezla ONLY

- Beneficiary has a documented diagnosis of Behcet's disease AND
- Beneficiary is 18 years of age or older
- 20K19 Public Comment

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

AND

• Beneficiary is not on another injectable biologic immunomodulator.

23. Adult Onset Still's Disease: Ilaris ONLY

- Beneficiary has a diagnosis of Adult Onset Still's Disease AND
- <u>Beneficiary is not on another injectable biologic immunomodulator.</u> <u>AND</u>
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab OR
- <u>Beneficiary has systemic arthritis with active systemic features and features of poor</u> prognosis, as determined by the prescribing physician (e.g. arthritis of the hip, radiographic damage)

24. <u>Neuromyelitis Optica Spectrum Disorder (NMOSD): Uplizna and Enspryng</u>

- Beneficiary has a diagnosis of Neuromyelitis Optica Spectrum Disorder AND
- Beneficiary is anti-aquaporin-4 (AQP4) antibody positive AND
- Beneficiary is 18 years of age or older AND
- <u>Beneficiary is not on another injectable biologic immunomodulator.</u>
 <u>AND</u>
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab

Procedures

- Approve for up to 12 months.
- Coverage of one injectable immunomodulator at a time.

Outpatient Prior Appr Systemic In	t Phar roval (macy Criter lomod	ia ulators															E	Effectiv		e: Aı	igust 1 mende	15, 201	14						
	Enbrel (P)	Humira (P)	Cosentyx (P)	Actemra Infusion/ Actemra SQ	Arcalyst	Avsola	Cimzia	Enspryng	Entyvio	Ilaris	llumya	Inflectra	Kevzara	Kineret	Olumiant	Orencia/ Orencia SQ	Otezla	Remicade	Renflexis	Rinvoq ER	Siliq	Simponi	Simponi Aria	Skyrizi	Stelara	Stelara Infusion	Taltz	Tremfya	<mark>Uplinzna</mark>	Xeljanz/ Xeljanz XR
Anklyosing Spondylitis	X	X	x			X***	X***					X***						X***	X***			X***	X***				X***			
Crohn's Disease (adult)		X				X*	Х*		X*			X*						Х*	X*						X*	X*				
Crohn's Disease (pediatric)		X				X*						X*						Х*	X*											
Polyarticular Juvenile Idiopathic Arthritis (PJIA)	х	X		X**												X**														
Systemic Onset Juvenile Idiopathic Arthritis (SJIA)				X						Х																				
Neonatal Onset Multisystem Inflammatory Disease (NOMID)														х													Х			
Non-Radiographic Axial Spondyloarthritis			×				Х*																				X*			
Cryoprin Associated Periodic Syndromes (CAPS) including Familial Cold Autoinflammatory Syndrome (FCAS) and Muckle-Wells Syndrome (MWS)					X					x																				
Plaque Psoriasis (pediatric)	x																								X* (ages 12 6 and up)		X* (ages 6 and up)			
Plaque Psoriasis (adult)	x	X	x			X***	X***				X***	X***					X***	X***	X***		X***			X***	X***		X***	X***		
Psoriatic Arthritis	х	X	X			X***	X***					X***				X***	X***	X***	X***			X***	X***		X***		X***	<mark>X***</mark>		X***
Rheumatoid Arthritis	x	х		X**		X**	X**					X**	X**	X**	X**	X**		X**	X**	X**		X**	X**							X**
Ulcerative Colitis (adult)		X				X*			Х*			X*						Х*	X*			Х*								X*
Ulcerative Colitis (pediatric)						X*												Х												
Hidradenitis Suppurativa		x																												
Tumor Necrosis Factor Receptor Associated Periodic Syndrome (TRAPS)										X	10																			

NC Medicaid

Medicaid and Health Choice Effective Date: August 15, 2014

NC Medica Outpatient		macy																ŀ	Med Effectiv				Choid 15 201	
Prior App			ia																	t Dat			ed Dat	
Systemic In																								
	Enbrel (P)		Cosentyx (P)	Actemra Infusion/ Actemra	Arcalyst	Avsola	Cimzia	Enspryng	Entyvio	llaris	llumya	Inflectra	Kevzara	Kineret	Olumiant	Orencia/ Orencia SQ	Otezla	Remicade	Renflexis	Rinvoq ER	Siliq	Simponi	Simponi Aria	Sk
				SQ																				
Hyperimmunoglobulin D Syndrome (HIDS)/Mevalonate Kinase Deficiency (MKD)										X														
Familial Mediterranean Fever (FMF)										Х														
Non-Infectious Intermediate Posterior Panuveitis		X																						
Giant Cell Arteritis				Х																				Γ
Cytokine Release Syndrome				Х																				
Behcet's Disease																	Х							
Adult Onset Still's Disease										X														
Neuromyelitis Optica Spectrum Disorder (NMOSD)								×																
*Trial and fa	ilure of I	lumira b	efore cove	rage of no	on-prefer	red ager	nt		** Tr	rial and	failure	of Enbrel	or Humir	a before	e coverage	e of non-p	referre	d agent	ı			1		<u> </u>
*Trial and Fa	ilure of	Enbrel be	efore cover	age of no	n-preferr	ed			***T	rial and	d failure	of either	Cosenty	k, Enbrel	or Humir	a before o	coverage	e of non-p	referred a	gent				
*Trial and Fa	ilure of	<mark>Cosentyx</mark>	before cov	verage of	non-pref	<mark>erred</mark>																		

t 15, 2014 ded Date:

imponi	Simponi Aria	Skyrizi	Stelara	Stelara Infusion	Taltz	Tremfya	<mark>Uplinzna</mark>	Xeljanz/ Xelianz
								Xeljanz XR
							X	

References

- 1. UCB, Inc. Cimzia package insert. Smyrna, GA: November 2012. Updated March 2019.
- 2. Immunex Corporation. Enbrel package insert. Thousand Oaks, CA: June 2013.
- 3. AbbVie Inc. Humira package insert. North Chicago, IL: July 2013.(updated September 2015)
- 4. Swedish Orphan Biovitrum AB. Kineret package insert. Stockholm, Sweden: 2001.
- 5. Bristol-Myers Squibb Company. Orencia package insert. Princeton, NJ: July 2013. Revised March 2017. Revised June 2017.
- 6. Janssen Biotech, Inc. Simponi package insert. Horsham, PA: May 2013.
- Janssen Biotech, Inc. Stelara package insert. Horsham, PA: May 2013. <u>Updated July 2020.</u>
- 8. Pfizer. Xeljanz package insert. New York: September 2013. Revised December 2017.
- Bos JD, Hagenaars C, Das PK, et al. Predominance of "memory" T cells (CD4+, CDw29+) over "naïve" T cells (CD4+, CD45R+) in both normal and diseased human skin. Arch Dermatol Res 1989; 281:24-30.
- 10. Ellis C, Krueger GG. Treatment of chronic plaque psoriasis by selective targeting of memory effector T lymphocytes. N Engl J Med 2001; 345:248-255.
- 11. Fredriksson T, Pettersson U. Severe psoriasis--oral therapy with a new retinoid. Dermatologica 1978; 157:238-244.
- 12. Celgene Corporation. Otezla prescribing information. Summit, NJ: September 2014.
- 13. Novartis Pharmaceuticals Corporation. Ilaris prescribing information. East Hanover, NJ: October 2014.
- Novartis Pharmaceuticals Corporation. Cosentyx prescribing information. East Hanover, NJ; January 2015. <u>Updated June 2020</u>
- Eli Lilly and Company. Taltz prescribing information. Indianapolis, IN 46285: March 2016. Updated 12/2017
- 16. Novartis Pharmaceuticals Corporation. Ilaris prescribing information. East Hanover, NJ: September 2016. <u>Updated June 2020</u>
- 17. AbbVie Inc. Humira package insert. North Chicago, IL: updated June 2016 (Uveitis).
- 18. Regeneron Pharmaceuticals, INC. Arcalyst prescribing information. Tarrytown, NY; September 2016.
- 19. Genentech Inc. Actemra Prescribing Information. San Fransisco CA: revised May 2018.
- 20. Takeda Pharmaceuticals America. Entyvio Prescribing Information. Deerfield IL: May 2014.
- 21. Pfizer Labs, Inc. Inflectra Prescribing Information. New York, NY: August 2016.
- 22. Janssen Biotech, Inc. Remicade Prescribing Information. Horsham, PA: October 2015.
- 23. Janssen Biotech, Inc. Simponi Aria Prescribing Information. Horsham, PA: January 2017.
- 24. Sanofi-Aventis, US, LLC, Kevzara Prescribing information. Bridgewater, NJ: May 2017.
- 25. Merck Sharp and Dohme, Corporation, Renflexis Prescribing Information. Whitehouse Station, NJ: April 2017.
- 26. Janssen Biotech, INC., Tremfya Prescribing Information. Horsham, PA: July 2017. Updated July 2020
- 27. Lilly, USA, LLC., Olumiant Prescribing Information. Indianapolis, IN: May 2018.
- 28. Sun Pharma Global, FZE. Inc. Ilumya Prescribing Information. Cranbury, NJ: August 2018.
- 29. Valeant Pharmaceuticals of North America, LLC., Siliq Prescribing Information. Bridgewater, NJ: February 2017.
- 30. AbbVie, Inc., Skyrizi Prescribing Information. North Chicago, IL: April 2019.
- 31. AbbVie, Inc., Rinvoq Prescribing Information. North Chicago, IL: August 2019.
- 32. Amgen, Inc. Avsola Prescribing Information. Thousand Oaks, CA rev. December 2019.
- 33. Genetech, Inc. Enspryng Prescribing Information. South San Francisco, CA; August 2020.
- 34. Viela Bio, Inc. Uplizna Prescribing Information. Gaithersburg, MD; June 2020.

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

Criteria Change Log

08/15/2014	Criteria effective date
06/10/2015	add Otezla and add gcn 37262 for Humira
01/21/2016	add Cosentyx
06/13/2016	add dx Hidradenitis Suppurativa for Humira
10/03/2016	add Xeljanz XR
10/19/2016	add Taltz
06/27/2018	add diagnosis for Ilaris- Tumor Necrosis Factor
	Receptor Associated Periodic Syndrome (TRAPS),
	Hyperimmunoglobulin D Syndrome
	(HIDS)/Mevalonate Kinase Deficiency (MKD), and Familial Mediterranean Fever (FMF)
	add diagnosis for Humira-Uveitis
	add Arcalyst to criteria coverage
	add infusion products to clinical coverage criteria-
	Actemra Infusion, Entyvio Infusion, Orencia Infusion,
	Remicade Infusion, Simponi Aria Infusion
	add new dx for Orencia- PHIA, Psoriatic Arthritis
	add Kevzara to criteria
	add diagnosis chart
	add Renflexis
	add Psoriatic Arthritis DX for coverage-Taltz
	add Psoriatic Arthritis DX for Xeljanz and Xeljanz XR
02/26/2019	update chart
02/20/2017	add Simponi Aria for DX Ankylosing Spondylitis,
	add Enbrel PJIA
	add Stelara Plaque Psoriasis (12 and up)
	add Cimzia Plaque Psoriasis adult
	add Otezla Psoriatic Arthritis
	remove Renflexis exception
	add Xeljanz/Xeljanx XR and Renflexis UC adults
	add Actemra and Actemra SQ to Giant Cell Arteritis
	and Cytokine Release Syndrome
	add Tremfya
07/18/2019	add Olumiant add ages for Humira in HS (12 and older) and Uveitis (2
0//10/2017	and older)
	Include Cosentyx as try and fail for Anklyosing
	Spondylitis, Plaque Psoriasis, and Psoriatic Arthritis
	add Ilumya for Plaque Psoriasis (adult)
	update chart
	add Siliq
11/04/2019	Add Dx Non-Radiographic Axial Spondyloarthritis for
	Cimzia
12/09/2019	Removed GCN's, add Skyrizi to adult plaque psoriasis,
	add Stelara Infusion

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

Xx/xx/xx	Added Taltz to Ankylosing Spondylitis, add Rinvoq ER
	Added Behcet's Disease for Otezla
	Updated EPSDT Information
	Updated table
Xx/xx/xx	Add Stelara for ulcerative colitis for Adults
	Add Xeljanz XR for ulcerative colitis for adults
	Add contraindication or intolerance to methotrexate step
	for plaque psoriasis
Xx/xxxx	Add Taltz to plaque psoriasis for pediatrics & Non-
	Radiographic Axial Spondyloarthritis
	Add Avsola
Xx/xxxx	Added Cosentyx to Non-Radiographic Axial
	<u>Spondyloarthritis</u>
	Added bullet to Non-Radiographic Axial
	Spondyloarthritis requiring t/f of Cosentyx prior to
	approval of NP agent
	Added adult-onset Still's disease (AOSD) criteria for
	<u>Ilaris</u>
	Added Tremfya to psoriatic arthritis
	Added Enspryng & Uplinza for Neuromyelitis Optica
	Spectrum Disorder (NMOSD) to policy