

DRAFT

To all beneficiaries enrolled in a Prepaid Health Plan (PHP): for questions about benefits and services available on or after implementation, please contact your PHP.

Table of Contents

| | | |
|-------|---|---|
| 1.0 | Description of the Procedure, Product, or Service..... | 1 |
| 1.1 | Definitions | 1 |
| | Chiropractor..... | 1 |
| | Maintenance Care | 1 |
| | Manual Manipulation..... | 1 |
| | Motion Segment..... | 1 |
| | Subluxation | 1 |
| | Supportive Care | 1 |
| | Wellness Care | 1 |
| 1.1.1 | Manipulation..... | 2 |
| 1.1.2 | Motion Segment..... | 2 |
| 1.1.3 | Subluxation..... | 2 |
| 2.0 | Eligibility Requirements | 2 |
| 2.1 | Provisions..... | 2 |
| 2.1.1 | General..... | 2 |
| 2.1.2 | Specific | 2 |
| 2.2 | Special Provisions..... | 2 |
| 2.2.1 | EPSDT Special Provision: Exception to Policy Limitations for a Medicaid Beneficiary under 21 Years of Age | 2 |
| 3.0 | When the Procedure, Product, or Service Is Covered..... | 4 |
| 3.1 | General Criteria Covered | 4 |
| 3.2 | Specific Criteria Covered..... | 4 |
| 3.2.1 | Specific criteria covered by Medicaid | 4 |
| 3.2.2 | Medicaid Additional Criteria Covered..... | 5 |
| 4.0 | When the Procedure, Product, or Service Is Not Covered..... | 5 |
| 4.1 | General Criteria Not Covered | 5 |
| 4.2 | Specific Criteria Not Covered..... | 5 |
| 4.2.1 | Specific Criteria Not Covered by Medicaid..... | 5 |
| 4.2.2 | Medicaid Additional Criteria Not Covered..... | 6 |
| 4.2.3 | Spinal Manipulation..... | 7 |
| 5.0 | Requirements for and Limitations on Coverage | 7 |
| 5.1 | Prior Approval | 7 |
| 5.2 | Prior Approval Requirements | 7 |
| 5.2.1 | General..... | 7 |
| 5.2.2 | Specific | 7 |
| 5.3 | Documentation Requirements for the Initial Visit..... | 7 |
| 5.4 | Treatment Plans | 8 |
| 5.4 | Continued Treatment | 8 |
| 5.5 | X-Rays | 8 |

DRAFT

| | | |
|-----|--|----|
| 5.6 | Visit Limits | 8 |
| 6.0 | Provider(s) Eligible to Bill for the Procedure, Product, or Service | 9 |
| 6.1 | Provider Qualifications and Occupational Licensing Entity Regulations..... | 9 |
| 6.2 | Provider Certifications | 9 |
| 7.0 | Additional Requirements | 9 |
| 7.1 | Compliance | 9 |
| 8.0 | Policy Implementation/Revision Information..... | 10 |
| | Attachment A: Claims-Related Information | 12 |
| A. | Claim Type | 12 |
| B. | International Classification of Diseases and Related Health Problems, Tenth Revisions, Clinical Modification (ICD-10-CM) and Procedural Coding System (PCS) | 12 |
| C. | Code(s)..... | 26 |
| D. | Modifiers..... | 26 |
| E. | Billing Units..... | 26 |
| E. | Place of Service | 27 |
| F. | Co-payments | 27 |
| G. | Reimbursement | 27 |

DRAFT

Related Clinical Coverage Policies

Refer to <https://medicaid.ncdohhs.gov/> for the related coverage policies listed below:
10A, *Outpatient Specialized Therapies*

1.0 Description of the Procedure, Product, or Service

Chiropractic Services is the science of adjusting the cause of disease by realigning the spine, releasing pressure on nerves radiating from the spine to all parts of the body, and allowing the nerves to carry their full quota of health current (nerve energy) from the brain to all parts of the body. (G.S. 90-143)

1.1 Definitions

Chiropractor

A licensed healthcare professional trained to provide manual manipulation of the spine for a diagnosis of subluxation.

Maintenance Care

A traditional chiropractic approach, whereby active treatment is continued after optimum benefit is reached.

Manual Manipulation

A manual procedure that involves a directed thrust to move a joint past the physiological range of motion, without exceeding the anatomical limit.

Motion Segment

A functional unit made up of the two adjacent articulating surfaces and the connecting tissues binding them to each other.

Subluxation

Subluxation is a motion segment in which alignment, movement integrity, or physiological function are altered although contact between joint surfaces remains intact.

Supportive Care

Periodic chiropractic treatments to maintain maximum therapeutic benefit.

Wellness Care

Includes nutritional supplements, hygienic modalities, environmental modalities, rehabilitation and physiotherapeutic modalities, massage therapy, counseling, beneficiary education, home exercises, and ergonomic postural modification as adjuncts to manual manipulation.

DRAFT

1.1.1 — Manipulation

A manual procedure that involves a directed thrust to move a joint past the physiological range of motion, without exceeding the anatomical limit.

1.1.2 — Motion Segment

A functional unit made up of the two adjacent articulating surfaces and the connecting tissues binding them to each other.

1.1.3 — Subluxation

Subluxation is a motion segment in which alignment, movement integrity, and/or physiological function are altered although contact between joint surfaces remains intact.

2.0 Eligibility Requirements

2.1 Provisions

2.1.1 General

(The term “General” found throughout this policy applies to all Medicaid policies)

- a. An eligible beneficiary shall be enrolled in the NC Medicaid Program (*Medicaid is NC Medicaid program, unless context clearly indicates otherwise*).
- b. Provider(s) shall verify each Medicaid beneficiary’s eligibility each time a service is rendered.
- c. The Medicaid beneficiary may have service restrictions due to their eligibility category that would make them ineligible for this service.

2.1.2 Specific

(The term “Specific” found throughout this policy only applies to this policy)

- a. Medicaid

Medicaid Beneficiaries 12 years of age and older are eligible for Chiropractic Services.

None Apply.

2.2 Special Provisions

2.2.1 EPSDT Special Provision: Exception to Policy Limitations for a Medicaid Beneficiary under 21 Years of Age

- a. **42 U.S.C. § 1396d(r) [1905(r) of the Social Security Act]**

Early and Periodic Screening, Diagnostic, and Treatment (EPSDT) is a federal Medicaid requirement that requires the state Medicaid agency to cover services, products, or procedures for Medicaid beneficiary under 21 years of age if the service is **medically necessary health care** to correct or ameliorate a defect, physical or mental illness, or a condition [health problem] identified through a screening examination (includes any evaluation by a physician or other licensed practitioner).

DRAFT

This means EPSDT covers most of the medical or remedial care a child needs to improve or maintain his or her health in the best condition possible, compensate for a health problem, prevent it from worsening, or prevent the development of additional health problems.

Medically necessary services will be provided in the most economic mode, as long as the treatment made available is similarly efficacious to the service requested by the beneficiary's physician, therapist, or other licensed practitioner; the determination process does not delay the delivery of the needed service; and the determination does not limit the beneficiary's right to a free choice of providers.

EPSDT does not require the state Medicaid agency to provide any service, product or procedure:

1. that is unsafe, ineffective, or experimental or investigational.
2. that is not medical in nature or not generally recognized as an accepted method of medical practice or treatment.

Service limitations on scope, amount, duration, frequency, location of service, and other specific criteria described in clinical coverage policies may be exceeded or may not apply as long as the provider's documentation shows that the requested service is medically necessary "to correct or ameliorate a defect, physical or mental illness, or a condition" [health problem]; that is, provider documentation shows how the service, product, or procedure meets all EPSDT criteria, including to correct or improve or maintain the beneficiary's health in the best condition possible, compensate for a health problem, prevent it from worsening, or prevent the development of additional health problems.

b. EPSDT and Prior Approval Requirements

1. If the service, product, or procedure requires prior approval, the fact that the beneficiary is under 21 years of age does **NOT** eliminate the requirement for prior approval.

IMPORTANT ADDITIONAL INFORMATION about EPSDT and prior approval is found in the *NCTracks Provider Claims and Billing Assistance Guide*, and on the EPSDT provider page. The Web addresses are specified below.

NCTracks Provider Claims and Billing Assistance Guide:

<https://www.nctracks.nc.gov/content/public/providers/provider-manuals.html>

EPSDT provider page: <https://medicaid.ncdhhs.gov/>

DRAFT

3.0 When the Procedure, Product, or Service Is Covered

Note: Refer to Subsection 2.2.1 regarding EPSDT Exception to Policy Limitations for a Medicaid Beneficiary under 21 Years of Age.

3.1 General Criteria Covered

Medicaid shall cover the procedure, product, or service related to this policy when medically necessary, and:

- a. the procedure, product, or service is individualized, specific, and consistent with symptoms or confirmed diagnosis of the illness or injury under treatment, and not in excess of the beneficiary's needs;
- b. the procedure, product, or service can be safely furnished, and no equally effective and more conservative or less costly treatment is available statewide; and
- c. the procedure, product, or service is furnished in a manner not primarily intended for the convenience of the beneficiary, the beneficiary's caretaker, or the provider.

3.2 Specific Criteria Covered

3.2.1 Specific criteria covered by Medicaid

Medicaid shall cover chiropractic services, when the beneficiary meets the following specific criteria:

A spinal subluxation is confirmed by physical examination or by one (1) set of x-rays taken within six months prior to the initial date of service. One or both of the following must be present on physical examination prior to initiation of therapy:

- a. Asymmetry or misalignment on a segmental or sectional level; or
- b. Range of motion abnormality.

If only one of these two (2) conditions listed above is present, one (1) or both of the following must also be present:

- a. Pain or tenderness at the area of subluxation; or
- b. Tissue tone, texture, or temperature abnormalities.

3.2.1 Specific criteria covered by Medicaid

Chiropractic Services are limited to manual manipulation (use of hands) of the spine to correct a subluxation that has resulted in a musculoskeletal condition for which manipulation is appropriate [42 CFR 440.60(b); 10A NCAC 25P.0403(a)(b) and (e)]. The service must relate to the diagnosis and treatment of a significant health problem in the form of a musculoskeletal condition necessitating manual manipulation.

Note: With the exception of x-rays (refer to Section 5.3), no other diagnostic or therapeutic service furnished by a chiropractor or under his or her order is a covered service.

DRAFT

Subluxation

~~Subluxation must be confirmed by physical examination or by one (1) set of X-rays taken within six (6) calendar months of the initial date of service. To demonstrate a subluxation by physical examination, one or both of the following conditions must be documented:~~

- a. ~~Asymmetry or misalignment on a segmental or sectional level; or~~
- b. ~~Range of motion abnormality must be demonstrated.~~

~~If only one of these two conditions listed above is present, one of the following conditions must also be present:~~

- a. ~~Pain or tenderness evaluated in terms of location, quality, and intensity; or~~
- b. ~~Tissue or tone changes in the characteristics of contiguous or associated soft tissue including skin, fascia, muscle, and ligament.~~

3.2.2 Medicaid Additional Criteria Covered

None Apply.

4.0 When the Procedure, Product, or Service Is Not Covered

Note: Refer to Subsection 2.3.1 regarding EPSDT Exception to Policy Limitations for a Medicaid Beneficiary under 21 Years of Age.

4.1 General Criteria Not Covered

Medicaid shall not cover the procedure, product, or service related to this policy when:

- a. the beneficiary does not meet the eligibility requirements listed in **Section 2.0**;
- b. the beneficiary does not meet the criteria listed in **Section 3.0**;
- c. the procedure, product, or service duplicates another provider's procedure, product, or service; or
- d. the procedure, product, or service is experimental, investigational, or part of a clinical trial.

4.2 Specific Criteria Not Covered

4.2.1 Specific Criteria Not Covered by Medicaid

~~Medicaid shall not cover Chiropractic Services for beneficiaries under 12 years of age.~~

Medicaid shall not cover Chiropractic Services for the following:

- a. A beneficiary aged 11 years and under;
- b. Maintenance, supportive and wellness care;
- c. Preventative care;
- d. Traction or acupuncture as part of the Chiropractic Plan of Care;
- e. As a replacement for immunizations or standard medical care for acute or chronic conditions; or
- f. Criteria not listed in Subsection 3.2.

DRAFT

4.2.2 Medicaid Additional Criteria Not Covered

None Apply.

Medicaid shall not cover Chiropractic S services in any of the following conditions:

- a. Maintenance programs, active corrective care, or supportive care, preventive care, or wellness care are not covered services:

1. Maintenance care, active corrective care and supportive care are therapies that are performed to treat a chronic, stable condition or to prevent deterioration. Once the maximum therapeutic benefit has been reached, chiropractic care is no longer considered necessary; therefore, maintenance and supportive care are not covered services.
2. Active corrective care as ongoing treatment rendered after the beneficiary has become symptomatically and objectively stable, to prevent a recurrence of the beneficiary's condition, is not covered.
3. Preventive care or wellness services such as nutritional supplements, hygienic modalities, environmental modalities, rehabilitation and physiotherapeutic modalities, massage therapy, counseling, beneficiary education, home exercises, and ergonomic postural modification. Any program or treatment plan that is developed to prevent disease, promote health, prolong life, or enhance the quality of life, or therapy that is performed to maintain or prevent deterioration of a chronic condition, is not a covered service.

- b. The following diagnostic procedures and tests are not covered when furnished or ordered by a chiropractor:

1. Laboratory tests;
2. X-rays, with the exception of the CPT x-ray procedure codes listed in Attachment A;
3. Videofluoroscopy; and
4. ECGs.

- c. The following therapeutic modalities are not covered services when performed by a chiropractor:

1. Physical or occupational;

Note: Chiropractors shall not seek reimbursement for physical or occupational therapy services performed under the supervision of an osteopathic physician or as an attending provider when the billing provider is a medical or osteopathic physician. (Refer to clinical coverage policy 10A, *Outpatient Specialized Therapies*, on Medicaid's website at <https://medicaid.nedhhs.gov/>.)

2. Traction (axial or longitudinal);
3. Injections;
4. Acupuncture; and
5. Mechanical or electrical equipment used for manipulations or other treatment modalities: mechanical or electrical equipment used for therapeutic manipulations or other treatment modalities that are not

DRAFT

clearly related to symptoms or diagnostic x-rays; or that are not likely to result in long term improvement of a beneficiary's symptoms or conditions; or that do not have a clearly defined and achievable end point.

- d. Nutritional supplements, are not a covered service.

4.2.3 Spinal Manipulation

Spinal manipulation, also called manual manipulation of the spine, is not considered necessary for the following musculoskeletal conditions:

a. Rheumatoid arthritis;

Muscular dystrophy;

Multiple sclerosis; or

Idiopathic scoliosis or treatment of the curve progression in late adolescence or adulthood, unless there is another indication for chiropractic manipulation. Spinal manipulation is not covered for the following non-musculoskeletal conditions:

a. Pneumonia;

b. Emphysema;

c. Sinus problems;

d. Suppurative otitis media;

e. Infectious diseases; and

f. As a substitute for childhood immunizations.

5.0 Requirements for and Limitations on Coverage

Note: Refer to Subsection 2.2.1 regarding EPSDT Exception to Policy Limitations for a Medicaid Beneficiary under 21 Years of Age.

5.1 Prior Approval

Medicaid shall not require prior approval for Chiropractic Services.

5.2 Prior Approval Requirements

5.2.1 General

None Apply.

5.2.2 Specific

None Apply.

5.3 Documentation Requirements for the Initial Visit

The following must be documented in the beneficiary's health record at the beneficiary's first visit:

- a. Chief complaint and current symptoms causing the beneficiary to seek treatment;
- b. Relevant family, medical, and surgical history;
- c. Mechanism of trauma;

DRAFT

- d. Location, onset, provoking or palliative factors, quality, duration, frequency, intensity and character of symptoms or problem;
- e. Prior interventions, treatments, medications, secondary complaints;
- f. Physical examination; and
- g. Diagnosis – Treatment requires a primary diagnosis of subluxation, and documentation must include the level affected.

5.4 Treatment Plans

A clear and appropriate treatment plan must document all ~~of~~ the following:

- a. the symptoms or diagnosis treated;
- b. diagnostic procedures and treatment modalities used;
- c. results of diagnostic procedures and treatments;
- d. specific treatment goals; and
- e. anticipated length of treatments.

5.4 Continued Treatment

- a. If no improvement is documented within the initial two (2) calendar weeks of chiropractic care, the treatment plan must be modified and documented in the beneficiary's health record.
- b. If no improvement is documented after thirty (30) calendar days of modified chiropractic treatment, no additional treatment is allowed.
- c. Once the maximum therapeutic benefit has been achieved, further chiropractic care is not allowed.
- d. A copy of the treatment plan must be maintained in the beneficiary's chiropractic health record.

5.5 X-Rays

X-rays are allowed as part of the documentation associated with the definition of the musculoskeletal condition for which manual manipulation of the spine is appropriate as follows:

- a. one (1) set of x-rays taken within six (6) calendar months of the date of service.
- b. x-rays must be kept on file in the beneficiary's health record.

Note: These health records are subject to post-payment review.

Refer to **Attachment A** for the list of x-ray procedure codes that are permitted.

5.6 Visit Limits

Chiropractic visits, along with podiatry and optometry, are considered optional services. As per 42 CFR 440.225, combined optional services are limited to eight per beneficiary per State fiscal year (July 1 – June 30).

DRAFT

6.0 Provider(s) Eligible to Bill for the Procedure, Product, or Service

To be eligible to bill for the procedure, product, or service related to this policy, the provider(s) shall:

- a. meet Medicaid qualifications for participation;
- b. have a current and signed Department of Health and Human Services (DHHS) Provider Administrative Participation Agreement; and
- c. bill only for procedures, products, and services that are within the scope of their clinical practice, as defined by the appropriate licensing entity.

6.1 Provider Qualifications and Occupational Licensing Entity Regulations

The Chiropractors shall comply with:

- a. G.S, Chapter 90, Article 8;
- b. 21 NCAC, Chapter 10; and
- c. 42 CFR 440.60.

6.2 Provider Certifications

None Apply.

7.0 Additional Requirements

Note: Refer to Subsection 2.2.1 regarding EPSDT Exception to Policy Limitations for a Medicaid Beneficiary under 21 Years of Age.

7.1 Compliance

Provider(s) shall comply with the following in effect at the time the service is rendered:

- a. All applicable agreements, federal, state and local laws and regulations including the Health Insurance Portability and Accountability Act (HIPAA) and record retention requirements; and
- b. All NC Medicaid's clinical (medical) coverage policies, guidelines, policies, provider manuals, implementation updates, and bulletins published by the Centers for Medicare and Medicaid Services (CMS), DHHS, DHHS division(s) or fiscal contractor(s).

DRAFT**8.0 Policy Implementation/Revision Information****Original Effective Date:** July 1, 1996**Revision Information:**

| Date | Section Updated | Change |
|------------|------------------------------|--|
| 11/1/07 | Section 3.3 | Revised requirement to document necessity by X-ray to include physical examination |
| 11/1/07 | Attachment A, Item F | Corrected place of service |
| 10/01/2015 | All Sections and Attachments | Updated policy template language and added ICD-10 codes to comply with federally mandated 10/1/2015 implementation where applicable. |
| 07/01/2016 | Attachment A | Correct ICD-10 code lists |
| 03/01/2018 | Attachment A: C | Removed CPT code 72010 and added CPT code 72082 |
| 03/01/2018 | All Sections and Attachments | Placed policy in combined Medicaid and NCHC template format and updated policy template language |
| 03/01/2018 | Subsection 5.2.2 | Prior approval is required for MPW. Referral is required for MPW. |
| 3/01/2018 | Attachment A | Correct ICD-10 code lists |
| 03/01/2018 | All Sections and Attachments | Provided coverage criteria for Medicaid beneficiaries 12 years of age and older. |
| 03/01/2018 | All Sections and Attachments | Provided coverage criteria for NCHC beneficiaries 12 to 18 years of age. |
| 03/05/2018 | All Sections and Attachments | Policy posted with an Amended Date of March 1, 2018. |
| 05/23/2018 | Attachment A: C | During 03/01/2018 amendment, code 72010 should have been removed (See note above). This update removes that code. No change to Amended Date. |
| 03/15/2019 | Table of Contents | Added, “To all beneficiaries enrolled in a Prepaid Health Plan (PHP): for questions about benefits and services available on or after November 1, 2019, please contact your PHP.” |
| 03/15/2019 | All Sections and Attachments | Updated policy template language. |
| 12/31/2019 | Table of Contents | Updated policy template language, “To all beneficiaries enrolled in a Prepaid Health Plan (PHP): for questions about benefits and services available on or after implementation, please contact your PHP.” |
| 12/31/2019 | Attachment A | Added, “Unless directed otherwise, Institutional Claims must be billed according to the National Uniform Billing Guidelines. All claims must comply with National Coding Guidelines”. |
| 07/01/2022 | Throughout | Removed PA requirement for MPW beneficiaries based on NC Senate Bill 105 Session Law 2021-180 Section 9D.13 and the American Rescue Plan Act of 2021. |
| 8/15/2023 | All Sections and Attachments | Updated policy template language due to North Carolina Health Choice Program’s move to Medicaid. Policy |

DRAFT

| Date | Section Updated | Change |
|------|---|--|
| | | posted 08/15/2023 with an effective date of 4/1/2023. |
| | <u>Subsection 1.1</u> | Added definitions for Chiropractor, Maintenance Care, Supportive Care, and Wellness Care. Clarified Manual Manipulation. |
| | <u>Subsection 2.1.2</u> | Deleted text and added None Apply. |
| | <u>Subsection 3.2.1.1</u> | Consolidated text previously under manual Manipulation of the Spine and Subluxation. |
| | <u>Subsection 4.2.1</u> | Combined and clarified text from 4.2.2 and 4.2.3. |
| | <u>Subsection 4.2.2</u> | Moved descriptive text to definitions in 1.0 and text to 4.2.1. Added None Apply. |
| | <u>Subsection 4.2.3</u> | Deleted text under "Spinal Manipulation." |
| | <u>Subsection 5.3</u> | Added Documentation Requirements for the Initial Visit |
| | <u>Subsection 5.4.d.</u> | Added text "specific treatment goals." |
| | <u>Subsection 5.6</u> | Added this section on Visit Limits. |
| | <u>Attachment A,</u> <u>Letter B</u> | Removed "Note: When billing for chiropractic services, both the applicable primary and secondary ICD- 10-ICD-10-CM code(s) must be reported on the claim" and replaced it with "Chiropractic claims must have a primary diagnosis of spinal subluxation found in the table below. Claims without a primary diagnosis of subluxation will be denied." The primary ICD-10-CM diagnosis codes M99.00, M99.01, M99.02, M99.03, M99.04, M99.05 and M99.08 were deleted and replaced with ICD-10-CM vertebral subluxation diagnosis codes M99.10, M99.11, M99.12, M99.13, M99.14 and M99.15. Removed the table of Secondary ICD-10-CD diagnosis codes. |
| | <u>Attachment A,</u> <u>Letter C</u> | Removed CPT 72069 which had been end-dated. |
| | <u>Throughout the policy</u> | Corrected typographical errors throughout policy. |
| | <u>Attachment A,</u> <u>Letter C</u> | Removed CPT 72069 which had been end-dated. |
| | <u>Throughout the policy</u> | Corrected typographical errors throughout policy. |

DRAFT

Attachment A: Claims-Related Information

Provider(s) shall comply with the, *NCTracks Provider Claims and Billing Assistance Guide*, Medicaid bulletins, fee schedules, NC Medicaid's clinical coverage policies and any other relevant documents for specific coverage and reimbursement for Medicaid:

A. Claim Type

Professional (CMS-1500/837P transaction)

Unless directed otherwise, Institutional Claims must be billed according to the National Uniform Billing Guidelines. All claims must comply with National Coding Guidelines.

B. International Classification of Diseases and Related Health Problems, Tenth Revisions, Clinical Modification (ICD-10-CM) and Procedural Coding System (PCS)

Provider(s) shall report the **ICD-10-CM** and Procedural Coding System (PCS) to the highest level of specificity that supports medical necessity. Provider(s) shall use the current ICD-10 edition and any subsequent editions in effect at the time of service. Provider(s) shall refer to the applicable edition for code description, as it is no longer documented in the policy.

Note: When billing for chiropractic services, both the applicable primary and secondary ICD-10-CM code(s) shall be reported on the claim.

Note: Chiropractic claims must have a primary diagnosis of spinal subluxation found in the table below. Claims without a primary diagnosis of subluxation will be denied.

| ICD-10-CM Code(s) | |
|----------------------------------|--------|
| Primary ICD-10-CD Code(s) | |
| M99.10 | M99.13 |
| M99.11 | M99.14 |
| M99.12 | M99.15 |
| M99.00 | M99.03 |
| M99.01 | M99.04 |
| M99.02 | M99.05 |
| | M99.08 |

| ICD-10-CM Code(s) | | | | |
|------------------------------------|----------|----------|----------|----------|
| Secondary ICD-10-CD Code(s) | | | | |
| E08.44 | S32.424S | S52.602S | S63.282S | S83.095S |
| E09.44 | S32.425S | S52.609S | S63.283S | S83.096S |
| E10.44 | S32.426S | S52.611S | S63.284S | S83.101S |
| E11.44 | S32.431S | S52.612S | S63.285S | S83.102S |
| E13.44 | S32.432S | S52.613S | S63.286S | S83.103S |
| G24.3 | S32.433S | S52.614S | S63.287S | S83.104S |
| G43.001 | S32.434S | S52.615S | S63.288S | S83.105S |
| G43.011 | S32.435S | S52.616S | S63.289S | S83.106S |
| G-G43.101 | S32.436S | S52.621S | S63.290S | S83.111S |
| G43.111 | S32.441S | S52.622S | S63.291S | S83.112S |

DRAFT

| | | | | |
|---------|----------|----------|----------|----------|
| G43.401 | S32.442S | S52.629S | S63.292S | S83.113S |
| G43.409 | S32.443S | S52.691S | S63.293S | S83.114S |
| G43.411 | S32.444S | S52.692S | S63.294S | S83.115S |
| G43.419 | S32.445S | S52.699S | S63.295S | S83.116S |
| G43.501 | S32.446S | S52.90xS | S63.296S | S83.121S |
| G43.509 | S32.451S | S52.91xS | S63.297S | S83.122S |
| G43.511 | S32.452S | S52.92xS | S63.298S | S83.123S |
| G43.519 | S32.453S | S53.001S | S63.299S | S83.124S |
| G43.601 | S32.454S | S53.002S | S63.301S | S83.125S |
| G43.609 | S32.455S | S53.003S | S63.302S | S83.126S |
| G43.611 | S32.456S | S53.004S | S63.309S | S83.131S |
| G43.619 | S32.461S | S53.005S | S63.311S | S83.132S |
| G43.701 | S32.462S | S53.006S | S63.312S | S83.133S |
| G43.709 | S32.463S | S53.011S | S63.319S | S83.134S |
| G43.711 | S32.464S | S53.012S | S63.321S | S83.135S |
| G43.719 | S32.465S | S53.013S | S63.322S | S83.136S |
| G43.801 | S32.466S | S53.014S | S63.329S | S83.141S |
| G43.809 | S32.471S | S53.015S | S63.331S | S83.142S |
| G43.811 | S32.472S | S53.016S | S63.332S | S83.143S |
| G43.819 | S32.473S | S53.021S | S63.339S | S83.144S |
| G43.821 | S32.474S | S53.022S | S63.391S | S83.145S |
| G43.829 | S32.475S | S53.023S | S63.392S | S83.146S |
| G43.831 | S32.476S | S53.024S | S63.399S | S83.191S |
| G43.839 | S32.481S | S53.025S | S63.400S | S83.192S |
| G43.911 | S32.482S | S53.026S | S63.401S | S83.193S |
| G43.919 | S32.483S | S53.031S | S63.402S | S83.194S |
| G43.A0 | S32.484S | S53.032S | S63.403S | S83.195S |
| G43.A1 | S32.485S | S53.033S | S63.404S | S83.196S |
| G43.B0 | S32.486S | S53.091S | S63.405S | S83.201S |
| G43.C0 | S32.491S | S53.092S | S63.406S | S83.206S |
| G43.C1 | S32.492S | S53.093S | S63.407S | S83.207S |
| G43.D0 | S32.499S | S53.094S | S63.408S | S83.209S |
| G43.D1 | S32.501S | S53.095S | S63.409S | S83.211S |
| G44.1 | S32.502S | S53.096S | S63.410S | S83.212S |
| G44.209 | S32.509S | S53.101S | S63.411S | S83.219S |
| G54.1 | S32.511S | S53.102S | S63.412S | S83.221S |
| G54.2 | S32.512S | S53.103S | S63.413S | S83.222S |
| G54.3 | S32.519S | S53.104S | S63.414S | S83.229S |
| G54.4 | S32.591S | S53.105S | S63.415S | S83.231S |
| G54.5 | S32.592S | S53.106S | S63.416S | S83.232S |
| G54.6 | S32.599S | S53.111S | S63.417S | S83.239S |
| G54.7 | S32.601S | S53.112S | S63.418S | S83.241S |
| G54.8 | S32.602S | S53.113S | S63.419S | S83.242S |
| G54.9 | S32.609S | S53.114S | S63.420S | S83.249S |
| G55 | S32.611S | S53.115S | S63.421S | S83.251S |
| M08.1 | S32.612S | S53.116S | S63.422S | S83.252S |
| M15.3 | S32.613S | S53.121S | S63.423S | S83.259S |
| M15.4 | S32.614S | S53.122S | S63.424S | S83.261S |
| M15.8 | S32.615S | S53.123S | S63.425S | S83.262S |
| M15.9 | S32.616S | S53.124S | S63.426S | S83.269S |

DRAFT

| | | | | |
|---------|-----------|-----------|-----------|-----------|
| M16.9 | \$32.691S | \$53.125S | \$63.427S | \$83.271S |
| M17.9 | \$32.692S | \$53.126S | \$63.428S | \$83.272S |
| M19.90 | \$32.699S | \$53.131S | \$63.429S | \$83.279S |
| M25.551 | \$32.810S | \$53.132S | \$63.430S | \$83.281S |
| M25.552 | \$32.811S | \$53.133S | \$63.431S | \$83.282S |
| M45.0 | \$32.82xS | \$53.134S | \$63.432S | \$83.289S |
| M45.1 | \$32.89xS | \$53.135S | \$63.433S | \$83.30xS |
| M45.2 | \$32.9xxS | \$53.136S | \$63.434S | \$83.31xS |
| M45.3 | \$33.0xxS | \$53.141S | \$63.435S | \$83.32xS |
| M45.4 | \$33.100S | \$53.142S | \$63.436S | \$83.401S |
| M45.5 | \$33.101S | \$53.143S | \$63.437S | \$83.402S |
| M45.6 | \$33.110S | \$53.144S | \$63.438S | \$83.409S |
| M45.7 | \$33.111S | \$53.145S | \$63.439S | \$83.411S |
| M45.8 | \$33.120S | \$53.146S | \$63.440S | \$83.412S |
| M45.9 | \$33.121S | \$53.191S | \$63.491S | \$83.419S |
| M46.00 | \$33.130S | \$53.192S | \$63.492S | \$83.421S |
| M46.01 | \$33.131S | \$53.193S | \$63.493S | \$83.422S |
| M46.02 | \$33.140S | \$53.194S | \$63.494S | \$83.429S |
| M46.03 | \$33.141S | \$53.195S | \$63.495S | \$83.501S |
| M46.04 | \$33.2xxS | \$53.196S | \$63.496S | \$83.502S |
| M46.05 | \$33.30xS | \$53.20xS | \$63.497S | \$83.509S |
| M46.06 | \$33.39xS | \$53.21xS | \$63.498S | \$83.511S |
| M46.07 | \$33.4xxS | \$53.22xS | \$63.499S | \$83.512S |
| M46.08 | \$33.5xxA | \$53.30xS | \$63.501S | \$83.519S |
| M46.09 | \$33.5xxS | \$53.31xS | \$63.502S | \$83.521S |
| M46.1 | \$33.6xxA | \$53.32xS | \$63.509S | \$83.522S |
| M46.51 | \$33.6xxS | \$53.401S | \$63.511S | \$83.529S |
| M46.52 | \$33.8xxA | \$53.402S | \$63.512S | \$83.60xS |
| M46.53 | \$33.8xxS | \$53.409S | \$63.519S | \$83.61xS |
| M46.54 | \$33.9xxA | \$53.411S | \$63.521S | \$83.62xS |
| M46.55 | \$33.9xxS | \$53.412S | \$63.522S | \$83.8X1S |
| M46.56 | \$34.21xS | \$53.419S | \$63.529S | \$83.8X2S |
| M46.57 | \$34.22xS | \$53.421S | \$63.591S | \$83.8X9S |
| M46.58 | \$34.4xxS | \$53.422S | \$63.592S | \$83.91xS |
| M46.59 | \$34.6xxS | \$53.429S | \$63.599S | \$83.92xS |
| M46.80 | \$34.8xxS | \$53.431S | \$63.601S | \$86.011S |
| M46.81 | \$34.9xxS | \$53.432S | \$63.602S | \$86.012S |
| M46.82 | \$39.011S | \$53.439S | \$63.609S | \$86.111S |
| M46.83 | \$39.012S | \$53.441S | \$63.610S | \$86.112S |
| M46.84 | \$39.013S | \$53.442S | \$63.611S | \$86.119S |
| M46.85 | \$42.001S | \$53.449S | \$63.612S | \$86.211S |
| M46.86 | \$42.002S | \$53.491S | \$63.613S | \$86.212S |
| M46.87 | \$42.009S | \$53.492S | \$63.614S | \$86.219S |
| M46.88 | \$42.011S | \$53.499S | \$63.615S | \$86.311S |
| M46.89 | \$42.012S | \$56.011S | \$63.616S | \$86.312S |
| M46.90 | \$42.013S | \$56.012S | \$63.617S | \$86.319S |
| M46.91 | \$42.014S | \$56.019S | \$63.618S | \$86.811S |
| M46.92 | \$42.015S | \$56.111S | \$63.619S | \$86.812S |
| M46.93 | \$42.016S | \$56.112S | \$63.621S | \$86.819S |
| M46.94 | \$42.017S | \$56.113S | \$63.622S | \$86.911S |

DRAFT

| | | | | |
|----------|----------|----------|----------|----------|
| M46.95 | S42.018S | S56.114S | S63.629S | S86.912S |
| M46.96 | S42.019S | S56.115S | S63.630S | S86.919S |
| M46.97 | S42.021S | S56.116S | S63.631S | S88.011S |
| M46.98 | S42.022S | S56.117S | S63.632S | S88.012S |
| M46.99 | S42.023S | S56.118S | S63.633S | S88.019S |
| M48.40xS | S42.024S | S56.119S | S63.634S | S88.021S |
| M48.41xS | S42.025S | S56.211S | S63.635S | S88.022S |
| M48.42xS | S42.026S | S56.212S | S63.636S | S88.029S |
| M48.43xS | S42.031S | S56.219S | S63.637S | S88.111S |
| M48.44xS | S42.032S | S56.311S | S63.638S | S88.112S |
| M48.45xS | S42.033S | S56.312S | S63.639S | S88.119S |
| M48.46xS | S42.034S | S56.319S | S63.641S | S88.121S |
| M48.47xS | S42.035S | S56.411S | S63.642S | S88.122S |
| M48.48xS | S42.036S | S56.412S | S63.649S | S88.129S |
| M48.50xS | S42.101S | S56.413S | S63.650S | S88.911S |
| M48.51xS | S42.102S | S56.414S | S63.651S | S88.912S |
| M48.52xS | S42.109S | S56.415S | S63.652S | S88.919S |
| M48.53xS | S42.111S | S56.416S | S63.653S | S88.921S |
| M48.54xS | S42.112S | S56.417S | S63.654S | S88.922S |
| M48.55xS | S42.113S | S56.418S | S63.655S | S88.929S |
| M48.56xS | S42.114S | S56.419S | S63.656S | S89.002S |
| M48.57xS | S42.115S | S56.511S | S63.657S | S89.009S |
| M48.58xS | S42.116S | S56.512S | S63.658S | S89.011S |
| M48.8X1 | S42.121S | S56.519S | S63.659S | S89.012S |
| M48.8X2 | S42.122S | S56.811S | S63.681S | S89.019S |
| M48.8X3 | S42.123S | S56.812S | S63.682S | S89.021S |
| M48.8X4 | S42.124S | S56.819S | S63.689S | S89.022S |
| M48.8X5 | S42.125S | S56.911S | S63.690S | S89.029S |
| M48.8X6 | S42.126S | S56.912S | S63.691S | S89.031S |
| M48.8X7 | S42.131S | S56.919S | S63.692S | S89.032S |
| M48.8X8 | S42.132S | S58.011S | S63.693S | S89.039S |
| M48.8X9 | S42.133S | S58.012S | S63.694S | S89.041S |
| M48.9 | S42.134S | S58.019S | S63.695S | S89.042S |
| M49.80 | S42.135S | S58.021S | S63.696S | S89.049S |
| M49.81 | S42.136S | S58.022S | S63.697S | S89.091S |
| M49.82 | S42.141S | S58.029S | S63.698S | S89.092S |
| M49.83 | S42.142S | S58.111S | S63.699S | S89.099S |
| M49.84 | S42.143S | S58.112S | S63.8X1S | S89.101S |
| M49.85 | S42.144S | S58.119S | S63.8X2S | S89.102S |
| M49.86 | S42.145S | S58.121S | S63.8X9S | S89.109S |
| M49.87 | S42.146S | S58.122S | S63.90xS | S89.111S |
| M49.88 | S42.151S | S58.129S | S63.91xS | S89.112S |
| M51.36 | S42.152S | S58.911S | S63.92xS | S89.119S |
| M53.0 | S42.153S | S58.912S | S66.011S | S89.121S |
| M53.1 | S42.154S | S58.919S | S66.012S | S89.122S |
| M53.3 | S42.155S | S58.921S | S66.019S | S89.129S |
| M53.81 | S42.156S | S58.922S | S66.110S | S89.131S |
| M53.82 | S42.191S | S58.929S | S66.111S | S89.132S |
| M53.83 | S42.192S | S59.001S | S66.112S | S89.139S |
| M53.86 | S42.199S | S59.002S | S66.113S | S89.141S |

DRAFT

| | | | | |
|----------|----------|-----------|-----------|-----------|
| M54.12 | S42.201S | \$59.009S | \$66.114S | \$89.142S |
| M54.14 | S42.202S | \$59.011S | \$66.115S | \$89.149S |
| M54.15 | S42.209S | \$59.012S | \$66.116S | \$89.191S |
| M54.17 | S42.211S | \$59.019S | \$66.117S | \$89.192S |
| M54.2 | S42.212S | \$59.021S | \$66.118S | \$89.199S |
| M54.31 | S42.213S | \$59.022S | \$66.119S | \$89.201S |
| M54.32 | S42.214S | \$59.029S | \$66.211S | \$89.202S |
| M54.41 | S42.215S | \$59.031S | \$66.212S | \$89.209S |
| M54.42 | S42.216S | \$59.032S | \$66.219S | \$89.211S |
| M54.5 | S42.221S | \$59.039S | \$66.310S | \$89.212S |
| M54.6 | S42.222S | \$59.041S | \$66.311S | \$89.219S |
| M62.830 | S42.223S | \$59.042S | \$66.312S | \$89.221S |
| M62.838 | S42.224S | \$59.049S | \$66.313S | \$89.222S |
| M79.1 | S42.225S | \$59.091S | \$66.314S | \$89.229S |
| M80.00xS | S42.226S | \$59.092S | \$66.315S | \$89.291S |
| M80.011S | S42.231S | \$59.099S | \$66.316S | \$89.292S |
| M80.012S | S42.232S | \$59.101S | \$66.317S | \$89.299S |
| M80.019S | S42.239S | \$59.102S | \$66.318S | \$89.301S |
| M80.021S | S42.241S | \$59.109S | \$66.319S | \$89.302S |
| M80.022S | S42.242S | \$59.111S | \$66.411S | \$89.309S |
| M80.029S | S42.249S | \$59.112S | \$66.412S | \$89.311S |
| M80.031S | S42.251S | \$59.119S | \$66.419S | \$89.312S |
| M80.032S | S42.252S | \$59.121S | \$66.510S | \$89.319S |
| M80.039S | S42.253S | \$59.122S | \$66.511S | \$89.321S |
| M80.041S | S42.254S | \$59.129S | \$66.512S | \$89.322S |
| M80.042S | S42.255S | \$59.131S | \$66.513S | \$89.329S |
| M80.049S | S42.256S | \$59.132S | \$66.514S | \$89.391S |
| M80.051S | S42.261S | \$59.139S | \$66.515S | \$89.392S |
| M80.052S | S42.262S | \$59.141S | \$66.516S | \$89.399S |
| M80.059S | S42.263S | \$59.142S | \$66.517S | \$92.001S |
| M80.061S | S42.264S | \$59.149S | \$66.518S | \$92.002S |
| M80.062S | S42.265S | \$59.191S | \$66.519S | \$92.009S |
| M80.069S | S42.266S | \$59.192S | \$66.811S | \$92.011S |
| M80.071S | S42.271S | \$59.199S | \$66.812S | \$92.012S |
| M80.072S | S42.272S | \$59.201S | \$66.819S | \$92.013S |
| M80.079S | S42.279S | \$59.202S | \$66.911S | \$92.014S |
| M80.80xS | S42.291S | \$59.209S | \$66.912S | \$92.015S |
| M80.812S | S42.292S | \$59.211S | \$66.919S | \$92.016S |
| M80.819S | S42.293S | \$59.212S | \$68.011S | \$92.021S |
| M80.821S | S42.294S | \$59.219S | \$68.012S | \$92.022S |
| M80.822S | S42.295S | \$59.221S | \$68.019S | \$92.023S |
| M80.829S | S42.296S | \$59.222S | \$68.021S | \$92.024S |
| M80.831S | S42.301S | \$59.229S | \$68.022S | \$92.025S |
| M80.832S | S42.302S | \$59.231S | \$68.029S | \$92.026S |
| M80.839S | S42.309S | \$59.232S | \$68.110S | \$92.031S |
| M80.841S | S42.311S | \$59.239S | \$68.111S | \$92.032S |
| M80.842S | S42.312S | \$59.241S | \$68.112S | \$92.033S |
| M80.849S | S42.319S | \$59.242S | \$68.113S | \$92.034S |
| M80.851S | S42.321S | \$59.249S | \$68.114S | \$92.035S |
| M80.852S | S42.322S | \$59.291S | \$68.115S | \$92.036S |

DRAFT

| | | | | |
|----------|----------|----------|----------|----------|
| M80.859S | S42.323S | S59.292S | S68.116S | S92.041S |
| M80.861S | S42.324S | S59.299S | S68.117S | S92.042S |
| M80.862S | S42.325S | S62.001S | S68.118S | S92.043S |
| M80.869S | S42.326S | S62.002S | S68.119S | S92.044S |
| M80.871S | S42.331S | S62.009S | S68.120S | S92.045S |
| M80.872S | S42.332S | S62.011S | S68.121S | S92.046S |
| M80.879S | S42.333S | S62.012S | S68.122S | S92.051S |
| M80.88xS | S42.334S | S62.013S | S68.123S | S92.052S |
| M84.30xS | S42.335S | S62.014S | S68.124S | S92.053S |
| M84.311S | S42.336S | S62.015S | S68.125S | S92.054S |
| M84.312S | S42.341S | S62.016S | S68.126S | S92.055S |
| M84.319S | S42.342S | S62.021S | S68.127S | S92.056S |
| M84.321S | S42.343S | S62.022S | S68.128S | S92.061S |
| M84.322S | S42.344S | S62.023S | S68.129S | S92.062S |
| M84.329S | S42.345S | S62.024S | S68.411S | S92.063S |
| M84.331S | S42.346S | S62.025S | S68.412S | S92.064S |
| M84.332S | S42.351S | S62.026S | S68.419S | S92.065S |
| M84.333S | S42.352S | S62.031S | S68.421S | S92.066S |
| M84.334S | S42.353S | S62.032S | S68.422S | S92.101S |
| M84.339S | S42.354S | S62.033S | S68.429S | S92.102S |
| M84.341S | S42.355S | S62.034S | S68.511S | S92.109S |
| M84.342S | S42.356S | S62.035S | S68.512S | S92.111S |
| M84.343S | S42.361S | S62.036S | S68.519S | S92.112S |
| M84.344S | S42.362S | S62.101S | S68.521S | S92.113S |
| M84.345S | S42.363S | S62.102S | S68.522S | S92.114S |
| M84.346S | S42.364S | S62.109S | S68.529S | S92.115S |
| M84.350S | S42.365S | S62.111S | S68.610S | S92.116S |
| M84.351S | S42.366S | S62.112S | S68.611S | S92.121S |
| M84.352S | S42.391S | S62.113S | S68.612S | S92.122S |
| M84.353S | S42.392S | S62.114S | S68.613S | S92.123S |
| M84.359S | S42.399S | S62.115S | S68.614S | S92.124S |
| M84.361S | S42.401S | S62.116S | S68.615S | S92.125S |
| M84.362S | S42.402S | S62.121S | S68.616S | S92.126S |
| M84.363S | S42.409S | S62.122S | S68.617S | S92.131S |
| M84.364S | S42.411S | S62.123S | S68.618S | S92.132S |
| M84.369S | S42.412S | S62.124S | S68.619S | S92.133S |
| M84.371S | S42.413S | S62.125S | S68.620S | S92.134S |
| M84.372S | S42.414S | S62.126S | S68.621S | S92.135S |
| M84.373S | S42.415S | S62.131S | S68.622S | S92.136S |
| M84.374S | S42.416S | S62.132S | S68.623S | S92.141S |
| M84.375S | S42.421S | S62.133S | S68.624S | S92.142S |
| M84.376S | S42.422S | S62.134S | S68.625S | S92.143S |
| M84.377S | S42.423S | S62.135S | S68.626S | S92.144S |
| M84.378S | S42.424S | S62.136S | S68.627S | S92.145S |
| M84.379S | S42.425S | S62.141S | S68.628S | S92.146S |
| M84.38xS | S42.426S | S62.142S | S68.629S | S92.151S |
| M84.40xS | S42.431S | S62.143S | S68.711S | S92.152S |
| M84.411S | S42.432S | S62.144S | S68.712S | S92.153S |
| M84.412S | S42.433S | S62.145S | S68.719S | S92.154S |
| M84.419S | S42.434S | S62.146S | S68.721S | S92.155S |

DRAFT

| | | | | | |
|----------|----------|----------|----------|--|----------|
| M84.421S | S42.435S | S62.151S | S68.722S | | S92.156S |
| M84.422S | S42.436S | S62.152S | S68.729S | | S92.191S |
| M84.429S | S42.441S | S62.153S | S72.001S | | S92.192S |
| M84.431S | S42.442S | S62.154S | S72.002S | | S92.201S |
| M84.432S | S42.443S | S62.155S | S72.009S | | S92.202S |
| M84.433S | S42.444S | S62.156S | S72.011S | | S92.209S |
| M84.434S | S42.445S | S62.161S | S72.012S | | S92.211S |
| M84.439S | S42.446S | S62.162S | S72.019S | | S92.212S |
| M84.441S | S42.447S | S62.163S | S72.021S | | S92.213S |
| M84.442S | S42.448S | S62.164S | S72.022S | | S92.214S |
| M84.443S | S42.449S | S62.165S | S72.023S | | S92.215S |
| M84.444S | S42.451S | S62.166S | S72.024S | | S92.216S |
| M84.445S | S42.452S | S62.171S | S72.025S | | S92.221S |
| M84.446S | S42.453S | S62.172S | S72.026S | | S92.222S |
| M84.451S | S42.454S | S62.173S | S72.031S | | S92.223S |
| M84.452S | S42.455S | S62.174S | S72.032S | | S92.224S |
| M84.453S | S42.456S | S62.175S | S72.033S | | S92.225S |
| M84.454S | S42.461S | S62.176S | S72.034S | | S92.226S |
| M84.459S | S42.462S | S62.181S | S72.035S | | S92.231S |
| M84.461S | S42.463S | S62.182S | S72.036S | | S92.232S |
| M84.462S | S42.464S | S62.183S | S72.041S | | S92.233S |
| M84.469S | S42.465S | S62.184S | S72.042S | | S92.234S |
| M84.477S | S42.466S | S62.185S | S72.043S | | S92.235S |
| M84.478S | S42.471S | S62.186S | S72.044S | | S92.236S |
| M84.479S | S42.472S | S62.201S | S72.045S | | S92.241S |
| M84.48xS | S42.473S | S62.202S | S72.046S | | S92.242S |
| M84.50xS | S42.474S | S62.209S | S72.051S | | S92.243S |
| M84.511S | S42.475S | S62.211S | S72.052S | | S92.244S |
| M84.512S | S42.476S | S62.212S | S72.059S | | S92.245S |
| M84.519S | S42.481S | S62.213S | S72.061S | | S92.246S |
| M84.521S | S42.482S | S62.221S | S72.062S | | S92.251S |
| M84.522S | S42.489S | S62.222S | S72.063S | | S92.252S |
| M84.529S | S42.491S | S62.223S | S72.064S | | S92.253S |
| M84.531S | S42.492S | S62.224S | S72.065S | | S92.254S |
| M84.532S | S42.493S | S62.225S | S72.066S | | S92.255S |
| M84.533S | S42.494S | S62.226S | S72.091S | | S92.256S |
| M84.534S | S42.495S | S62.231S | S72.092S | | S92.301S |
| M84.539S | S42.496S | S62.232S | S72.099S | | S92.302S |
| M84.541S | S42.90xS | S62.233S | S72.101S | | S92.309S |
| M84.542S | S42.91xS | S62.234S | S72.102S | | S92.311S |
| M84.549S | S42.92xS | S62.235S | S72.109S | | S92.312S |
| M84.550S | S43.001S | S62.236S | S72.111S | | S92.313S |
| M84.561S | S43.002S | S62.241S | S72.112S | | S92.314S |
| M84.562S | S43.003S | S62.242S | S72.113S | | S92.315S |
| M84.563S | S43.004S | S62.243S | S72.114S | | S92.316S |
| M84.564S | S43.005S | S62.244S | S72.115S | | S92.321S |
| M84.569S | S43.006S | S62.245S | S72.116S | | S92.322S |
| M84.571S | S43.011S | S62.246S | S72.121S | | S92.323S |
| M84.572S | S43.012S | S62.251S | S72.122S | | S92.324S |
| M84.573S | S43.013S | S62.252S | S72.123S | | S92.325S |

DRAFT

| | | | | |
|----------|----------|----------|----------|----------|
| M84.574S | S43.014S | S62.253S | S72.124S | S92.326S |
| M84.575S | S43.015S | S62.254S | S72.125S | S92.331S |
| M84.576S | S43.016S | S62.255S | S72.126S | S92.332S |
| M84.58xS | S43.021S | S62.256S | S72.131S | S92.333S |
| M84.60xS | S43.022S | S62.291S | S72.132S | S92.334S |
| M84.611S | S43.023S | S62.292S | S72.133S | S92.335S |
| M84.612S | S43.024S | S62.299S | S72.134S | S92.336S |
| M84.619S | S43.025S | S62.300S | S72.135S | S92.342S |
| M84.621S | S43.026S | S62.301S | S72.136S | S92.343S |
| M84.622S | S43.031S | S62.302S | S72.141S | S92.344S |
| M84.629S | S43.032S | S62.303S | S72.142S | S92.345S |
| M84.631S | S43.033S | S62.304S | S72.143S | S92.346S |
| M84.632S | S43.034S | S62.305S | S72.144S | S92.351S |
| M84.633S | S43.035S | S62.306S | S72.145S | S92.352S |
| M84.634S | S43.036S | S62.307S | S72.146S | S92.353S |
| M84.639S | S43.081S | S62.308S | S72.21xS | S92.354S |
| M84.641S | S43.082S | S62.309S | S72.22xS | S92.355S |
| M84.642S | S43.083S | S62.310S | S72.23xS | S92.356S |
| M84.649S | S43.084S | S62.311S | S72.24xS | S92.401S |
| M84.650S | S43.085S | S62.312S | S72.25xS | S92.402S |
| M84.651S | S43.086S | S62.313S | S72.26xS | S92.403S |
| M84.652S | S43.101S | S62.314S | S72.301S | S92.404S |
| M84.653S | S43.102S | S62.315S | S72.302S | S92.405S |
| M84.659S | S43.109S | S62.316S | S72.309S | S92.406S |
| M84.661S | S43.111S | S62.317S | S72.321S | S92.411S |
| M84.662S | S43.112S | S62.318S | S72.322S | S92.412S |
| M84.663S | S43.119S | S62.319S | S72.323S | S92.413S |
| M84.664S | S43.121S | S62.320S | S72.324S | S92.414S |
| M84.669S | S43.122S | S62.321S | S72.325S | S92.415S |
| M84.671S | S43.129S | S62.322S | S72.326S | S92.416S |
| M84.672S | S43.131S | S62.323S | S72.331S | S92.421S |
| M84.673S | S43.132S | S62.324S | S72.332S | S92.422S |
| M84.674S | S43.139S | S62.325S | S72.333S | S92.423S |
| M84.675S | S43.141S | S62.326S | S72.334S | S92.424S |
| M84.676S | S43.142S | S62.327S | S72.335S | S92.425S |
| M84.68xS | S43.149S | S62.328S | S72.336S | S92.426S |
| R51 | S43.151S | S62.329S | S72.341S | S92.491S |
| S02.0xxS | S43.152S | S62.330S | S72.342S | S92.492S |
| S02.10xS | S43.159S | S62.331S | S72.343S | S92.499S |
| S02.110S | S43.201S | S62.332S | S72.344S | S92.501S |
| S02.111S | S43.202S | S62.333S | S72.345S | S92.502S |
| S02.112S | S43.203S | S62.334S | S72.346S | S92.503S |
| S02.113S | S43.204S | S62.335S | S72.351S | S92.504S |
| S02.118S | S43.205S | S62.336S | S72.352S | S92.505S |
| S02.119S | S43.206S | S62.337S | S72.353S | S92.506S |
| S02.19xS | S43.211S | S62.338S | S72.354S | S92.511S |
| S02.2xxS | S43.212S | S62.339S | S72.355S | S92.512S |
| S02.3xxS | S43.213S | S62.340S | S72.356S | S92.513S |
| S02.400S | S43.214S | S62.341S | S72.361S | S92.514S |
| S02.401S | S43.215S | S62.342S | S72.362S | S92.515S |

DRAFT

| | | | | |
|----------|----------|----------|----------|----------|
| S02.402S | S43.216S | S62.343S | S72.363S | S92.516S |
| S02.411S | S43.221S | S62.344S | S72.364S | S92.521S |
| S02.412S | S43.222S | S62.345S | S72.365S | S92.522S |
| S02.413S | S43.223S | S62.346S | S72.366S | S92.523S |
| S02.42xS | S43.224S | S62.347S | S72.391S | S92.524S |
| S02.5xxS | S43.225S | S62.348S | S72.392S | S92.525S |
| S02.600S | S43.226S | S62.349S | S72.399S | S92.526S |
| S02.609S | S43.301S | S62.350S | S72.401S | S92.531S |
| S02.61xS | S43.302S | S62.351S | S72.402S | S92.532S |
| S02.62xS | S43.303S | S62.352S | S72.409S | S92.533S |
| S02.63xS | S43.304S | S62.353S | S72.411S | S92.534S |
| S02.64xS | S43.305S | S62.354S | S72.412S | S92.535S |
| S02.65xS | S43.306S | S62.355S | S72.413S | S92.536S |
| S02.66xS | S43.311S | S62.356S | S72.414S | S92.591S |
| S02.67xS | S43.312S | S62.357S | S72.415S | S92.592S |
| S02.69xS | S43.313S | S62.358S | S72.416S | S92.599S |
| S02.8xxS | S43.314S | S62.359S | S72.421S | S92.901S |
| S02.91xS | S43.315S | S62.360S | S72.422S | S92.902S |
| S02.92xS | S43.316S | S62.361S | S72.423S | S92.909S |
| S03.0xxS | S43.391S | S62.362S | S72.424S | S92.911S |
| S03.1xxS | S43.392S | S62.363S | S72.425S | S92.919S |
| S12.000S | S43.393S | S62.364S | S72.426S | S93.01xS |
| S12.001S | S43.394S | S62.365S | S72.431S | S93.02xS |
| S12.01xS | S43.395S | S62.366S | S72.432S | S93.03xS |
| S12.02xS | S43.396S | S62.367S | S72.433S | S93.04xS |
| S12.030S | S43.401S | S62.368S | S72.434S | S93.05xS |
| S12.031S | S43.402S | S62.369S | S72.435S | S93.06xS |
| S12.040S | S43.409S | S62.390S | S72.436S | S93.101S |
| S12.041S | S43.421S | S62.391S | S72.441S | S93.102S |
| S12.090S | S43.422S | S62.392S | S72.442S | S93.103S |
| S12.091S | S43.429S | S62.393S | S72.443S | S93.104S |
| S12.100S | S43.431S | S62.394S | S72.444S | S93.105S |
| S12.101S | S43.432S | S62.395S | S72.445S | S93.106S |
| S12.110S | S43.439S | S62.396S | S72.446S | S93.111S |
| S12.111S | S43.491S | S62.397S | S72.451S | S93.112S |
| S12.112S | S43.492S | S62.398S | S72.452S | S93.113S |
| S12.120S | S43.499S | S62.399S | S72.453S | S93.114S |
| S12.121S | S43.50xS | S62.501S | S72.454S | S93.115S |
| S12.130S | S43.51xS | S62.502S | S72.455S | S93.116S |
| S12.131S | S43.52xS | S62.509S | S72.456S | S93.119S |
| S12.14xS | S43.60xS | S62.511S | S72.461S | S93.121S |
| S12.150S | S43.61xS | S62.512S | S72.462S | S93.122S |
| S12.151S | S43.62xS | S62.513S | S72.463S | S93.123S |
| S12.190S | S43.80xS | S62.514S | S72.464S | S93.124S |
| S12.191S | S43.81xS | S62.515S | S72.465S | S93.125S |
| S12.200S | S43.82xS | S62.516S | S72.466S | S93.126S |
| S12.201S | S43.90xS | S62.521S | S72.471S | S93.129S |
| S12.230S | S43.91xS | S62.522S | S72.472S | S93.131S |
| S12.231S | S43.92xS | S62.523S | S72.479S | S93.132S |
| S12.24xS | S46.011S | S62.524S | S72.491S | S93.133S |

DRAFT

| | | | | |
|----------|----------|----------|----------|----------|
| S12.250S | S46.012S | S62.525S | S72.492S | S93.134S |
| S12.251S | S46.019S | S62.526S | S72.499S | S93.135S |
| S12.290S | S46.111S | S62.600S | S72.8X1S | S93.136S |
| S12.291S | S46.112S | S62.601S | S72.8X2S | S93.139S |
| S12.300S | S46.119S | S62.602S | S72.8X9S | S93.141S |
| S12.301S | S46.211S | S62.603S | S72.90xS | S93.142S |
| S12.330S | S46.212S | S62.604S | S72.91xS | S93.143S |
| S12.331S | S46.219S | S62.605S | S72.92xS | S93.144S |
| S12.34xS | S46.311S | S62.606S | S73.001S | S93.145S |
| S12.350S | S46.312S | S62.607S | S73.002S | S93.146S |
| S12.351S | S46.319S | S62.608S | S73.003S | S93.149S |
| S12.390S | S46.811S | S62.609S | S73.004S | S93.301S |
| S12.391S | S46.812S | S62.610S | S73.005S | S93.302S |
| S12.400S | S46.819S | S62.611S | S73.006S | S93.303S |
| S12.401S | S46.911S | S62.612S | S73.011S | S93.304S |
| S12.430S | S46.912S | S62.613S | S73.012S | S93.305S |
| S12.431S | S46.919S | S62.614S | S73.013S | S93.306S |
| S12.44xS | S48.011S | S62.615S | S73.014S | S93.311S |
| S12.450S | S48.012S | S62.616S | S73.015S | S93.312S |
| S12.451S | S48.019S | S62.617S | S73.016S | S93.313S |
| S12.490S | S48.021S | S62.618S | S73.021S | S93.314S |
| S12.491S | S48.022S | S62.619S | S73.022S | S93.315S |
| S12.500S | S48.029S | S62.620S | S73.023S | S93.316S |
| S12.501S | S48.111S | S62.621S | S73.024S | S93.321S |
| S12.530S | S48.112S | S62.622S | S73.025S | S93.322S |
| S12.531S | S48.119S | S62.623S | S73.026S | S93.323S |
| S12.54xS | S48.121S | S62.624S | S73.031S | S93.324S |
| S12.550S | S48.122S | S62.625S | S73.032S | S93.325S |
| S12.551S | S48.129S | S62.626S | S73.033S | S93.326S |
| S12.590S | S48.911S | S62.627S | S73.034S | S93.331S |
| S12.591S | S48.912S | S62.628S | S73.035S | S93.332S |
| S12.600S | S48.919S | S62.629S | S73.036S | S93.333S |
| S12.601S | S48.921S | S62.630S | S73.041S | S93.334S |
| S12.630S | S48.922S | S62.631S | S73.042S | S93.335S |
| S12.631S | S48.929S | S62.632S | S73.043S | S93.336S |
| S12.64xS | S49.001S | S62.633S | S73.044S | S93.401S |
| S12.650S | S49.002S | S62.634S | S73.045S | S93.402S |
| S12.651S | S49.009S | S62.635S | S73.046S | S93.409S |
| S12.690S | S49.011S | S62.636S | S73.101S | S93.411S |
| S12.691S | S49.012S | S62.637S | S73.102S | S93.412S |
| S12.8xxS | S49.019S | S62.638S | S73.109S | S93.419S |
| S12.9xxS | S49.021S | S62.639S | S73.111S | S93.421S |
| S13.0xxS | S49.022S | S62.640S | S73.112S | S93.422S |
| S13.100S | S49.029S | S62.641S | S73.119S | S93.429S |
| S13.101S | S49.031S | S62.642S | S73.121S | S93.431S |
| S13.110S | S49.032S | S62.643S | S73.122S | S93.432S |
| S13.111S | S49.039S | S62.644S | S73.129S | S93.439S |
| S13.120S | S49.041S | S62.645S | S73.191S | S93.491S |
| S13.121S | S49.042S | S62.646S | S73.192S | S93.492S |
| S13.130S | S49.049S | S62.647S | S73.199S | S93.499S |

DRAFT

| | | | | |
|----------|----------|----------|----------|----------|
| S13.131S | S49.091S | S62.648S | S76.011S | S93.501S |
| S13.140S | S49.092S | S62.649S | S76.012S | S93.502S |
| S13.141S | S49.099S | S62.650S | S76.019S | S93.503S |
| S13.150S | S49.101S | S62.651S | S76.111S | S93.504S |
| S13.151S | S49.102S | S62.652S | S76.112S | S93.505S |
| S13.160S | S49.109S | S62.653S | S76.119S | S93.506S |
| S13.161S | S49.111S | S62.654S | S76.211S | S93.509S |
| S13.170S | S49.112S | S62.655S | S76.212S | S93.511S |
| S13.171S | S49.119S | S62.656S | S76.219S | S93.512S |
| S13.180S | S49.121S | S62.657S | S76.311S | S93.513S |
| S13.181S | S49.122S | S62.658S | S76.312S | S93.514S |
| S13.20xS | S49.129S | S62.659S | S76.319S | S93.515S |
| S13.29xS | S49.131S | S62.660S | S76.811S | S93.516S |
| S13.4xxA | S49.132S | S62.661S | S76.812S | S93.519S |
| S13.4xxS | S49.139S | S62.662S | S76.819S | S93.521S |
| S13.8xxA | S49.141S | S62.663S | S76.911S | S93.522S |
| S13.8xxS | S49.142S | S62.664S | S76.912S | S93.523S |
| S13.9xxA | S49.149S | S62.665S | S76.919S | S93.524S |
| S13.9xxS | S49.191S | S62.666S | S78.011S | S93.525S |
| S14.2xxS | S49.192S | S62.667S | S78.012S | S93.526S |
| S14.3xxS | S49.199S | S62.668S | S78.019S | S93.529S |
| S14.4xxS | S52.001S | S62.669S | S78.021S | S93.601S |
| S14.5xxS | S52.002S | S62.90xS | S78.022S | S93.602S |
| S14.8xxS | S52.009S | S62.91xS | S78.029S | S93.609S |
| S14.9xxS | S52.011S | S62.92xS | S78.111S | S93.611S |
| S16.1xxA | S52.012S | S63.001S | S78.112S | S93.612S |
| S16.1xxS | S52.019S | S63.002S | S78.119S | S93.619S |
| S22.000S | S52.021S | S63.003S | S78.121S | S93.621S |
| S22.001S | S52.022S | S63.004S | S78.122S | S93.622S |
| S22.002S | S52.023S | S63.005S | S78.129S | S93.629S |
| S22.008S | S52.024S | S63.006S | S78.911S | S93.691S |
| S22.009S | S52.025S | S63.011S | S78.912S | S93.692S |
| S22.010S | S52.026S | S63.012S | S78.919S | S93.699S |
| S22.011S | S52.031S | S63.013S | S78.921S | S96.011S |
| S22.012S | S52.032S | S63.014S | S78.922S | S96.012S |
| S22.018S | S52.033S | S63.015S | S78.929S | S96.019S |
| S22.019S | S52.034S | S63.016S | S79.001S | S96.111S |
| S22.020S | S52.035S | S63.021S | S79.002S | S96.112S |
| S22.021S | S52.036S | S63.022S | S79.009S | S96.119S |
| S22.022S | S52.041S | S63.023S | S79.011S | S96.211S |
| S22.028S | S52.042S | S63.024S | S79.012S | S96.212S |
| S22.041S | S52.043S | S63.025S | S79.019S | S96.219S |
| S22.042S | S52.044S | S63.026S | S79.091S | S96.811S |
| S22.048S | S52.045S | S63.031S | S79.092S | S96.812S |
| S22.049S | S52.046S | S63.032S | S79.099S | S96.819S |
| S22.050S | S52.091S | S63.033S | S79.101S | S96.911S |
| S22.051S | S52.092S | S63.034S | S79.102S | S96.912S |
| S22.052S | S52.099S | S63.035S | S79.109S | S96.919S |
| S22.058S | S52.101S | S63.036S | S79.111S | S98.011S |
| S22.059S | S52.102S | S63.041S | S79.112S | S98.012S |

DRAFT

| | | | | |
|----------|----------|----------|----------|----------|
| S22.060S | S52.109S | S63.042S | S79.119S | S98.019S |
| S22.061S | S52.111S | S63.043S | S79.121S | S98.021S |
| S22.062S | S52.112S | S63.044S | S79.122S | S98.022S |
| S22.068S | S52.119S | S63.045S | S79.129S | S98.029S |
| S22.069S | S52.121S | S63.046S | S79.131S | S98.111S |
| S22.070S | S52.122S | S63.051S | S79.132S | S98.112S |
| S22.071S | S52.123S | S63.052S | S79.139S | S98.119S |
| S22.072S | S52.124S | S63.053S | S79.141S | S98.122S |
| S22.078S | S52.125S | S63.054S | S79.142S | S98.129S |
| S22.079S | S52.126S | S63.055S | S79.149S | S98.131S |
| S22.080S | S52.131S | S63.056S | S79.191S | S98.132S |
| S22.081S | S52.132S | S63.061S | S79.192S | S98.139S |
| S22.082S | S52.133S | S63.062S | S79.199S | S98.141S |
| S22.088S | S52.134S | S63.063S | S82.001S | S98.142S |
| S22.089S | S52.135S | S63.064S | S82.002S | S98.149S |
| S22.20xS | S52.136S | S63.065S | S82.009S | S98.211S |
| S22.21xS | S52.181S | S63.066S | S82.011S | S98.212S |
| S22.22xS | S52.182S | S63.071S | S82.012S | S98.219S |
| S22.23xS | S52.189S | S63.072S | S82.013S | S98.221S |
| S22.24xS | S52.201S | S63.073S | S82.014S | S98.222S |
| S22.31xS | S52.202S | S63.074S | S82.015S | S98.229S |
| S22.32xS | S52.209S | S63.075S | S82.016S | S98.311S |
| S22.39xS | S52.211S | S63.076S | S82.021S | S98.312S |
| S22.41xS | S52.212S | S63.091S | S82.022S | S98.319S |
| S22.42xS | S52.219S | S63.092S | S82.023S | S98.321S |
| S22.43xS | S52.221S | S63.093S | S82.024S | S98.322S |
| S22.49xS | S52.222S | S63.094S | S82.025S | S98.329S |
| S22.5xxS | S52.223S | S63.095S | S82.026S | S98.911S |
| S22.9xxS | S52.224S | S63.096S | S82.031S | S98.912S |
| S23.0xxS | S52.225S | S63.101S | S82.032S | S98.919S |
| S23.100S | S52.226S | S63.102S | S82.033S | S98.921S |
| S23.101S | S52.231S | S63.103S | S82.034S | S98.922S |
| S23.110S | S52.232S | S63.104S | S82.035S | S98.929S |
| S23.111S | S52.233S | S63.105S | S82.036S | S82.435S |
| S23.120S | S52.234S | S63.106S | S82.041S | S82.436S |
| S23.121S | S52.235S | S63.111S | S82.042S | S82.441S |
| S23.122S | S52.236S | S63.112S | S82.043S | S82.442S |
| S23.123S | S52.241S | S63.113S | S82.044S | S82.443S |
| S23.130S | S52.242S | S63.114S | S82.045S | S82.444S |
| S23.131S | S52.243S | S63.115S | S82.046S | S82.445S |
| S23.132S | S52.244S | S63.116S | S82.091S | S82.446S |
| S23.133S | S52.245S | S63.121S | S82.092S | S82.451S |
| S23.140S | S52.246S | S63.122S | S82.099S | S82.452S |
| S23.141S | S52.251S | S63.123S | S82.101S | S82.453S |
| S23.142S | S52.252S | S63.124S | S82.102S | S82.454S |
| S23.143S | S52.253S | S63.125S | S82.109S | S82.455S |
| S23.150S | S52.254S | S63.126S | S82.111S | S82.456S |
| S23.151S | S52.255S | S63.131S | S82.112S | S82.461S |
| S23.152S | S52.256S | S63.133S | S82.113S | S82.462S |
| S23.153S | S52.261S | S63.134S | S82.114S | S82.463S |

DRAFT

| | | | | |
|----------|----------|----------|----------|----------|
| S23.160S | S52.262S | S63.135S | S82.115S | S82.464S |
| S23.161S | S52.263S | S63.136S | S82.116S | S82.465S |
| S23.162S | S52.264S | S63.141S | S82.121S | S82.466S |
| S23.163S | S52.265S | S63.142S | S82.122S | S82.491S |
| S23.170S | S52.266S | S63.143S | S82.123S | S82.492S |
| S23.171S | S52.271S | S63.144S | S82.124S | S82.499S |
| S23.20xS | S52.272S | S63.145S | S82.125S | S82.51xS |
| S23.29xS | S52.279S | S63.146S | S82.126S | S82.52xS |
| S23.3xxA | S52.281S | S63.200S | S82.131S | S82.53xS |
| S23.3xxS | S52.282S | S63.201S | S82.132S | S82.54xS |
| S23.41xS | S52.283S | S63.202S | S82.133S | S82.55xS |
| S23.420S | S52.291S | S63.203S | S82.134S | S82.56xS |
| S23.421S | S52.292S | S63.204S | S82.135S | S82.61xS |
| S23.428S | S52.299S | S63.205S | S82.136S | S82.62xS |
| S23.429S | S52.301S | S63.206S | S82.141S | S82.63xS |
| S23.8xxA | S52.302S | S63.207S | S82.142S | S82.64xS |
| S23.8xxS | S52.309S | S63.208S | S82.143S | S82.65xS |
| S23.9xxA | S52.311S | S63.209S | S82.144S | S82.66xS |
| S23.9xxS | S52.312S | S63.210S | S82.145S | S82.811S |
| S24.2xxS | S52.319S | S63.211S | S82.146S | S82.812S |
| S24.3xxS | S52.321S | S63.212S | S82.151S | S82.819S |
| S24.4xxS | S52.322S | S63.213S | S82.152S | S82.821S |
| S24.8xxS | S52.323S | S63.214S | S82.153S | S82.822S |
| S24.9xxS | S52.324S | S63.215S | S82.154S | S82.829S |
| S29.011S | S52.325S | S63.216S | S82.155S | S82.831S |
| S29.012S | S52.326S | S63.217S | S82.156S | S82.832S |
| S29.019S | S52.331S | S63.218S | S82.161S | S82.839S |
| S32.000S | S52.332S | S63.219S | S82.162S | S82.841S |
| S32.001S | S52.333S | S63.220S | S82.169S | S82.842S |
| S32.002S | S52.334S | S63.221S | S82.191S | S82.843S |
| S32.008S | S52.335S | S63.222S | S82.192S | S82.844S |
| S32.009S | S52.336S | S63.223S | S82.199S | S82.845S |
| S32.010S | S52.341S | S63.224S | S82.201S | S82.846S |
| S32.011S | S52.342S | S63.225S | S82.202S | S82.851S |
| S32.012S | S52.343S | S63.226S | S82.209S | S82.852S |
| S32.018S | S52.344S | S63.227S | S82.221S | S82.853S |
| S32.019S | S52.345S | S63.228S | S82.222S | S82.854S |
| S32.020S | S52.346S | S63.229S | S82.223S | S82.855S |
| S32.021S | S52.351S | S63.230S | S82.224S | S82.856S |
| S32.022S | S52.352S | S63.231S | S82.225S | S82.861S |
| S32.028S | S52.353S | S63.232S | S82.226S | S82.862S |
| S32.029S | S52.354S | S63.233S | S82.231S | S82.863S |
| S32.030S | S52.355S | S63.234S | S82.232S | S82.864S |
| S32.031S | S52.356S | S63.235S | S82.233S | S82.865S |
| S32.032S | S52.361S | S63.236S | S82.234S | S82.866S |
| S32.038S | S52.362S | S63.237S | S82.235S | S82.871S |
| S32.039S | S52.363S | S63.238S | S82.236S | S82.872S |
| S32.040S | S52.364S | S63.239S | S82.241S | S82.873S |
| S32.041S | S52.365S | S63.240S | S82.242S | S82.874S |
| S32.042S | S52.366S | S63.241S | S82.243S | S82.875S |

DRAFT

| | | | | |
|----------|----------|----------|----------|----------|
| S32.048S | S52.371S | S63.242S | S82.244S | S82.876S |
| S32.049S | S52.372S | S63.243S | S82.245S | S82.891S |
| S32.050S | S52.379S | S63.244S | S82.246S | S82.892S |
| S32.051S | S52.381S | S63.245S | S82.251S | S82.899S |
| S32.052S | S52.382S | S63.246S | S82.252S | S82.90xS |
| S32.058S | S52.389S | S63.247S | S82.253S | S82.91xS |
| S32.059S | S52.391S | S63.248S | S82.254S | S82.92xS |
| S32.10xS | S52.392S | S63.249S | S82.255S | S83.001S |
| S32.110S | S52.399S | S63.250S | S82.256S | S83.002S |
| S32.111S | S52.501S | S63.251S | S82.261S | S83.003S |
| S32.112S | S52.502S | S63.252S | S82.262S | S83.004S |
| S32.119S | S52.509S | S63.253S | S82.263S | S83.005S |
| S32.120S | S52.511S | S63.254S | S82.264S | S83.006S |
| S32.121S | S52.512S | S63.255S | S82.265S | S83.011S |
| S32.122S | S52.513S | S63.256S | S82.266S | S83.012S |
| S32.129S | S52.514S | S63.257S | S82.291S | S83.013S |
| S32.130S | S52.515S | S63.258S | S82.292S | S83.014S |
| S32.131S | S52.516S | S63.259S | S82.299S | S83.015S |
| S32.132S | S52.521S | S63.260S | S82.301S | S83.016S |
| S32.139S | S52.522S | S63.261S | S82.302S | S83.091S |
| S32.14xS | S52.529S | S63.262S | S82.309S | S83.092S |
| S32.15xS | S52.531S | S63.263S | S82.311S | S83.093S |
| S32.16xS | S52.532S | S63.264S | S82.312S | S83.094S |
| S32.17xS | S52.539S | S63.265S | S82.319S | |
| S32.19xS | S52.541S | S63.266S | S82.391S | |
| S32.2xxS | S52.542S | S63.267S | S82.392S | |
| S32.301S | S52.549S | S63.268S | S82.399S | |
| S32.302S | S52.551S | S63.269S | S82.401S | |
| S32.309S | S52.552S | S63.270S | S82.402S | |
| S32.311S | S52.559S | S63.271S | S82.409S | |
| S32.312S | S52.561S | S63.272S | S82.421S | |
| S32.313S | S52.562S | S63.273S | S82.422S | |
| S32.314S | S52.569S | S63.274S | S82.423S | |
| S32.315S | S52.571S | S63.275S | S82.424S | |
| S32.316S | S52.572S | S63.276S | S82.425S | |
| S32.391S | S52.579S | S63.277S | S82.426S | |
| S32.392S | S52.591S | S63.278S | S82.431S | |
| S32.399S | S52.592S | S63.279S | S82.432S | |
| S32.401S | S52.599S | S63.280S | S82.433S | |
| S32.402S | S52.601S | S63.281S | S82.434S | |
| S32.409S | | | | |
| S32.411S | | | | |
| S32.412S | | | | |
| S32.413S | | | | |
| S32.414S | | | | |
| S32.415S | | | | |
| S32.416S | | | | |
| S32.421S | | | | |
| S32.422S | | | | |
| S32.423S | | | | |

DRAFT**C. Code(s)**

Provider(s) shall report the most specific billing code that accurately and completely describes the procedure, product or service provided. Provider(s) shall use the Current Procedural Terminology (CPT), Health Care Procedure Coding System (HCPCS), and UB-04 Data Specifications Manual (for a complete listing of valid revenue codes) and any subsequent editions in effect at the time of service. Provider(s) shall refer to the applicable edition for the code description, as it is no longer documented in the policy.

If no such specific CPT or HCPCS code exists, then the provider(s) shall report the procedure, product or service using the appropriate unlisted procedure or service code.

| CPT Code(s) | | |
|-----------------------|-------|-------|
| Chiropractic Services | | |
| 98940 | 98941 | 98942 |

| CPT Code(s) | | |
|---------------|-------|-------|
| X-rays | | |
| 72020 | 72074 | 72114 |
| 72040 | 72080 | 72120 |
| 72050 | 72081 | 72170 |
| 72052 | 72082 | 72190 |
| 72069 | 72083 | 72200 |
| 72070 | 72084 | 72202 |
| 72072 | 72100 | 72220 |
| | 72110 | |

Unlisted Procedure or Service

CPT: The provider(s) shall refer to and comply with the Instructions for Use of the CPT Codebook, Unlisted Procedure or Service, and Special Report as documented in the current CPT in effect at the time of service.

HCPCS: The provider(s) shall refer to and comply with the Instructions for Use of HCPCS National Level II codes, Unlisted Procedure or Service and Special Report as documented in the current HCPCS edition in effect at the time of service.

D. Modifiers

Provider(s) shall follow applicable modifier guidelines.

E. Billing Units

Manipulation of the spine may be billed only once per date of service.

DRAFT

E. Place of Service

Office

F. Co-payments

For Medicaid refer to the Medicaid State Plan:

<https://medicaid.ncdhhs.gov/meetings-notices/medicaid-state-plan-public-notices>

G. Reimbursement

Provider(s) shall bill their usual and customary charges.

For a schedule of rates, refer to: <https://medicaid.ncdhhs.gov/>