#### **Therapeutic Class Code:** Q5K, T0I

**Therapeutic Class Description:** Topical Anti-inflammatory Medications Calcineurin Inhibitors, Topical Anti-inflammatory Medications, Phosphodiesterase-4 (PDE4) Inhibitors

#### Medication

Elidel<sup>®</sup> pimecrolimus cream

Protopic<sup>®</sup> tacrolimus ointment

Eucrisa<sup>®</sup>

#### Criteria:

**Elidel®**, pimecrolimus cream, Protopic® 0.03%, and tacrolimus 0.03%:

• Beneficiary has tried and failed on at least one prescription topical corticosteroid and beneficiary is 2 years old or older.

OR

• Beneficiary has a documented adverse reaction or contraindication that precludes trial of one topical corticosteroid.

#### Eucrisa:

• Beneficiary has tried and failed on at least one prescription topical corticosteroid and beneficiary is 3 months of age or older.

#### OR

• Beneficiary has a documented adverse reaction or contraindication that precludes trial of one topical corticosteroid.

#### Protopic® 0.1%, tacrolimus 0.1%:

• Beneficiary has tried and failed on at least one prescription topical corticosteroid and beneficiary is 18 years old or older.

#### OR

• Beneficiary has a documented adverse reaction or contraindication that precludes trial of one topical corticosteroid.

Procedures:

• May be approved for up to 1 year.

### References

- 1. Novartis Pharmaceuticals Corp., Elidel package insert. East Hanover, New Jersey 07936; May 2009.
- 2. Astellas Pharma US, INC. Protopic package insert. Deerfield, IL 60015-2548 ; June 2009.
- 3. Anacor Pharmaceuticals, INC., Eucrisa package insert. Palo Alto, California: December 2016.Updated March 2020.

# Medicaid and Health Choice Effective Date: December 8, 2009 Amended Date: October 21, 2020

## Criteria Change Log

12/08/2009	Criteria effective date
06/13/2017	Add Eucrisa®
10/17/2017	Add Dupixent®
06/14/2019	Moved Dupixent® to the Monoclonal Antibody Criteria
06/14/2019	Added generic pimecrolimus, changed to try and fail one steroid instead of two, changed "patient" to "beneficiary".
10/21/2020	Updated age for Eucrisa from 2 years to 3 months or older
	Changed to try and failure of one prescription topical corticosteroid