Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

#### **DRAFT**

Therapeutic Class Code: D6A, S2J, S2M, S2Q, Z2U, Z2Z, S2Z, L1A, S2V, Z2V, D6K

Therapeutic Class Description: Injectable Immunomodulators

Medication	Generic Code Number(s)	NDC Number(s)
Actemra SQ	35486	
Actemra Infusion	27366, 27367, 27368	
Arcalyst	99473	
Cimzia	23471, 99615	
Cosentyx	37788, 37789	
Enbrel	23574, 52651, 97724, 98398	
Entyvio Infusion	36544	
Humira	18924, 97005, 99439, 37262	
Ilaris	27445	
Ilumya	44553	
Inflectra Infusion	40977	
Kevzara	43223, 43224	
Kineret	14867	
Olumiant	43468	
Orencia Infusion	26306	
Orencia SQ	30289, 41656	
Otezla	36172, 36173, 37765	
Remicade Infusion	61501	
Renflexis	43638	
Siliq	43055	
Simponi	22533, 22536, 34697, 35001	
Simponi Aria Infusion	34983	
Stelara	28158, 28159	
Taltz	40848, 48049	
Tremfya	43612	
Xeljanz and Xeljanz XR	33617, 38086	

#### **Eligible Beneficiaries**

NC Medicaid (Medicaid) beneficiaries shall be enrolled on the date of service and may have service restrictions due to their eligibility category that would make them ineligible for this service.

NC Health Choice (NCHC) beneficiaries, ages 6 through 18 years of age, shall be enrolled on the date of service to be eligible, and must meet policy coverage criteria, unless otherwise specified. **EPSDT does not apply to NCHC beneficiaries**.

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

#### **DRAFT**

**EPSDT Special Provision: Exception to Policy Limitations for Beneficiaries under 21** 

#### Years of Age 42 U.S.C. § 1396d(r) [1905(r) of the Social Security Act]

Early and Periodic Screening, Diagnostic, and Treatment (EPSDT) is a federal Medicaid requirement that requires the state Medicaid agency to cover services, products, or procedures for Medicaid beneficiaries under 21 years of age **if** the service is **medically necessary health care** to correct or ameliorate a defect, physical or mental illness, or a condition [health problem] identified through a screening examination (includes any evaluation by a physician or other licensed clinician). This means EPSDT covers most of the medical or remedial care a child needs to improve or maintain his/her health in the best condition possible, compensate for a health problem, prevent it from worsening, or prevent the development of additional health problems. Medically necessary services will be provided in the most economic mode, as long as the treatment made available is similarly efficacious to the service requested by the beneficiary's physician, therapist, or other licensed practitioner; the determination process does not delay the delivery of the needed service; and the determination does not limit the beneficiary's right to a free choice of providers.

EPSDT does not require the state Medicaid agency to provide any service, product, or procedure

- a. that is unsafe, ineffective, or experimental/investigational.
- b. that is not medical in nature or not generally recognized as an accepted method of medical practice or treatment.

Service limitations on scope, amount, duration, frequency, location of service, and/or other specific criteria described in clinical coverage policies may be exceeded or may not apply as long as the provider's documentation shows that the requested service is medically necessary "to correct or ameliorate a defect, physical or mental illness, or a condition" [health problem]; that is, provider documentation shows how the service, product, or procedure meets all EPSDT criteria, including to correct or improve or maintain the beneficiary's health in the best condition possible, compensate fora health problem, prevent it from worsening, or prevent the development of additional health problems.

## **EPSDT and Prior Approval Requirements**

EPSDT DOES NOT ELIMINATE THE REQUIREMENT FOR PRIOR APPROVAL IF PRIOR APPROVAL IS REQUIRED. Additional information on EPSDT guidelines may be accessed at EPSDT provider page: to <a href="https://medicaid.ncdhhs.gov">https://medicaid.ncdhhs.gov</a>

#### Criteria

- **1. Ankylosing Spondylitis**: For Enbrel, Humira, Cosentyx, Inflectra, Cimzia, Simponi, Simponi Aria, Remicade and Renflexis ONLY.
- Beneficiary has a diagnosis of Ankylosing Spondylitis.
   AND

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

#### DRAFT

Beneficiary is not on another injectable biologic immunomodulator.

- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab AND
- Beneficiary has experienced inadequate symptom relief from treatment with at least two NSAIDS OR
- Beneficiary is unable to receive treatment with NSAIDS due to contraindications.

OR

- Beneficiary has clinical evidence of severe or rapidly progressing disease AND
- Coverage of non-preferred medications require a trial and failure of Cosentyx, Enbrel or Humira or a clinical reason beneficiary cannot try Cosentyx, Enbrel or Humira.
- **2.** Crohn's disease (Adult): For Humira, Cimzia, Entyvio, Inflectra, Stelara, Remicade and Renflexis ONLY.
- Beneficiary has a diagnosis of moderate to severe Crohn's Disease. AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab AND
- Coverage of non-preferred medications require a trial and failure of Humira or a clinical reason beneficiary cannot try Humira

## 3. Crohn's disease (Pediatric): For Humira, Inflectra, Remicade and Renflexis ONLY

- Beneficiary has a diagnosis of moderate to severe Crohn's Disease. AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab
- Coverage of non-preferred medications require a trial and failure of Humira or a clinical reason beneficiary cannot try Humira
- **4.** Polyarticular Juvenile Idiopathic Arthritis (PJIA): For Enbrel, Humira, Actemra SQ, Actemra Infusion, Orencia Infusion and Orencia SQ ONLY.
  - Beneficiary has a diagnosis of Polyarticular Juvenile Idiopathic Arthritis

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

### **DRAFT**

**AND** 

• Beneficiary is not on another injectable biologic immunomodulator.

**AND** 

• Beneficiary has been considered and screened for the presence of latent tuberculosis infection.

**AND** 

- Beneficiary has been tested with Hep B SAG and Core Ab AND
- Beneficiary has tried one systemic corticosteroid (e.g. prednisone, methylprednisolone) or methotrexate, leflunomide or sulfasalazine with inadequate response or is unable to take these therapies due to contraindications.
- OR

Beneficiary has PJIA subtype enthesitis related arthritis

**AND** 

• Coverage of non-preferred medications require a trial and failure of Enbrel or Humira or a clinical reason beneficiary cannot try Enbrel or Humira.

# 5. Systemic Onset Juvenile Idiopathic Arthritis.(SJIA): For Actemra Infusion, Actemra SQ and Ilaris ONLY.

Beneficiary has a diagnosis of Systemic Juvenile Idiopathic arthritis.

**AND** 

• Beneficiary is not on another injectable biologic immunomodulator.

**AND** 

 Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND

Beneficiary has been tested with Hep B SAG and Core Ab

OR

 Beneficiary has systemic arthritis with active systemic features and features of poor prognosis, as determined by the prescribing physician (e.g. arthritis of the hip, radiographic damage)

### **6.** Neonatal Onset Multisystem Inflammatory Disease (NOMID): For Kineret ONLY.

- Beneficiary has a diagnosis of neonatal-onset multisystem inflammatory disease AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

#### **DRAFT**

- 7. Cryopyrin-Associated Periodic Syndromes (CAPS) including Familial Cold Autoinflammatory Syndrome (FCAS) and Muckle-Wells Syndrome (MWS): For Arcalyst and Ilaris ONLY.
  - Beneficiary has a diagnosis of Cryopyrin-Associated Periodic Syndromes (CAPS) including Familial Cold Autoinflammatory Syndrome (FCAS) and Muckle-Wells Syndrome (MWS) AND
  - Beneficiary is not on another injectable biologic immunomodulator. AND
  - Beneficiary has been considered and screened for the presence of latent tuberculosis infection.
     AND
  - Beneficiary has been tested with Hep B SAG and Core Ab
- **8.** Plaque psoriasis (Pediatric): For Enbrel and Stelara (ages 12 and up) ONLY.
  - Beneficiary has a diagnosis of plaque psoriasis and is a candidate for systemic therapy or phototherapy
     AND
  - Beneficiary is not on another injectable biologic immunomodulator. AND
  - Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
  - Beneficiary has been tested with Hep B SAG and Core Ab AND
  - Beneficiary has experienced a therapeutic failure/inadequate response with methotrexate.

**AND** 

• Beneficiary has body surface area (BSA) involvement of at least 3%.

OR

- Beneficiary has involvement of the palms, soles, head and neck, or genitalia, causing disruption in normal daily activities and/or employment.
- For ages 12 and up, coverage of non-preferred medications requires a trial and failure of Enbrel or a clinical reason beneficiary cannot try Enbrel.
- <u>**9.**</u> <u>Plaque psoriasis (adult):</u> For Enbrel, Humira, Cosentyx, Cimzia, Ilumya, Inflectra, Otezla, Remicade, Renflexis, Siliq, Stelara, Taltz, and Tremfya ONLY.
  - Beneficiary has a documented definitive diagnosis of moderate-to-severe chronic plaque psoriasis

**AND** 

- Beneficiary is 18 years of age or older AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

#### **DRAFT**

Beneficiary has been tested with Hep B SAG and Core Ab

 Beneficiary has experienced a therapeutic failure/inadequate response with methotrexate

**AND** 

Beneficiary has body surface area (BSA) involvement of at least 3%.
 OR

• Beneficiary has involvement of the palms, soles, head and neck, or genitalia, causing disruption in normal daily activities and/or employment.

**AND** 

- Beneficiary has failed to respond to, or has been unable to tolerate phototherapy and ONE of the following medications or beneficiary has contraindications to these treatments:
  - Soriatane (acitretin)
  - Methotrexate
  - Cyclosporine

AND

- Coverage of non-preferred medications require a trial and failure of Cosentyx, Enbrel or Humira or a clinical reason beneficiary cannot try either Cosentyx, Enbrel or Humira.
- Beneficiaries, Providers, and Pharmacies utilizing Siliq must be registered appropriately in the Siliq Risk Evaluation and Mitigation Strategy Program (REMS program).
- **10. Psoriatic arthritis:** For Enbrel, Humira, Inflectra, Cosentyx, Cimzia, Orencia SQ, Orencia Infusion, Otezla, Renflexis, Remicade, Simponi, Simponi Aria, Stelara, Taltz, Xeljanz and Xeljanz XR ONLY
  - Beneficiary has a documented definitive diagnosis of psoriatic arthritis

AND

• Beneficiary is 18 years of age or older

AND

Beneficiary is not on another injectable biologic immunomodulator. AND

- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab AND
- Beneficiary has a documented inadequate response or inability to take methotrexate

**AND** 

• Coverage of non-preferred medications require a trial and failure of Cosentyx, Enbrel or Humira or a clinical reason beneficiary cannot try either Cosentyx, Enbrel or Humira.

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

#### **DRAFT**

- 11. Rheumatoid arthritis: For Enbrel, Humira, Actrema Infusion, Actemra SQ, Cimzia, Inflectra, Kevzara, Kineret, Olumiant, Orencia, Orencia SQ, Remicade, Renflexis, Simponi, Simponi Aria, Xeljanz and Xeljanz XR ONLY
  - Beneficiary has a diagnosis of rheumatoid arthritis.
  - Beneficiary is not on another injectable biologic immunomodulator. AND
  - Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
  - Beneficiary has been tested with Hep B SAG and Core Ab AND
  - Beneficiary has experienced a therapeutic failure/inadequate response with methotrexate or at least one disease modifying antirheumatic drug (e.g. leflunomide, hydroxychloroquine, minocycline, sulfasalazine). OR
  - Beneficiary is unable to receive methotrexate or disease modifying antirheumatic drug due to contraindications or intolerabilities. OR
  - Beneficiary has clinical evidence of severe or rapidly progressing disease AND
  - Coverage of non-preferred medications require a trial and failure of Enbrel or Humira or a clinical reason beneficiary cannot try either Enbrel or Humira.
- **12.** <u>Ulcerative colitis (Adult):</u> For Humira, Entyvio, Inflectra, Remicade, Renflexis, Simponi, Xeljanz and Xeljanz XR ONLY.
  - Beneficiary has a diagnosis of ulcerative colitis. AND
  - Beneficiary is not on another injectable biologic immunomodulator. AND
  - Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
  - Beneficiary has been tested with Hep B SAG and Core Ab AND
  - Coverage of non-preferred medications require a trial and failure of Humira or a clinical reason beneficiary cannot try Humira

## 13. <u>Ulcerative colitis (Pediatric):</u> For Remicade ONLY

- Beneficiary has a diagnosis of ulcerative colitis. AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

#### DRAFT

## **14. Hidradenitis Suppurativa:** For Humira ONLY (ages 12 and older)

- Beneficiary has a diagnosis of Hidradenitis Suppurativa (moderate to severe).
   AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab

## 15. Tumor Necrosis Factor Receptor Associated Periodic Syndrome (TRAPS); Ilaris ONLY

 Beneficiary has a diagnosis of Tumor Necrosis Factor Receptor Associated Periodic Syndrome (TRAPS)

**AND** 

- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab

# 16. Hyperimmunoglobulin D Syndrome (HIDS)/Mevalonate Kinase Deficiency (MKD): Ilaris ONLY

 Beneficiary has a diagnosis of Hyperimmunoglobulin D Syndrome (HIDS)/Mevalonate Kinase Deficiency (MKD)

**AND** 

- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab

## 17. Familial Mediterranean Fever (FMF): Ilaris ONLY

- Beneficiary has a diagnosis of Familial Mediterranean Fever (FMF) AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab

# 18. Non-infectious Intermediate Posterior Panuveitis: Humira ONLY (ages 2 and older)

- Beneficiary has a diagnosis of Non-infectious Intermediate Posterior Panuveitis AND
- Beneficiary is not on another injectable biologic immunomodulator. AND

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

#### **DRAFT**

- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab

## 19. Giant Cell Arteritis: Actemra and Actemra SQ ONLY

- Beneficiary has a diagnosis of Giant Cell Arteritis
- AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab

## 20. Cytokine Release Syndrome: Actemra and Actemra SQ ONLY

- Beneficiary has a diagnosis of Cytokine Release Syndrome AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab

# 21. Non-Radiographic Axial Spondyloarthritis: Cimzia ONLY

- Beneficiary has a diagnosis of Non-Radiographic Axial Spondyloarthritis AND
- Beneficiary is not on another injectable biologic immunomodulator. AND
- Beneficiary has been considered and screened for the presence of latent tuberculosis infection. AND
- Beneficiary has been tested with Hep B SAG and Core Ab

#### **Procedures**

- Approve for up to 12 months.
- Coverage of one injectable immunomodulator at a time.

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

System e II																								
	Enbrel (P)	Humira (P)	Cosentyx (P)	Actemra Infusion/ Actemra SQ	Arcalyst	Cimzia	Entyvio	llaris	llumya	Inflectra	Kevzara	Kineret	Olumiant	Orencia/ Orencia SQ	Otezla	Remicade	Renflexis	Siliq	Simponi	Simponi Aria	Stelara	Taltz	Tremfya	Xeljanz/ Xeljanz XR
Anklyosing Spondylitis	х	Х	х			X***				X***						X***	X***		X***	X***				
Crohn's Disease (adult)		Х				X*	X*			X*						X*	X*				X*			
Crohn's Disease (pediatric)		Х								X*						X*	X*							
Polyarticular Juvenile Idiopathic Arthritis (PJIA)	Х	Х		X**										X**										
Systemic Onset Juvenile Idiopathic Arthritis (SJIA)				Х				Х																
Neonatal Onset Multisystem Inflammatory Disease (NOMID)												Х												
Non-Radiographic Axial Spondyloarthritis						X																		
Cryoprin Associated Periodic Syndromes (CAPS) including Familial Cold Autoinflammatory Syndrome (FCAS) and Muckle-Wells Syndrome (MWS)					Х			Х																
Plaque Psoriasis (pediatric)	Х																				X* (ages 12 and up)			
Plaque Psoriasis (adult)	Х	Х	х			X***			X***	X***					X***	X***	X***	X***			X***	X***	X***	

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

	Enbrel (P)	Humira (P)	Cosentyx (P)	Actemra Infusion/ Actemra SQ	Arcalyst	Cimzia	Entyvio	llaris	llumya	Inflectra	Kevzara	Kineret	Olumiant	Orencia/ Orencia SQ	Otezla	Remicade	Renflexis	Siliq	Simponi	Simponi Aria	Stelara	Taltz	Tremfya	Xeljanz/ Xeljanz XR
Psoriatic Arthritis	Х	Х	Х			X***				X***				X***	X***	X***	X***		X***	X***	X***	X***		Х
Rheumatoid Arthritis	Х	Х		X**		X**				X**	X**	X**	X**	X**		X**	X**		X**	X**				Х
Ulcerative Colitis (adult)		Х					X*			X*						X*	X*		X*					Х
Ulcerative Colitis (pediatric)																Х								
Hidradenitis Suppurativa		Х																						
Tumor Necrosis Factor Receptor Associated Periodic Syndrome (TRAPS)								Х																
Hyperimmunoglobulin D Syndrome (HIDS)/Mevalonate Kinase Deficiency (MKD)								Х																
Familial Mediterranean Fever (FMF)								Х																
Non-Infectious Intermediate Posterior Panuveitis		Х																						
Giant Cell Arteritis				Х																		1		
Cytokine Release Syndrome				Х																				

\*\*\*Trial and failure of either Cosentyx, Enbrel or Humira before coverage of non-preferred agent

19G15 Public Comment

\*Trial and Failure of Enbrel before coverage of non-preferred

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date:

19G15 Public Comment 12

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date: June 27, 2018

#### References

- 1. UCB, Inc. Cimzia package insert. Smyrna, GA: November 2012. Updated March 2019.
- 2. Immunex Corporation. Enbrel package insert. Thousand Oaks, CA: June 2013.
- 3. AbbVie Inc. Humira package insert. North Chicago, IL: July 2013.(updated September 2015)
- 4. Swedish Orphan Biovitrum AB. Kineret package insert. Stockholm, Sweden: 2001.
- 5. Bristol-Myers Squibb Company. Orencia package insert. Princeton, NJ: July 2013. Revised March 2017. Revised June 2017.
- 6. Janssen Biotech, Inc. Simponi package insert. Horsham, PA: May 2013.
- 7. Janssen Biotech, Inc. Stelara package insert. Horsham, PA: May 2013.
- 8. Pfizer. Xeljanz package insert. New York: September 2013. Revised December 2017.
- 9. Bos JD, Hagenaars C, Das PK, et al. Predominance of "memory" T cells (CD4+, CDw29+) over "naïve" T cells (CD4+, CD45R+) in both normal and diseased human skin. Arch Dermatol Res 1989; 281:24-30.
- 10. Ellis C, Krueger GG. Treatment of chronic plaque psoriasis by selective targeting of memory effector T lymphocytes. N Engl J Med 2001; 345:248-255.
- 11. Fredriksson T, Pettersson U. Severe psoriasis--oral therapy with a new retinoid. Dermatologica 1978; 157:238-244.
- 12. Celgene Corporation. Otezla prescribing information. Summit, NJ: September 2014.
- 13. Novartis Pharmaceuticals Corporation. Ilaris prescribing information. East Hanover, NJ: October 2014.
- 14. Novartis Pharmaceuticals Corporation. Cosentyx prescribing information. East Hanover, NJ; January 2015.
- 15. Eli Lilly and Company. Taltz prescribing information. Indianapolis, IN 46285: March 2016. Updated 12/2017
- 16. Novartis Pharmaceuticals Corporation. Ilaris prescribing information. East Hanover, NJ: September 2016.
- 17. AbbVie Inc. Humira package insert. North Chicago, IL: updated June 2016 (Uveitis).
- 18. Regeneron Pharmaceuticals, INC. Arcalyst prescribing information. Tarrytown, NY; September 2016.
- 19. Genentech Inc. Actemra Prescribing Information. San Fransisco CA: revised May 2018.
- 20. Takeda Pharmaceuticals America. Entyvio Prescribing Information. Deerfield IL: May 2014.
- 21. Pfizer Labs, Inc. Inflectra Prescribing Information. New York, NY: August 2016.
- 22. Janssen Biotech, Inc. Remicade Prescribing Information. Horsham, PA: October 2015.
- 23. Janssen Biotech, Inc. Simponi Aria Prescribing Information. Horsham, PA: January 2017.
- 24. Sanofi-Aventis, US, LLC, Kevzara Prescribing information. Bridgewater, NJ: May 2017.
- 25. Merck Sharp and Dohme, Corporation, Renflexis Prescribing Information. Whitehouse Station, NJ: April 2017.
- 26. Janssen Biotech, INC., Tremfya Prescribing Information. Horsham, PA: July 2017.
- 27. Lilly, USA, LLC., Olumiant Prescribing Information. Indianapolis, IN: May 2018.
- 28. Sun Pharma Global, FZE. Inc. Ilumya Prescribing Information. Cranbury, NJ: August 2018.
- 29. Valeant Pharmaceuticals of North America, LLC., Siliq Prescribing Information. Bridgewater, NJ: February 2017.

Medicaid and Health Choice Effective Date: August 15, 2014 Amended Date: June 27, 2018

## Criteria Change Log

06/10/2015   add Otezla and add gen 37262 for Humira	08/15/2014	Criteria effective date
01/21/2016   add Cosentyx		
add x Hidradenitis Suppurativa for Humira		č
10/03/2016   add Xeljanz XR     10/19/2016   add Taltz     106/27/2018   add diagnosis for llaris- Tumor Necrosis Factor Receptor Associated Periodic Syndrome (TRAPS), Hyperimmunoglobulin D Syndrome (HIDS)/Mevalonate Kinase Deficiency (MKD), and Familial Mediterranean Fever (FMF)     10/10/2014   add diagnosis for Humira-Uveitis     10/10/2014   add infusion products to clinical coverage criteria-   10/10/2014   Accepts a di finsion products to clinical coverage criteria-   10/10/2014   add infusion, Entyvio Infusion, Orencia Infusion     10/10/2014   add infusion, Simponi Aria Infusion     10/2014   add Remilexis     10/2014   add Remilexis     10/2014   add Remilexis     10/2014   add Remilexis     10/2014   add Simponi Aria for DX Ankylosing Spondylitis,     10/2014   add Stelara Plaque Psoriasis adult     10/2014   add Stelara Plaque Psoriasis adult     10/2014   add Cimzia Plaque Psoriasis     10/2014   add Cimzia Plaque Psoriasis		,
add Taltz  add diagnosis for llaris-Tumor Necrosis Factor Receptor Associated Periodic Syndrome (TRAPS), Hyperimmunoglobulin D Syndrome (HIDS)/Mevalonate Kinase Deficiency (MKD), and Familial Mediterranean Fever (FMF) add diagnosis for Humira-Uvetitis add Arcalyst to criteria coverage add infusion products to clinical coverage criteria-Actemra Infusion, Entyvio Infusion, Orencia Infusi Remicade Infusion, Simponi Aria Infusion add new dx for Orencia-PHIA, Psoriatic Arthritis add Kevzara to criteria add diagnosis chart add Renflexis add Psoriatic Arthritis DX for coverage-Taltz add Psoriatic Arthritis DX for Xeljanz and Xeljanz  02/26/2019  update chart add Simponi Aria for DX Ankylosing Spondylitis, add Enbrel PJIA add Stelara Plaque Psoriasis (12 and up) add Cimzia Plaque Psoriasis adult add Otezla Psoriatic Arthritis remove Renflexis exception add Xeljanz/Xeljanx XR and Renflexis UC adults add Actemra and Actemra SQ to Giant Cell Arteriti and Cytokine Release Syndrome add Tremfya add Olumiant  add ages for Humira in HS (12 and older) and Uvei (2 and older) Include Cosentyx as try and fail for Anklyosing Spondylitis, Plaque Psoriasis, and Psoriatic Arthritia add Illumya for Plaque Psoriasis (adult) update chart add Stiliq		**
add diagnosis for Ilaris-Tumor Necrosis Factor Receptor Associated Periodic Syndrome (TRAPS), Hyperimmunoglobulin D Syndrome (HIDS)/Mevalonate Kinase Deficiency (MKD), and Familial Mediterranean Fever (FMF) add diagnosis for Humira-Uveitis add Arcalyst to criteria coverage add infusion products to clinical coverage criteria-Actemra Infusion, Entyvio Infusion, Orencia Infusi Remicade Infusion, Simponi Aria Infusion add new dx for Orencia-PHIA, Psoriatic Arthritis add Kevzara to criteria add diagnosis chart add Remflexis add Psoriatic Arthritis DX for coverage-Taltz add Psoriatic Arthritis DX for Xeljanz and Xeljanz del Simponi Aria for DX Ankylosing Spondylitis, add Enbrel PJIA add Stelara Plaque Psoriasis (12 and up) add Cimzia Plaque Psoriasis adult add Otezla Psoriatic Arthritis remove Renflexis exception add Xeljanz/Xeljanx XR and Renflexis UC adults add Actemra and Actemra SQ to Giant Cell Arteritiand Cytokine Release Syndrome add Tremfya add Olumiant add ages for Humira in HS (12 and older) and Uvei (2 and older) Include Cosentyx as try and fail for Anklyosing Spondylitis, Plaque Psoriasis, and Psoriatic Arthritiadd Illumya for Plaque Psoriasis (adult) update chart add Siliq		J
add Simponi Aria for DX Ankylosing Spondylitis, add Enbrel PJIA add Stelara Plaque Psoriasis (12 and up) add Cimzia Plaque Psoriasis adult add Otezla Psoriatic Arthritis remove Renflexis exception add Xeljanz/Xeljanx XR and Renflexis UC adults add Actemra and Actemra SQ to Giant Cell Arteriti and Cytokine Release Syndrome add Tremfya add Olumiant  add ages for Humira in HS (12 and older) and Uvei (2 and older) Include Cosentyx as try and fail for Anklyosing Spondylitis, Plaque Psoriasis, and Psoriatic Arthriti add Ilumya for Plaque Psoriasis (adult) update chart add Siliq		add diagnosis for Ilaris- Tumor Necrosis Factor Receptor Associated Periodic Syndrome (TRAPS), Hyperimmunoglobulin D Syndrome (HIDS)/Mevalonate Kinase Deficiency (MKD), and Familial Mediterranean Fever (FMF) add diagnosis for Humira-Uveitis add Arcalyst to criteria coverage add infusion products to clinical coverage criteria- Actemra Infusion, Entyvio Infusion, Orencia Infusion, Remicade Infusion, Simponi Aria Infusion add new dx for Orencia- PHIA, Psoriatic Arthritis add Kevzara to criteria add diagnosis chart add Renflexis
Add Dx Non-Radiographic Axial Spondyloarthritis	02/26/2019	add Simponi Aria for DX Ankylosing Spondylitis, add Enbrel PJIA add Stelara Plaque Psoriasis (12 and up) add Cimzia Plaque Psoriasis adult add Otezla Psoriatic Arthritis remove Renflexis exception add Xeljanz/Xeljanx XR and Renflexis UC adults add Actemra and Actemra SQ to Giant Cell Arteritis and Cytokine Release Syndrome add Tremfya add Olumiant add ages for Humira in HS (12 and older) and Uveitis (2 and older) Include Cosentyx as try and fail for Anklyosing Spondylitis, Plaque Psoriasis, and Psoriatic Arthritis add Ilumya for Plaque Psoriasis (adult) update chart add Siliq
Cimzia		Add Dx Non-Radiographic Axial Spondyloarthritis for